

**YVES SAINT LAURENT LE TEINT TOUCHE ECLAT ILLUMINATING FOUNDATION  
BROAD SPECTRUM SPF 19 SUNSCREEN- octinoxate lotion  
L'Oreal USA Products Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient**

Octinoxate 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, cyclopentasiloxane, glycerin, dimethicone, PEG-10 dimethicone, sorbitol, bis-PEG/PPG-14/14 dimethicone, dimethicone/polyglycerin-3 crosspolymer, sodium chloride, phenoxyethanol, caprylyl glycol, disteardimonium hectorite, disodium stearyl glutamate, ethylhexylglycerin, fragrance, aluminum hydroxide, ascorbyl palmitate, dipropylene glycol, isotridecyl isononanoate; may contain: titanium dioxide, iron oxides, bismuth oxychloride

<p>QUESTIONS OR COMMENTS? CONTACT: YVES SAINT LAURENT 575 5TH AVE. NEW YORK, NY 10017</p> <p>FOR MORE INFORMATION ON THIS: WEBSITE: <a href="http://www.yslbeautyus.com">www.yslbeautyus.com</a> Imp. By YSL BEAUTÉ CANADA MONTREAL H4T 1K5 CANADA</p> <p>THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS © YVES SAINT LAURENT YSL BEAUTÉ 281, RUE SAINT HONORÉ, 75008 PARIS LUXURY PRODUCTS LLC, NEW YORK, NY 10017 Imp. By YSL BEAUTÉ CANADA, MONTREAL, H4T 1K5 TSA 10007 F 92887 ASNIERES CEDEX MADE IN FRANCE</p>  	<p>A unique alchemy: the magic light of Touche Éclat is infused in a foundation of refined purity, free of any opaque powders. Its perfecting formula liberates a pure luminous glow that defines the contours of the face with dimensional radiance. Its ultra-sensorial texture blends with the skin for a perfect made-to-measure coverage. Dullness and imperfections disappear, without covering or masking. Full of life, the complexion is dressed with a natural, unique luminescence.</p> <p>SHAKE WELL BEFORE USE</p>  <p>3 365440 200449</p> <p>Seal vector</p>	<p>LE TEINT TOUCHE ÉCLAT OCTINOXATE SUNSCREEN BROAD SPECTRUM SPF 19 ILLUMINATING FOUNDATION DIMENSIONAL RADIANCE WEIGHTLESS PERFECTION</p>  <p>B 10 BEIGE</p> <p>YVES SAINT LAURENT 1 fl.oz. e 30 ml</p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active Ingredient</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Octinoxate 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b> For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> For sunscreen use:</p> <ul style="list-style-type: none"> <li>• shake well before use</li> <li>• apply generously 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> <li>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2p.m.</li> <li>• wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months of age: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive Ingredients</b> water, cyclopentasiloxane, glycerin, dimethicone, PEG-10 dimethicone, sorbitol, bis-PEG/PPG-14/14 dimethicone, dimethicone/polyglycerin-3 crosspolymer, sodium chloride, phenoxyethanol, caprylyl glycol, disteardimonium hectorite, disodium stearyl glutamate, ethylhexylglycerin, fragrance, aluminum hydroxide, ascorbyl palmitate, dipropylene glycol, isotridecyl isononanoate; may contain: titanium dioxide, iron oxides, bismuth oxychloride</p> <p>G861265 3 - F.I.L. B50106/9</p>	Active Ingredient	Purpose	Octinoxate 7%	Sunscreen
Active Ingredient	Purpose						
Octinoxate 7%	Sunscreen						

# YVES SAINT LAURENT LE TEINT TOUCHE ECLAT ILLUMINATING FOUNDATION BROAD SPECTRUM SPF 19 SUNSCREEN

octinoxate lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-064
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	70 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0TH5PC10R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>ISOTRIDECYL ISONONANOATE</b> (UNII: WEF51750MT)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-064-01	1 in 1 CARTON	06/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:49967-064-02	1 in 1 CARTON	06/01/2012	
2		10 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49967-064-	1 mL in 1 PACKET; Type 0: Not a Combination Product	06/01/2012	

03	TABLET, Type O, Not a Combination Product	06/01/2012	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	06/01/2012	

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(49967-064)

Revised: 12/2019

L'Oreal USA Products Inc