COLD AND ALLERGY RELIEF- chlorpheniramine maleate, phenylephrine hcl tablet H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Chlorpheniramine Maleate 4 mg

Phenylephrine HCl 10 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - nasal congestion
 - itching of the nose or throat
 - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease

- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- do not use more than directed
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, r sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and older	take 1 tablet
children 6 to under 12 years of age	take 1/2 tablet
children under 6 years of age	consult a doctor
children under 4 years of age	do not use

Other information

- each tablet contains: calcium 10 mg
- store between 15-30°C (59-86°F)

Inactive ingredients

colloidal silicon dioxide, corn starch, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, sodium starch glycolate and stearic acid

Questions or comments?

Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Actifed[®] Cold & Allergy active ingredients**

Maximum Strength

COLD & ALLERGY RELIEF

Chlorpheniramine maleate 4 mg / Antihistamine

Phenylephrine HCl 10 mg / Nasal Decongestant

Allergy & Congestion

Relief of:

- Nasal Congestion
- Runny Nose
- Sneezing
- Itchy, Watery Eyes

For Ages 6 Years and Older

Does Not Contain Pseudoephedrine

TABLETS

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Actifed® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label



UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF

KEEP OUTER CARTON FOR COMPLETE



Exp. Date

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204

Lot No.:	PLD-C68J FC	Contractions or commenting of a contraction and an analysis of a contraction of commenting of a contraction of a contracti	Ask a doctor or pharmacist before use if you are taking sedatives or tranquilitsers. When using this product a do not use more than directed excitability may occur, especially in children excitability may occur a void alcoholic drinks drowsiness may occur	
	FC004526	Inscrive ingredients colloidal allicon dioxide, com atarch, dibasic calcium phosphate dihydrate, hypromellose, magneeium stearate, microcrystalline cellulose, mineral oil, sodium atarch glycolate, stearic acid	Ask a doctor before use if you have ■ high blood pressure ■ heat disease ■ thyroid disease ■ diabetes ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland	IF BLISTER
		Other information each tablet contains: calcium 10 mg atore between 15-30°C (59-86°F)	prescription drug contains an MADI, ask a doctor or pharmacist before taking this product.	ENED OR
		and older children 6 to under 12 years of age take 1/2 tablet children under 6 years of age consult a doctor children under 4 years of age do not use	Warrings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (sertain drugs for depression, psychiatric or emotional conditions, or Parkinson's (sectain drugs for do 2 weeks after stophing the MADI drug. If you do not know if your disease), or for 2 weeks after stophing the MADI act a dorput variancies helper leving the prescription drug contained and the contained stophing the	TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER
		Directions ■ take every 4 hours ■ do not take more than 6 doses in any 24-hour period adults and children 12 years of age take 1 tablet	■ itching of the nose or throat ■ itchy, watery eyes ■ itemporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing	: DO NOT USI
		If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Uses Level <plevel< p=""> <plevel< p=""> <plevel<< th=""><th>APER EVIDEN</th></plevel<<></plevel<></plevel<>	APER EVIDEN
		Stop use and ask a doctor if market occur with a fever symptoms do not improve within 7 days or occur with a fever	Phenylephnine HCI 10 mg.	TA
		Icessetul when driving a motor vehicle or operating machinery excellent when driving a motor vehicle or operating machinery	Purpose: (tablet for a consistent of the constraints of the constrai	
		(bəunifnoo) stərəf gurü	sper generation	



H-E-B Cold & Allergy Relief

COLD AND ALLERGY RELIEF

chlorpheniramine maleate, phenylephrine hcl tablet

Due durch Tomo						NDC.270		
Product Type		HUMAN OTC DF	(UG	Item Code (S	Code (Source)		NDC:37808-890	
Route of Admin	istration	ORAL						
Active Ingred	ient/Activ	ve Moiety						
	Ing	gredient Name			Basis of St	trength	Strengt	
CHLORPHENIRAM JNII:3U6IO1965U)	ORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - CHLORPHENIRAMINE			MINE	4 mg			
PHENYLEPHRINE HYDROCHI UNII:1WS297W6MV)		ORIDE (UNII: 04JA59	TNSJ) (PHEN	YLEPHRINE -	PHENYLEPHRINE	-	10 mg	
Inactive Inerr	dianta							
Inactive Ingre	ealents	Ingradia	t Nama			- -	tropath	
SILICON DIOXIDE		Ingredier	it ivame			3	trength	
	-	SIC, ANHYDROUS (UNII: 111K75	5P92I)				
HYPROMELLOSES	•	· ·		······································				
MAGNESIUM STEA								
CELLULOSE, MICI	ROCRYSTAL	LINE (UNII: OP1R32	D61U)					
MINERAL OIL (UNI	: T5L8T28F0	GP)						
STARCH, CORN (U	NII: 08232N	Y3SJ)						
		Y3SJ) E TYPE A CORN (UI	NII: AG9B65P	°V6B)				
SODIUM STARCH	GLYCOLAT	E TYPE A CORN (UI	NII: AG9B65F	PV6B)				
SODIUM STARCH	GLYCOLAT	E TYPE A CORN (UI	NII: AG9B65F	PV6B)				
SODIUM STARCH STEARIC ACID (UN	GLYCOLAT III: 4ELV7Z6	E TYPE A CORN (UI 5AP)	NII: AG9B65F	PV6B)				
	GLYCOLAT III: 4ELV7Z6 Acteristi	E TYPE A CORN (UI 5AP)	NII: AG9B65F Score	°V6B)		2 pieces		
SODIUM STARCH STEARIC ACID (UN Product Char	GLYCOLATI	E TYPE A CORN (UI 5AP) CS		₽V6B)		2 pieces 7mm		
SODIUM STARCH STEARIC ACID (UN Product Char Color	GLYCOLATI	E TYPE A CORN (UI 5AP) CS white	Score			-		
SODIUM STARCH STEARIC ACID (UN Product Char Color Shape	GLYCOLATI	E TYPE A CORN (UI 5AP) CS white	Score Size			7mm		
SODIUM STARCH STEARIC ACID (UN Product Char Color Shape Flavor	GLYCOLATI	E TYPE A CORN (UI 5AP) CS white	Score Size			7mm		
SODIUM STARCH STEARIC ACID (UN Product Char Color Shape Flavor Contains	GLYCOLATI	E TYPE A CORN (UI 5AP) CS white	Score Size			7mm		
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging	GLYCOLAT	E TYPE A CORN (UI 5AP) CS white	Score Size Imprint C	ode	keting Start Date	7mm T127 Marke	ting End ate	
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging	GLYCOLAT	E TYPE A CORN (UI 5AP) CS white ROUND Package Descr	Score Size Imprint C	ode	Date	7mm T127 Marke	ate	
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:37808-890-	GLYCOLAT III: 4ELV7Z 6 Acteristic	E TYPE A CORN (UI 5AP) CS white ROUND Package Descr	Score Size Imprint C	ode Mar 08/31/2	Date	7mm T127 Marke D	ate	
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:37808-890- 24	GLYCOLATI III: 4ELV7Z 6 Acteristic Acteristic 24 in 1 CAF 1 in 1 BLIS Product	E TYPE A CORN (UI 5AP) CS white ROUND Package Descr RTON TER PACK; Type 0: N	Score Size Imprint C	ode Mar 08/31/2	Date	7mm T127 Marke D	ate	
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:37808-890- 24	GLYCOLATI III: 4ELV7Z 6 Acteristic Acteristic 24 in 1 CAF 1 in 1 BLIS Product	E TYPE A CORN (UI 5AP) CS white ROUND Package Descr RTON TER PACK; Type 0: N	Score Size Imprint C	ode Mar 08/31/2	Date	7mm T127 Marke D	ate	
SODIUM STARCH STEARIC ACID (UN Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:37808-890- 24	GLYCOLATI III: 4ELV7Z 6 acteristic acteristic 24 in 1 CAF 1 in 1 BLIS Product Inform	E TYPE A CORN (UI 5AP) CS white ROUND Package Descr RTON TER PACK; Type 0: N	Score Size Imprint C iption lot a Combin	ode Mar 08/31/2 nation	Date	7mm T127 Marke D 08/31/202 Marke		

Revised: 11/2022

ΗEΒ