

**DIOR FOREVER SKIN WEAR FLAWLESS SKIN TRUE FOUNDATION SPF 20 4N  
NEUTRAL- octisalate, titanium dioxide emulsion  
Parfums Christian Dior**

-----  
**Dior Forever Skin Wear Flawless Skin True Foundation SPF 20 4N Neutral**

***Drug Facts***

***Active ingredients***

Octisalate 3.50%

Titanium Dioxide 3.76%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures ( **see *Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product,**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months of age: ask a doctor.

### ***Other information***

- Protect the product in this container from excessive heat and direct sun.

### ***Inactive ingredients***

AQUA (WATER) • METHYL TRIMETHICONE • ALCOHOL • ISODODECANE • TRIMETHYLSILOXYSILICATE • PEG-10 DIMETHICONE • DIMETHICONE • BUTYLENE GLYCOL • METHYL METHACRYLATE CROSSPOLYMER • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER • NIACINAMIDE • POLYGLYCERYL-10 DECAISOSTEARATE • DISTEARDIMONIUM HECTORITE • VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER • CETYL DIMETHICONE • ALUMINUM HYDROXIDE • SODIUM MYRISTOYL GLUTAMATE • PARFUM (FRAGRANCE) • PROPYLENE CARBONATE • CHLORPHENESIN • ALUMINA • STEARIC ACID • HYALURONIC ACID • TROMETHAMINE • TOCOPHEROL • PENTYLENE GLYCOL • IRIS FLORENTINA ROOT EXTRACT • TROPAEOLUM MAJUS FLOWER/LEAF/STEM EXTRACT • SODIUM BENZOATE • POTASSIUM SORBATE • ACETYL HEXAPEPTIDE-8  
[MAY CONTAIN : CI 77491 (IRON OXIDES), CI 77492 (IRON OXIDES) , CI 77499 (IRON OXIDES), CI 77891 (TITANIUM DIOXIDE)]. N° 21940/Z

### **Package Labeling:**

TESTER - NOT FOR SALE

ACTIVE INGREDIENTS:  
OCTISALATE 3.50%  
TITANIUM DIOXIDE 3.76%

SEE SALE PRODUCT  
FOR COMPLETE  
DRUG FACTS



E500001060



3 348901 797641

MADE IN FRANCE

PARFUMS CHRISTIAN DIOR

75008 Paris - France

W1S 2UE, UK

In USA: 19E57 NY, NY 10022

[www.dior.com](http://www.dior.com)



20 ml - 0.67 FL.OZ

**Package Labeling:**

DIOR  
FOREVER  
SKIN WEAR  
4N  
NEUTRAL

**Drug Facts**

**Active ingredients**      **Purpose**  
Octisalate 3.50% } .....Sunscreen  
Titanium Dioxide 3.76%

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age; ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

DIOR

RENO  
FOREVER

FOREVER  
SKIN WEAR

FLAWLESS SKIN TRUE FOUNDATION  
24H\* ULTRA MAKEUP WEAR  
NO-TRANSFER  
TRIPLE-ACTION CARE  
WITH SUNSCREEN

HYALURONIC + NIACINAMIDE + PEPTIDE  
BROAD SPECTRUM SPF 20  
30 ml      1 FL.OZ

**Drug Facts**  
(continued)

**Inactive ingredients**

AQUA (WATER) • METHYL TRIMETHICONE • ALCOHOL • ISODODECANE • TRIMETHYLSILOXYSILICATE • PEG-10 DIMETHICONE • DIMETHICONE • BUTYLENE GLYCOL • METHYL METHACRYLATE COPOLYMER • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE COPOLYMER • NIACINAMIDE • POLYGLYCERYL-10 DECAISOCTEATE • DISTEARDIMONIUM HECTOATE • VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER • CETYL DIMETHICONE • ALUMINUM HYDROXIDE • SODIUM MYRISTOYL GLUTAMATE • PARFUM (FRAGRANCE) • PROPYLENE CARBONATE • CHLORPHENESIN • ALLUMINA • STEARIC ACID • HYALURONIC ACID • TROMETHAMINE • TOCOPHEROL • PENTYLENE GLYCOL • IRIS FLORENTINA ROOT EXTRACT • TROPAEOLUM MAJUS FLOWER/LEAF/STEM EXTRACT • SODIUM BICARBONATE • POTASSIUM SORBATE • ACETYL HEXAPEPTIDE-8.  
MAY CONTAIN: CI 77491 (IRON OXIDES) • CI 77492 (IRON OXIDES) • CI 77499 (IRON OXIDES) • CI 77891 (TITANIUM DIOXIDE).  
N° 219401Z

Triple-action care foundation: perfecting effect, skin evenness, preserved hydration. \*24h refers to the duration of makeup wear, not sunscreen; see Sunscreen Use directions. 24h makeup wear: instrumental test on 25 subjects. Infused in hyaluronic acid, niacinamide and acetyl hexapeptide-8.



GET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DISTRIBUTEURS AGRÉÉS DES Parfums Christian Dior



MADE IN FRANCE  
Parfums Christian Dior  
33, avenue Hoche - 75008 Paris - France  
WIS DUL, UK  
In USA: 10657 NY NY 10022  
www.dior.com

07445-029-01  
7000000



74 2426 610 9

(A)


252

01

TYPON N° 48390  
VERESCENCE 16580-01  
FL. "RENO FOREVER" 30 ML.  
(SOUS-COUCHE)

TYPON N° 48391  
VERESCENCE 16580-01  
FL. "RENO FOREVER" 30 ML.  
(MAC ARGENT)

TYPON N° 48565  
VERESCENCE 16580-01  
FL. "RENO FOREVER" 30 ML.  
(BLEU)



RECTO

VERSO

Tolérance d'implantation et de centrage latéral  $\pm 1\text{mm}$   
du décor par rapport à l'axe du flacon



PARFUMS CHRISTIAN DIOR  
75008 Paris - France - W1S 2UE, UK  
IN USA: 19E57 NY, NY 10022  
www.dior.com

30 ml - 1 FL.OZ



**R**



Active ingredients:  
Octisalate 3.50%  
Titanium dioxide 3.76%

**V**



Warnings: For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Children under 6 months of age: ask a doctor.

SEE OUTER BOX FOR COMPLETE DRUG FACTS.

**B**



**DIOR FOREVER SKIN WEAR FLAWLESS SKIN TRUE FOUNDATION  
SPF 20 4N NEUTRAL**

octisalate, titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61957-3429
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	35 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	37.6 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYGLYCERYL-10 DECAISO STEARATE</b> (UNII: Z52UR6Z5AB)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>SODIUM MYRISTOYL GLUTAMATE</b> (UNII: AYU7QD893W)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>IRIS X GERMANICA NOTHOVAR. FLORENTINA ROOT</b> (UNII: M30XO5X4XD)	
<b>TROPAEOLUM MAJUS FLOWERING TOP</b> (UNII: RGT30824HY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>ACETYL HEXAPEPTIDE-8 AMIDE</b> (UNII: L4EL31FOWL)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:61957-3429-1	1 in 1 CARTON	03/01/2026	

1		20 mL in 1 BOTTLE; Type 0: Not a Combination Product	
2	NDC:61957-3429-0	1 in 1 CARTON	03/01/2026
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2026	

**Labeler** - Parfums Christian Dior (275252245)

**Registrant** - Parfums Christian Dior (396393746)

Revised: 1/2026

Parfums Christian Dior