

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 8B PORCELAIN BEIGE- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 13N FAIR NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 14S FAIR SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16B FAIR-LIGHT BEIGE- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16S FAIR-LIGHT SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16N FAIR-LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22S LIGHT SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22N LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22B LIGHT BEIGE- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 24G LIGHT GOLDEN- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27S LIGHT-MEDIUM SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 29H LIGHT-MEDIUM HONEY- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34S MEDIUM SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34N MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 35G MEDIUM GOLDEN- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36H MEDIUM-TAN HONEY- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36N MEDIUM-TAN NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 38S MEDIUM-TAN SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 42N TAN NEUTRAL- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44H TAN HONEY- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44S TAN SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 48S TAN-DEEP SAND- titanium dioxide and zinc oxide liquid

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20

SUNSCREEN 49H TAN-DEEP HONEY- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 50S DEEP SAND- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 52N DEEP NEUTRAL- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 54H DEEP HONEY- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 58S RICH SAND- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 59N RICH NEUTRAL- titanium dioxide and zinc oxide liquid
FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN 60H MAHOGANY- titanium dioxide and zinc oxide liquid
Tarte, Inc.

foundcealer™ multi-tasking foundation Broad Spectrum SPF 20 Sunscreen

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Titanium Dioxide 7.47%	Sunscreen
Zinc Oxide 4.75%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Dist. by tarte, Inc.
New York, NY 10018.

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 8B - porcelain beige

tarte
high-performance naturals™

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

8B
porcelain beige

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%... Sunscreen
Zinc Oxide 4.75%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacrylate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05274-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 13N - fair neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

13N
fair neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%... Sunscreen
Zinc Oxide 4.75%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
@tarte cosmetics
www.tarte.com



FG05276-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 14S - fair sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

14S
fair sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacrylate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



crucial care
skin organ

FG05277-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16B - fair-light beige

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16B
fair-light beige

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
 Stop use and ask doctor if rash occurs.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
 multi-tasking foundation
**Broad Spectrum
 SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
 @tartecosmetics
 www.tarte.com



FG05278-03



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16S - fair-light sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16S
fair-light sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL.Oz.



Drug Facts

Active Ingredients	Purpose
---------------------------	----------------

Titanium Dioxide 7.47%.....	Sunscreen
Zinc Oxide 4.75%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05279-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16N - fair-light neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16N
fair-light neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tarte cosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



Drug Facts
(continued)

Inactive Ingredients
Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

Drug Facts

Active Ingredients	Purpose
---------------------------	----------------

Titanium Dioxide 7.47%.....Sunscreen	
Zinc Oxide 4.75%.....Sunscreen	

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

FG05280-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22S - light sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

225
light sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



Drug Facts

Active Ingredients	Purpose
---------------------------	----------------

Titanium Dioxide 7.47%.....	Sunscreen
Zinc Oxide 4.75%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05281-03



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22N - light neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

22N
light neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



Drug Facts

Active Ingredients	Purpose
---------------------------	----------------

Titanium Dioxide 7.47%.....Sunscreen	
Zinc Oxide 4.75%.....Sunscreen	

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05282-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22B - light beige

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

22B
light beige

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tarte cosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



Drug Facts
(continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%.....Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

FG05283-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 24G - light golden

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

24G
light golden

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05284-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27S - light-medium sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

27S
light-medium sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved.
BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05285-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27N - light-medium
neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

27N
light-medium neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05286-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 29H - light-medium honey

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

29H
light-medium honey

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05287-03



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 34S - medium sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

34S
medium sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05288-03



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 34N - medium neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

34N
medium neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05289-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 35G - medium golden

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

35G
medium golden

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05290-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 36H - medium-tan honey

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

36H
medium-tan honey

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts
(continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



cruelty free
100% Vegan

FG05291-03



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 36N - medium-tan neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

36N
medium-tan neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05292-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 38S - medium-tan sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

38S
medium-tan sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05293-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 42N - tan neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

42N
tan neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%.....Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05294-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 44H - tan honey

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

44H
tan honey

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05295-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 44S - tan sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

44S
tan sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05296-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 48S - tan-deep sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

48S
tan-deep sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499), EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05297-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 49H - tan-deep honey

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

49H
tan-deep honey

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid. (+/-): Titanium Dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000742.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05298-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 50S - deep sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

50S
deep sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL. Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05299-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 52N - deep neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

52N
deep neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
 Stop use and ask doctor if rash occurs.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
 multi-tasking foundation
**Broad Spectrum
 SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered
 @tartecosmetics
 www.tarte.com



FG05300-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 54H - deep honey

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

54H
deep honey

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients **Purpose**

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid. (+/-): Titanium Dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000742.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
**Broad Spectrum
SPF 20 Sunscreen**

net 30 mL / 1 FL.Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05301-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 58S - rich sand

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

58S
rich sand

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000752.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered
@tartecosmetics
www.tarte.com



FG05302-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 59N - rich neutral

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

59N
rich neutral

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered
@tartecosmetics
www.tarte.com

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



cruelty free
vegan

Drug Facts

Active Ingredients Purpose

Titanium Dioxide 7.47%... Sunscreen
Zinc Oxide 4.75%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000762.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05303-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 60H - mahogany

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

60H
mahogany

tarte
high-performance naturals™

- 12-hour makeup
- dermatologist tested

Drug Facts

Active Ingredients

Titanium Dioxide 7.47%...Sunscreen
Zinc Oxide 4.75%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

-Limit time in the sun, especially from 10 a.m.-2 p.m.

-Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499), EX100FL000762.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™
multi-tasking foundation
Broad Spectrum
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered
@tarte cosmetics
www.tarte.com



FG05304-02



FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 8B PORCELAIN BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-197
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-197-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 13N FAIR NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-198
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-198-01	1 in 1 CARTON	03/21/2019	11/30/2022
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	11/30/2022

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 14S FAIR SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-199
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: ROZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	

ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-199-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16B FAIR-LIGHT BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-200-01	1 in 1 CARTON	03/21/2019	

1	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16S FAIR-LIGHT SAND
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-201-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16N FAIR-LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL
Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)		
BABASSU OIL (UNII: 8QSB4M5477)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
HEXYL LAURATE (UNII: 4CG9F9W01Q)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
CALCIUM STEARATE (UNII: 776XM7047L)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
TOCOPHEROL (UNII: R0ZB2556P8)		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)		
SUNFLOWER OIL (UNII: 3W1JG795YI)		
ETHYLHEXYL PALMITATE (UNII: 2865993309)		
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
SOYBEAN LECITHIN (UNII: 1DI56QDM62)		
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)		
KAOLIN (UNII: 24H4NWX5CO)		
CYCLOMETHICONE 4 (UNII: CZ227117JE)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
HYALURONATE SODIUM (UNII: YSE9PPT4TH)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
HYALURONIC ACID (UNII: S270N0TRQY)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERROSOFERRIC OXIDE (UNII: XM0M87F357)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-202-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22S LIGHT SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-203
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-203-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22N LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-204
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-204-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22B LIGHT BEIGE

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	

BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: ROZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-205-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 24G LIGHT GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-206
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	

CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-206-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27S LIGHT-MEDIUM SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-207
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-207-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-208
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	

EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-208-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 29H LIGHT-MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-209
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: ROZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-209-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34S MEDIUM SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-210
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-210-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34N MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-211
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:51060-211-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 35G MEDIUM GOLDEN

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-212
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)		Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)		Zinc Oxide	47.5 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)			
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)			
BABASSU OIL (UNII: 8QSB4M5477)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)			
HEXYL LAURATE (UNII: 4CG9F9W01Q)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
CALCIUM STEARATE (UNII: 776XM7047L)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: ROZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-212-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36H MEDIUM-TAN HONEY
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-213
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-213-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36N MEDIUM-TAN NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-214
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-214-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 38S MEDIUM-TAN SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-215
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-215-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 42N TAN NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-216
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-216-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM

SPF 20 SUNSCREEN 44H TAN HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-217
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	

KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-217-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44S TAN SAND
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-218
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-218-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 48S TAN-DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-219
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8TOX)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-219-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/21/2019		

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 49H TAN-DEEP HONEY

titanium dioxide and zinc oxide liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-220	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		

DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-220-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 50S DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-221
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-221-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 52N DEEP NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-222
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
BABASSU OIL (UNII: 8QSB4M5477)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CALCIUM STEARATE (UNII: 776XM7047L)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-222-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 54H DEEP HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-223
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CALCIUM STEARATE (UNII: 776XM7047L)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	

ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-223-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 58S RICH SAND

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-224
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CALCIUM STEARATE (UNII: 776XM7047L)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-224-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 59N RICH NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-225
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CALCIUM STEARATE (UNII: 776XM7047L)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

SUNFLOWER OIL (UNII: 3W1JG795YI)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
ISOSTEARIC ACID (UNII: X33R8U0062)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
KAOLIN (UNII: 24H4NWX5CO)
CYCLOMETHICONE 4 (UNII: CZ227117JE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYALURONIC ACID (UNII: S270N0TRQY)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-225-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 60H MAHOGANY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-226
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BABASSU OIL (UNII: 8QSB4M5477)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CALCIUM STEARATE (UNII: 776XM7047L)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYALURONIC ACID (UNII: S270N0TRQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-226-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

Labeler - Tarte, Inc. (027905186)

Revised: 12/2024

Tarte, Inc.