

**ALLERGIES- apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, aethusa cynapium, agaricus muscarius, aletris farinosa, alfalfa, allium cepa, allium sativum, ambrosia artemisiaefolia, arsenicum album, artemisia vulgaris, arundo mauritanica, avena sativa, belladonna, bellis perrenis, bovista, bromium, bryonia, caffeinum, calcarea carbonica, calluna vulgaris, flos, capsicum annuum, cat hair, chamomilla, chelidonium majus, chenopodium anthelminticum, cinnamomum liquid  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Allergies 4855L**

**INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

**DOSAGE & ADMINISTRATION SECTION**

Directions: Ages 12 and up take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

**OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mel 11x, Echinacea 11x, Hydrastis 11x, Taraxacum 11x, Aconitum nap 20x, Aethusa cynapium 20x, Agaricus musc 20x, Aletris 20x, Alfalfa 20x, Allium cepa 20x, Allium sat 20x, Ambrosia 20x, Arsenicum alb 20x, Artemisia 20x, Arundo ma 20x, Avena 20x, Belladonna 20x, Bellis 20x, Bovista 20x, Bromium 20x, Bryonia 20x, Caffeinum 20x, Calc carb 20x, Calluna vulgaris, flos 20x, Capsicum 20x, Cat hair 20x, Chamomilla 20x, Chelidonium maj 20x, Chenopodium anth 20x, Cinnamomum 20x, Cistus canadensis 20x, Coccus 20x, Cynara 20x, Dog hair 20x, Drosera 20x, Dulcamara 20x, Euphrasia 20x, Fagopyrum 20x, Fagus syl 20x, Fragaria 20x, Frax amer 20x, Gelsemium 20x, Histaminum hydro 20x, House dust 20x, Hyoscyamus 20x, Jequirity 20x, Juglans reg 20x, Kali iod 20x, Lac vac 20x, Ledum 20x, Lilium 20x, Lycopodium 20x, Lycopus 20x, Mentha pip 20x, Nat mur 20x, Nux mosch 20x, Onosmodium virginianum 20x, Ova tosta 20x, Phytolacca 20x, Populus can 20x, Populus trem 20x, Ptelea 20x, Pulsatilla 20x, Quercus gland sp 20x, Rhus tox 20x, Rosa dam 20x, Sabadilla 20x, Saccharinum 20x, Sac lac 20x, Salix nig 20x, Sambucus nig 20x, Sanguinaria 20x, Secale 20x, Stramonium 20x, Sulphur 20x, Tabacum 20x, Thiosinaminum 20x, Trillium 20x, Triticum 20x, Urtica ur 20x, Ustilago maidis 20x, Wyethia 20x, Xerophyllum 20x, Zingiber 20x, Anacardium occ 21x, Ascorbic ac 21x, Astacus 21x, Glycyrrhiza 21x, Juniperus virg 21x, Lycopersicum 21x, Nat nitricum 21x, Parthenium 21x, Saccharum off 21x, Sinapis nig 21x, Solanum nig 21x, Solanum tub 21x, Stigmata 21x, Torula cerevisiae 21x, Ulmus fulv 21x, Yucca 21x.

## **OTC - PURPOSE SECTION**

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

## **INACTIVE INGREDIENT SECTION**

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

## **QUESTIONS SECTION**

newtonlabs.net - Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 Conyers, GA 30013

## **WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

**Keep out of reach of children.**

## **PACKAGE LABEL**

# NEWTON homeopathics<sup>®</sup> PRO

NDC#  
55714-4855-1

## Allergies

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.  
**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

**Active Ingredients:** Equal parts of Apis mel 11x, Echinacea 11x, Hydrastis 11x, Taraxacum 11x, Aconitum nap 20x, Aethusa cynapium 20x, Agaricus musc 20x, Aletris 20x, Alfalfa 20x, Allium cepa 20x, Allium sat 20x, Ambrosia 20x, Arsenicum alb 20x, Artemisia 20x, Arundo ma 20x, Avena 20x, Belladonna 20x, Bellis 20x, Bovista 20x, Bromium 20x, Bryonia 20x, Caffeinum 20x, Calc carb 20x, Calluna vulgaris, flos 20x, Capsicum 20x, Cat hair 20x, Chamomilla 20x, Chelidonium maj 20x, Chenopodium anth 20x, Cinnamomum 20x, Cistus canadensis 20x, Coccus 20x, Cynara 20x, Dog hair 20x, Drosera 20x, Dulcamara 20x, Euphrasia 20x, Fagopyrum 20x, Fagus syl 20x, Fragaria 20x, Frax amer 20x, Gelsemium 20x, Histaminum hydro 20x, House dust 20x, Hyoscyamus 20x, Jequirity 20x, Juglans reg 20x, Kali iod 20x, Lac vac 20x, Ledum 20x, Lilium 20x, Lycopodium 20x, Lycopus 20x, Mentha pip 20x, Nat mur 20x, Nux mosch 20x, Onosmodium virginianum 20x, Ova testa 20x, Phytolacca 20x, Populus can 20x, Populus trem 20x, Ptelea 20x, Pulsatilla 20x, Quercus gland sp 20x, Rhus tox 20x, Rosa dam 20x, Sabadilla 20x, Saccharinum 20x, Sac lac 20x, Salix nig 20x, Sambucus nig 20x, Sanguinaria 20x, Secale 20x, Stramonium 20x, Sulphur 20x, Tabacum 20x, Theosinaminum 20x, Trillium 20x, Triticum 20x, Urtica ur 20x, Ustilago maidis 20x, Wyethia 20x, Xerophyllum 20x, Zingiber 20x, Anacar occ 21x, Ascorbic ac 21x, Astacus 21x, Glycyrrhiza 21x, Juniperus virg 21x, Lycopersicum 21x, Nat nitricum 21x, Parthenium 21x, Saccharum off 21x, Sinapis nig 21x, Solanum nig 21x, Solanum tub 21x, Stigmata 21x, Tarula cerevisiae 21x, Ulmus fulv 21x, Yucca 21x.

**Inactive Ingredients:** USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# R127 Lot#

newtonlabs.net ~ Questions? 800.448.7256  
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013  
Label statements have not been reviewed by the FDA.  
**WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.**

## ALLERGIES

apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, aethusa cynapium, agaricus muscarius, aletris farinosa, alfalfa, allium cepa, allium sativum, ambrosia artemisiaefolia, arsenicum album, artemisia vulgaris, arundo mauritanica, avena sativa, belladonna, bellis perrenis, bovista, bromium, bryonia, caffeinum, calcarea carbonica, calluna vulgaris, flos, capsicum annuum, cat hair, chamomilla, chelidonium majus, chenopodium anthelminticum, cinnamomum liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-4855
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ULMUS RUBRA BARK</b> (UNII: 91QY4PXU8Q) (ULMUS RUBRA BARK - UNII:91QY4PXU8Q)	ULMUS RUBRA BARK	21 [hp_X] in 1 mL
<b>EGG SHELL, COOKED</b> (UNII: 24HBF856C8) (EGG SHELL, COOKED - UNII:24HBF856C8)	EGG SHELL, COOKED	20 [hp_X] in 1 mL
<b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	20 [hp_X] in 1 mL
<b>SAMBUCUS NIGRA FLOWERING TOP</b> (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	20 [hp_X] in 1 mL
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	20 [hp_X] in 1 mL
<b>LYCOPUS VIRGINICUS</b> (UNII: TWH5125Q6F) (LYCOPUS VIRGINICUS - UNII:TWH5125Q6F)	LYCOPUS VIRGINICUS	20 [hp_X] in 1 mL
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G) (ANHYDROUS LACTOSE - UNII:3SY5LH9PMK)	LACTOSE, UNSPECIFIED FORM	20 [hp_X] in 1 mL

<b>CLAVICEPS PURPUREA SCLEROTIUM</b> (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	20 [hp_X] in 1 mL
<b>TRILLIUM ERECTUM ROOT</b> (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII:AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	20 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	21 [hp_X] in 1 mL
<b>BLACK MUSTARD SEED</b> (UNII: 8LTY55LQ8D) (BLACK MUSTARD SEED - UNII:8LTY55LQ8D)	BLACK MUSTARD SEED	21 [hp_X] in 1 mL
<b>DATURA STRAMONIUM</b> (UNII: G6W4F0V8Z3) (DATURA STRAMONIUM - UNII:G6W4F0V8Z3)	DATURA STRAMONIUM	20 [hp_X] in 1 mL
<b>TOBACCO LEAF</b> (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	20 [hp_X] in 1 mL
<b>ALLYLTHIOUREA</b> (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	20 [hp_X] in 1 mL
<b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	20 [hp_X] in 1 mL
<b>ELYMUS REPENS ROOT</b> (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	20 [hp_X] in 1 mL
<b>USTILAGO MAYDIS</b> (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)	USTILAGO MAYDIS	20 [hp_X] in 1 mL
<b>WYETHIA HELENIOIDES ROOT</b> (UNII: J10PD1AQ0N) (WYETHIA HELENIOIDES ROOT - UNII:J10PD1AQ0N)	WYETHIA HELENIOIDES ROOT	20 [hp_X] in 1 mL
<b>XEROPHYLLUM ASPHODELOIDES</b> (UNII: 9I4XB1GP2B) (XEROPHYLLUM ASPHODELOIDES - UNII:9I4XB1GP2B)	XEROPHYLLUM ASPHODELOIDES	20 [hp_X] in 1 mL
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	11 [hp_X] in 1 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	11 [hp_X] in 1 mL
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	20 [hp_X] in 1 mL
<b>AETHUSA CYNAPIUM</b> (UNII: M6936L953C) (AETHUSA CYNAPIUM - UNII:M6936L953C)	AETHUSA CYNAPIUM	20 [hp_X] in 1 mL
<b>AMANITA MUSCARIA FRUITING BODY</b> (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	20 [hp_X] in 1 mL
<b>ALETRIS FARINOSA ROOT</b> (UNII: O021JGR97X) (ALETRIS FARINOSA ROOT - UNII:O021JGR97X)	ALETRIS FARINOSA ROOT	20 [hp_X] in 1 mL
<b>ALFALFA</b> (UNII: DJO934BRBD) (ALFALFA - UNII:DJO934BRBD)	ALFALFA	20 [hp_X] in 1 mL
<b>ONION</b> (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	20 [hp_X] in 1 mL
<b>GARLIC</b> (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	20 [hp_X] in 1 mL
<b>AMBROSIA ARTEMISIIFOLIA</b> (UNII: 9W34L2CQ9A) (AMBROSIA ARTEMISIIFOLIA - UNII:9W34L2CQ9A)	AMBROSIA ARTEMISIIFOLIA	20 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	20 [hp_X] in 1 mL
<b>ARTEMISIA VULGARIS ROOT</b> (UNII: 32MP823R8S) (ARTEMISIA VULGARIS ROOT - UNII:32MP823R8S)	ARTEMISIA VULGARIS ROOT	20 [hp_X] in 1 mL
<b>ARUNDO PLINIANA ROOT</b> (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	20 [hp_X] in 1 mL
<b>AVENA SATIVA FLOWERING TOP</b> (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	20 [hp_X] in 1 mL
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	20 [hp_X] in 1 mL
<b>BELLIS PERENNIS</b> (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	20 [hp_X] in 1 mL
<b>LYCOPERDON UTRIFORME FRUITING BODY</b> (UNII: K2A74U428F) (LYCOPERDON UTRIFORME FRUITING BODY - UNII:K2A74U428F)	LYCOPERDON UTRIFORME FRUITING BODY	20 [hp_X] in 1 mL
<b>BROMINE</b> (UNII: 6BV4XX974C) (BROMINE - UNII:6BV4XX974C)	BROMINE	20 [hp_X]

<b>BROMINE</b> (UNII: 3BV4A1674G) (BROMINE - UNII:3BV4A1674G)	BROMINE	in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	20 [hp_X] in 1 mL
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	20 [hp_X] in 1 mL
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	20 [hp_X] in 1 mL
<b>CALLUNA VULGARIS FLOWERING TOP</b> (UNII: D9PC510CQV) (CALLUNA VULGARIS FLOWERING TOP - UNII:D9PC510CQV)	CALLUNA VULGARIS FLOWERING TOP	20 [hp_X] in 1 mL
<b>CAPSICUM</b> (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	20 [hp_X] in 1 mL
<b>FELIS CATUS HAIR</b> (UNII: 1564HD0N96) (FELIS CATUS HAIR - UNII:1564HD0N96)	FELIS CATUS HAIR	20 [hp_X] in 1 mL
<b>MATRICARIA CHAMOMILLA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ)	MATRICARIA CHAMOMILLA	20 [hp_X] in 1 mL
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	20 [hp_X] in 1 mL
<b>DYSPHANIA AMBROSIOIDES</b> (UNII: 4H5RSU087I) (DYSPHANIA AMBROSIOIDES - UNII:4H5RSU087I)	DYSPHANIA AMBROSIOIDES	20 [hp_X] in 1 mL
<b>CINNAMON</b> (UNII: 5S29HWU6QB) (CINNAMON - UNII:5S29HWU6QB)	CINNAMON	20 [hp_X] in 1 mL
<b>HELIANTHEMUM CANADENSE</b> (UNII: 46G3W789Q3) (HELIANTHEMUM CANADENSE - UNII:46G3W789Q3)	HELIANTHEMUM CANADENSE	20 [hp_X] in 1 mL
<b>PROTORTONIA CACTI</b> (UNII: LZB7TFX1LT) (PROTORTONIA CACTI - UNII:LZB7TFX1LT)	PROTORTONIA CACTI	20 [hp_X] in 1 mL
<b>CYNARA SCOLYMUS LEAF</b> (UNII: B71UA545DE) (CYNARA SCOLYMUS LEAF - UNII:B71UA545DE)	CYNARA SCOLYMUS LEAF	20 [hp_X] in 1 mL
<b>CANIS LUPUS FAMILIARIS HAIR</b> (UNII: 05S7L91ZTR) (CANIS LUPUS FAMILIARIS HAIR - UNII:05S7L91ZTR)	CANIS LUPUS FAMILIARIS HAIR	20 [hp_X] in 1 mL
<b>DROSERANGLICA</b> (UNII: J61BY05EGY) (DROSERANGLICA - UNII:J61BY05EGY)	DROSERANGLICA	20 [hp_X] in 1 mL
<b>SOLANUM DULCAMARA TOP</b> (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	20 [hp_X] in 1 mL
<b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	20 [hp_X] in 1 mL
<b>FAGOPYRUM ESCULENTUM</b> (UNII: B10M69172N) (FAGOPYRUM ESCULENTUM - UNII:B10M69172N)	FAGOPYRUM ESCULENTUM	20 [hp_X] in 1 mL
<b>FAGUS SYLVATICA NUT</b> (UNII: I57ERU2601) (FAGUS SYLVATICA NUT - UNII:I57ERU2601)	FAGUS SYLVATICA NUT	20 [hp_X] in 1 mL
<b>ALPINE STRAWBERRY</b> (UNII: CG6IX3GCMU) (ALPINE STRAWBERRY - UNII:CG6IX3GCMU)	ALPINE STRAWBERRY	20 [hp_X] in 1 mL
<b>FRAXINUS AMERICANA BARK</b> (UNII: 0B24UR1O1S) (FRAXINUS AMERICANA BARK - UNII:0B24UR1O1S)	FRAXINUS AMERICANA BARK	20 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	20 [hp_X] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	20 [hp_X] in 1 mL
<b>HOUSE DUST</b> (UNII: EYO007VX98) (HOUSE DUST - UNII:EYO007VX98)	HOUSE DUST	20 [hp_X] in 1 mL
<b>HYOSCYAMUS NIGER</b> (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)	HYOSCYAMUS NIGER	20 [hp_X] in 1 mL
<b>ABRUS PRECATORIUS SEED</b> (UNII: 3OM8I6L7CD) (ABRUS PRECATORIUS SEED - UNII:3OM8I6L7CD)	ABRUS PRECATORIUS SEED	20 [hp_X] in 1 mL
<b>JUGLANS REGIA LEAF</b> (UNII: 85HKB87105) (JUGLANS REGIA LEAF - UNII:85HKB87105)	JUGLANS REGIA LEAF	20 [hp_X] in 1 mL
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	20 [hp_X] in 1 mL
<b>COW MILK</b> (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	20 [hp_X] in 1 mL

<b>RHODODENDRON TOMENTOSUM LEAFY TWIG</b> (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWIG	20 [hp_X] in 1 mL
<b>LILIUM LANCIFOLIUM WHOLE FLOWERING</b> (UNII: X67Z2963PI) (LILIUM LANCIFOLIUM WHOLE FLOWERING - UNII:X67Z2963PI)	LILIUM LANCIFOLIUM WHOLE FLOWERING	20 [hp_X] in 1 mL
<b>ONOSMODIUM VIRGINIANUM</b> (UNII: 604NK4250S) (ONOSMODIUM VIRGINIANUM - UNII:604NK4250S)	ONOSMODIUM VIRGINIANUM	20 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	20 [hp_X] in 1 mL
<b>YUCCA FILAMENTOSA</b> (UNII: T6VR38UJ9I) (YUCCA FILAMENTOSA - UNII:T6VR38UJ9I)	YUCCA FILAMENTOSA	21 [hp_X] in 1 mL
<b>SACCHARIN</b> (UNII: FST467XS7D) (SACCHARIN - UNII:FST467XS7D)	SACCHARIN	20 [hp_X] in 1 mL
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	11 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	11 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	20 [hp_X] in 1 mL
<b>SALIX NIGRA BARK</b> (UNII: QU52J3A5B3) (SALIX NIGRA BARK - UNII:QU52J3A5B3)	SALIX NIGRA BARK	20 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	20 [hp_X] in 1 mL
<b>POPULUS BALSAMIFERA LEAF BUD</b> (UNII: 9CQ6C00G3C) (POPULUS BALSAMIFERA LEAF BUD - UNII:9CQ6C00G3C)	POPULUS BALSAMIFERA LEAF BUD	20 [hp_X] in 1 mL
<b>QUERCUS ROBUR NUT</b> (UNII: Q7MU1F4GLY) (QUERCUS ROBUR NUT - UNII:Q7MU1F4GLY)	QUERCUS ROBUR NUT	20 [hp_X] in 1 mL
<b>MENTHA PIPERITA</b> (UNII: 79M2M2UDA9) (MENTHA PIPERITA - UNII:79M2M2UDA9)	MENTHA PIPERITA	20 [hp_X] in 1 mL
<b>NUTMEG</b> (UNII: AEE24M3MQ9) (NUTMEG - UNII:AEE24M3MQ9)	NUTMEG	20 [hp_X] in 1 mL
<b>SOLANUM LYCOPERSICUM</b> (UNII: 0243Q4990L) (SOLANUM LYCOPERSICUM - UNII:0243Q4990L)	SOLANUM LYCOPERSICUM	21 [hp_X] in 1 mL
<b>ANACARDIUM OCCIDENTALE FRUIT</b> (UNII: 4A10JR4E7E) (ANACARDIUM OCCIDENTALE FRUIT - UNII:4A10JR4E7E)	ANACARDIUM OCCIDENTALE FRUIT	21 [hp_X] in 1 mL
<b>PTELEA TRIFOLIATA BARK</b> (UNII: 5KQR6FTT0D) (PTELEA TRIFOLIATA BARK - UNII:5KQR6FTT0D)	PTELEA TRIFOLIATA BARK	20 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	20 [hp_X] in 1 mL
<b>ANEMONE PULSATILLA</b> (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	20 [hp_X] in 1 mL
<b>ROSA X DAMASCENA FLOWERING TOP</b> (UNII: 21W82Q764G) (ROSA X DAMASCENA FLOWERING TOP - UNII:21W82Q764G)	ROSA X DAMASCENA FLOWERING TOP	20 [hp_X] in 1 mL
<b>ASTACUS ASTACUS</b> (UNII: V0551986XQ) (ASTACUS ASTACUS - UNII:V0551986XQ)	ASTACUS ASTACUS	21 [hp_X] in 1 mL
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	21 [hp_X] in 1 mL
<b>JUNIPERUS VIRGINIANA TWIG</b> (UNII: 532BCG080L) (JUNIPERUS VIRGINIANA TWIG - UNII:532BCG080L)	JUNIPERUS VIRGINIANA TWIG	21 [hp_X] in 1 mL
<b>SUCROSE</b> (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	21 [hp_X] in 1 mL
<b>SODIUM NITRATE</b> (UNII: 8M4L3H2ZVZ) (NITRATE ION - UNII:T93E9Y2844)	SODIUM NITRATE	21 [hp_X] in 1 mL
<b>SOLANUM NIGRUM WHOLE</b> (UNII: 0FMD6W47M) (SOLANUM NIGRUM WHOLE - UNII:0FMD6W47M)	SOLANUM NIGRUM WHOLE	21 [hp_X] in 1 mL
<b>SOLANUM TUBEROSUM</b> (UNII: 2A8I57T4MX) (SOLANUM TUBEROSUM - UNII:2A8I57T4MX)	SOLANUM TUBEROSUM	21 [hp_X] in 1 mL
<b>PARTHENIUM HYSTEROPHORUS</b> (UNII: 151F45R21P) (PARTHENIUM HYSTEROPHORUS - UNII:151F45R21P)	PARTHENIUM HYSTEROPHORUS	21 [hp_X] in 1 mL
<b>GINGER</b> (UNII: C5E30C5IB0) (GINGER - UNII:C5E30C5IB0)	GINGER	20 [hp_X]

<b>GINGER</b> (UNII: C5529G5JFQ) (GINGER - UNII:C5529G5JFQ)	GINGER	in 1 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	20 [hp_X] in 1 mL
<b>POPULUS TREMULOIDES LEAF</b> (UNII: 7IIH57D9E0) (POPULUS TREMULOIDES LEAF - UNII:7IIH57D9E0)	POPULUS TREMULOIDES LEAF	20 [hp_X] in 1 mL
<b>CORN SILK</b> (UNII: 7D3VB244UX) (CORN SILK - UNII:7D3VB244UX)	CORN SILK	21 [hp_X] in 1 mL
<b>SACCHAROMYCES CEREVISIAE</b> (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	21 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4855-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/25/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/25/2023	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4855)

Revised: 9/2023

Newton Laboratories, Inc.