

DZUL - LIDO CREME- lidocaine hcl, menthol lotion
Caball Sales, Inc.

83037-041-02

Lidocaine HCl 4%

Menthol 1%

Topical Analgesic

USES:

For temporary local relief of minor pain in muscles or joints.

For external use only.

Ask a doctor before use if you have redness over affected area.

Use only as directed.

Avoid contact with eyes and mucous membranes.

Do not bandage tightly or use with a heating pad.

A transient burning sensation or redness may occur upon application but generally disappears in several days.

Do not apply on large areas of the body or on damaged, broken, or irritated skin.

STOP USE AND ASK A DOCTOR IF:

Redness is present.

Condition worsens.

Irritation develops.

Symptoms persist for more than 7 days or clear up and occur again within a few days.

You experience signs injury, such as pain, swelling or blistering where the product was applied.

Ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12 years of age

Apply a small amount to the affected area.

Massage in a circular motion, let set for a few seconds.

Repeat as necessary, but no more than 3 to 4 times daily.

Children under 12 years of age; do not use unless directed by doctor.

Store at room temperature 15° - 30°C (59° - 86°F)

Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Isopropyl Myristate, Glycol

Stearate, Stearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Sodium Lauryl Sulfate, Dimethicone, Glycerin, Caprylhydroxamic Acid, Caprylyl Glycol, Eucalyptus Globulus Leaf Oil, Phenoxyethanol, Methylpropanediol, Acrylamide/Sodium Acrylate Copolymer, Paraffinum Liquidum, Trideceth-6, Methylsulfonylmethane, Aloe Barbadensis (Aloe Vera) Leaf Juice, Rosmarinus Officinalis (Rosemary) Oil, Tocopheryl Acetate, Arnica Montana Flower Extract, Salix Alba Bark Extract, Glucosamine Sulfate, Chamomilla Recutita (Matricaria) Flower Extract, Capsicum Annum Fruit Extract.

DZUL - LIDO CREME ROLL-ON



Drug Facts

Active ingredients	Purpose
Lidocaine HCl 4%	Topical Anesthetic
Menthol 1%	Topical Anesthetic

Uses

- Aid for temporary local relief of minor pain in muscles or joints.

Warnings

- For external use only.
- Ask a doctor before use if you have redness over affected area.

When using this product

- Use only as directed.
- Avoid contact with eyes and mucous membranes.
- Do not bandage tightly or use with a heating pad.
- A transient burning sensation or redness may occur upon application but generally disappears in several days.
- Do not apply on large areas of the body or on damaged, broken, or irritated skin.

Stop use and ask a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up occur again within a few days
- You experience signs injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and Children over 12 years of age:

- Apply a small amount on the area to be.
- Massaged in a circular motion, let set for a few seconds.
- Repeat as necessary, but no more than 3 to 4 times daily.

Children under 12 years of age: do not use, consult a doctor.

Other information

Store at room temperature 15° - 30°C (59° - 86°F)

Inactive Ingredients

Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Isopropyl Myristate, Stearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Glycol Stearate, Sodium Lauryl Sulfate, Dimethicone, Glycerin, Caprylhydroxamic Acid, Caprylyl Glycol, Eucalyptus Globulus Leaf Oil, Xanthan Gum, Phenoxyethanol, Methylpropanediol, Methylsulfonylmethane, Polysorbate 20, Aloe Barbadensis (Aloe Vera) Leaf Juice, Rosmarinus Officinalis (Rosemary) Oil, Tocopheryl Acetate, Arnica Montana Flower Extract, Salix Alba Bark Extract, Glucosamine Sulfate, Chamomilla Recutita (Matricaria) Flower Extract, Capsicum Annum Fruit Extract.

DZUL - LIDO CREME

lidocaine hcl, menthol lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83037-041
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALMOND OIL (UNII: 66YXD4DKO9)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
PEG-100 STEARATE (UNII: YD01N1999R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
GLYCOL STEARATE (UNII: 0324G66D0E)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE 1000 (UNII: MCU2324216)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
CHAMOMILE (UNII: FGL3685T2X)	
SALIX ALBA BARK (UNII: 205MXS71H7)	
CAPSICUM ANNUUM WHOLE (UNII: 7FKZ3QQQ1F)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83037-041-02	71 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	10/02/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/17/2022	

Labeler - Caball Sales, Inc. (047422138)

Revised: 1/2026

Caball Sales, Inc.