

**INFLUENZINUM- influenza a virus a/victoria/4897/2022 ivr-238 (h1n1) antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet**

**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **INFLUENZINUM 30X MD**

Active ingredient\*\*

Influenzinum 30X HPUS

See product name on front panel (contains 0.443 mg of the active ingredient per pellet)

Relieves after effects of flu or flu-like symptoms \*

See symptoms on front panel.

**Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@Boiron.com

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.



# Influenzinum 30<sup>x</sup>

Relieves after effects of flu  
or flu-like symptoms \*



HPUS 0220-5089-41

Do not use if pellet dispenser seal is broken

LOT                      EXP

3 06960 90921 7

Contains approx. 80 pellets.                      US



**Peel for Drugs Facts and instructions for use.**

Influenzinum 30<sup>x</sup>

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient**<sup>\*\*</sup>: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com [info@Boiron.com](mailto:info@Boiron.com)

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense  
pellets?



1 Turn tube upside  
down.



2 Twist until 5 pellets  
are dispensed  
into cap.



3 Carefully remove cap  
and use it to pour pellets  
under the tongue.

## **INFLUENZINUM**

influenza a virus a/victoria/4897/2022 ivr-238 (h1n1) antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-5089
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 9HB0XUS9TM) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)	INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X]
<b>INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: AU5C98U4BB) (INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:AU5C98U4BB)	INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X]
<b>INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)</b> (UNII: GRN94TP8YV) (INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:GRN94TP8YV)	INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	30 [hp_X]
<b>INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: CQV855H5FG) (INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CQV855H5FG)	INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X]

Inactive Ingredients	
Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	

Product Characteristics			
<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-5089-41	80 in 1 TUBE; Type 0: Not a Combination Product	09/20/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/20/2023	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

## Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-5089)

Revised: 9/2023

Boiron