

**STOOL SOFTENER STIMULANT LAXATIVE- docusate sodium and sennosides tablet  
AmerisourceBergen (Good Neighbor Pharmacy) 46122**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
-

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- each tablet contains: **calcium 20 mg**
- each tablet contains: **sodium 6 mg** VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol\*, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### Principal Display Panel

\*\*Compare to Peri-Colace® active ingredients

Stool Softener and Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

A Gentle, Predictable Laxative

TABLETS

\*\*This product is not manufactured or distributed by Purdue Products L.P., distributor of Peri-Colace®.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed By AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

Questions or Concerns? Visit us at [www.mygnp.com](http://www.mygnp.com)

### Product Label

NDC 46122-344-72 **\*\*Compare to Peri-Colace® active ingredients**



## Stool Softener and Stimulant Laxative

Docusate sodium, 50 mg / Sennosides, 8.6 mg

**A Gentle, Predictable Laxative**

60 tablets

NDC 46122-344-72 **\*\*Compare to Peri-Colace® active ingredients**



## Stool Softener and Stimulant Laxative

Docusate sodium, 50 mg / Sennosides, 8.6 mg

**A Gentle, Predictable Laxative**

60 tablets

**Drug Facts**

Active ingredients (in each tablet)	Purpose
Docusate sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Stimulant laxative

**Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain    ■ nausea    ■ vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.** These may indicate a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

**Drug Facts (continued)**

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: calcium 20 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose\*, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*\*This product is not manufactured or distributed by Purdue Products L.P., distributor of Peri-Colace®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

PLD-F9T    FC003220

  
 Distributed By AmerisourceBergen  
 1300 Morris Drive, Chesterbrook, PA 19087  
 Questions or Concerns? Visit us at [www.mygnp.com](http://www.mygnp.com)  
 ABC# 10160849  
  
 0 87701 42759 6

Lot / Exp.:  
Product of:

### Good Neighbor Pharmacy Stool Softener and Stimulant Laxative

## STOOL SOFTENER STIMULANT LAXATIVE

docusate sodium and sennosides tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 122-344
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IUX) (SENNOSIDES - UNII:3FYP5M0IUX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

FD&C RED NO. 40 (UNII: WZB9127XOA)
HYPROMELLOSES (UNII: 3NXW29V3WO)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MALTO DEXTRIN (UNII: 7CVR7L4A2D)
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
STEARIC ACID (UNII: 4ELV7Z65AP)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
ALUMINUM OXIDE (UNII: LM26O6933)
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

### Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097;0806;AV;S44
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-344-72	1 in 1 BOX	01/31/2016	12/31/2020
1		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:46122-344-78	1 in 1 BOX	01/31/2016	12/31/2020
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/31/2016	12/31/2020

**Labeler** - AmerisourceBergen (Good Neighbor Pharmacy) 46122 (007914906)