

**DIALYVITE WITH ZINC - ascorbic acid, thiamine, riboflavin, niacinamide, pyridoxine, folic acid, cobalamin, biotin, pantothenic acid, zinc tablet, coated Hillestad Pharmaceuticals USA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Dialyvite with Zinc**

**DESCRIPTION**

Dialyvite with Zinc is a prescription folic acid supplement with zinc and additional nutrients for kidney dialysis patients. Dialyvite with Zinc is a small, round, yellow, clear-coated tablet, with debossed "H" on one side.

**Each tablet contains:**

- Folic Acid.....1 mg
- Vitamin C (Ascorbic Acid).....100 mg
- Thiamine (Thiamine Mononitrate).....1.5 mg
- Riboflavin.....1.7 mg
- Niacinamide.....20 mg
- Vitamin B6 (Pyridoxine HCl).....10 mg
- Vitamin B12 (Methylcobalamin).....6 mcg
- Biotin.....300 mcg
- Pantothenic Acid (Calcium Pantothenate).....10 mg
- Zinc (Zinc Citrate).....50 mg

**Inactive ingredients:**

Microcrystalline Cellulose, Croscarmellose Sodium, Mono-and Diglycerides, Pharmaceutical Glaze, Starch, Calcium Stearate.

**INDICATIONS AND USAGE**

Dialyvite with Zinc is a prescription folic acid supplement with Zinc and additional nutrients indicated for use in improving the nutritional status of renal dialysis patients.

**CONTRAINDICATIONS**

This product is contraindicated in patients with known hypersensitivity to any of the ingredients.

## PRECAUTIONS

Folic acid supplementation may obscure pernicious anemia, in that hematologic remission can occur while neurological manifestations progress.

Keep out of reach of children.

## ADVERSE REACTIONS

Allergic sensitizations have been reported following oral administration of folic acid. Consult your physician immediately if adverse side effects occur.

## DOSAGE AND ADMINISTRATION

Take one tablet per day or as directed by your physician, orally.

## PRINCIPAL DISPLAY PANEL

NDC 10542-012-10

Dialyvite with Zinc

Multivitamin Supplement for Dialysis Patients

100 Tablets

Use as directed by your physician.  
Water-soluble B Vitamins and Vitamin C  
for use as a dietary supplement.  
Consult your physician immediately if  
adverse side effects occur.

**KEEP OUT OF REACH OF CHILDREN**

Hillestad Pharmaceuticals Inc. • Dialyvite Division  
• 178 U.S. Hwy. 51 N. • Woodruff, WI 54568-9501  
• www.dialyvite.net • Email: info@dialyvite.net  
• Toll-free 866-358-9773



NDC 10542-012-10

# Dialyvite<sup>®</sup>

with Zinc

Multi-Vitamin Supplement  
for Dialysis Patients

**Rx Only**

**100 Tablets**

**Dialyvite<sup>®</sup>**

Supplement Facts		
Serving Size 1 Tablet		Servings Per Container 100
Amount Per Tablet	% Daily Value	
Vitamin C (as Ascorbic Acid) .....	100 mg	111%
Thiamine (as Thiamine Mononitrate) .....	1.5 mg	125%
Riboflavin.....	1.7 mg	131%
Niacin (as Niacinamide).....	20 mg	125%
Vitamin B6 (as Pyridoxine HCl).....	10 mg	588%
Folate .....	1667 mcg DFE	417%
(1000 mcg Folic Acid)		
Vitamin B12 (as Methylcobalamin).....	6 mcg	250%
Biotin.....	300 mcg	1000%
Pantothenic Acid (as D-Calcium Pantothenate) .....	10 mg	200%
Zinc (as Zinc Citrate) .....	50 mg	455%

Other Ingredients: Microcrystalline Cellulose, Croscarmellose Sodium, Mono- and Diglycerides, Pharmaceutical Glaze, Starch, Calcium Stearate.

(Rev. 5)

Product #HP12

## DIALYVITE WITH ZINC

ascorbic acid, thiamine, riboflavin, niacinamide, pyridoxine, folic acid, cobalamin, biotin, pantothenic acid, zinc tablet, coated

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10542-012
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	100 mg
<b>Thiamine Mononitrate</b> (UNII: 8K0I04919X) (Thiamine Ion - UNII:4ABT0J945J)	Thiamine	1.5 mg
<b>Riboflavin</b> (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	1.7 mg
<b>Niacinamide</b> (UNII: 25X51I8RD4) (Niacinamide - UNII:25X51I8RD4)	Niacinamide	20 mg
<b>Pyridoxine Hydrochloride</b> (UNII: 68Y4CF58BV) (Pyridoxine - UNII:KV2JZ1BI6Z)	Pyridoxine	10 mg
<b>Folic Acid</b> (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	1 mg
<b>Cobalamin</b> (UNII: 8406EY2OQA) (Cobalamin - UNII:8406EY2OQA)	Cobalamin	6 ug
<b>Biotin</b> (UNII: 6S06U10H04) (Biotin - UNII:6S06U10H04)	Biotin	300 ug
<b>Calcium Pantothenate</b> (UNII: 568ET80C3D) (Pantothenic Acid - UNII:19F5HK2737)	Pantothenic Acid	10 mg
<b>Zinc Citrate</b> (UNII: K72I3DEX9B) (Zinc Cation - UNII:13S1S8SF37)	Zinc Cation	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>Microcrystalline Cellulose</b> (UNII: OP1R32D61U)	
<b>Croscarmellose Sodium</b> (UNII: M28OL1HH48)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>Shellac</b> (UNII: 46N107B710)	
<b>Starch, Corn</b> (UNII: O8232NY3SJ)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	H
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10542-012-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/01/2002	07/31/2026
2	NDC:10542-012-02	7 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/01/2002	07/31/2026

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		10/01/2002	07/31/2026

---

**Labeler - Hillestad Pharmaceuticals USA (029291085)****Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Hillestad Pharmaceuticals USA		029291085	manufacture(10542-012) , pack(10542-012) , label(10542-012)

Revised: 1/2026

Hillestad Pharmaceuticals USA