

MEDIQUE DIOTAME- bismuth subsalicylate tablet, chewable
Unifirst First Aid Corporation

Medique Diotame

Drug Facts

Active ingredient (in each tablet)

Bismuth Subsalicylate 262 mg

(each tablet contains 102 mg salicylate)

Purpose

antidiarrheal/antacid

Uses

relieves

- traveler's diarrhea
- diarrhea
- upset stomach reliever due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer
- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product a temporary and harmless darkening of the tongue and/or

stool may occur.

Stop use and ask a doctor if

- symptoms get worse or lasts more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, contact a physician or poison control center immediately (1-800-222-1222).

Directions

- chew or dissolve in mouth
- do not swallow tablets whole
- drink plenty of clear fluids to help prevent dehydration, which may accompany diarrhea

Adults and children: (12 years and over)

- chew 2 tablets every 1/2 to 1 hour as needed
- do not exceed 16 tablets in 24 hours
- use until diarrhea stops but not more than 2 days

Children under 12 years:

ask a doctor

Other information

- **phenylketonurics:** contains phenylalanine 1.1mg per tablet
- **calcium** content per tablet: 73 mg
- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

acacia gum, aspartame, calcium carbonate, D&C red #27 aluminum lake, dextrans, flavoring, magnesium stearate, maltodextrin, microcrystalline cellulose, peppermint flavor, silicon dioxide

Questions or comments? 1-800-634-7680

Medique Diotame Label

Medique®

Diotame

Bismuth Subsalicylate

Chewable Tablets

Upset Stomach/Diarrhea • Bismuth Subsalicylate 262 mg

Tamper Evident Unit Dose Packets

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	16mm
Flavor	PEPPERMINT	Imprint Code	RH;046
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-210-83	15 in 1 BOX	04/01/2014	
1	NDC:47682-210-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-210-33	50 in 1 BOX	04/01/2014	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-210-13	250 in 1 BOX	04/01/2014	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-210-64	12 in 1 BOX	04/01/2014	
4		2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-210-99	2 in 1 PACKET; Type 0: Not a Combination Product	04/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	04/01/2014	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 11/2024

Unifirst First Aid Corporation