ARNICA- arnica montana tablet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnica 30C Tablet

Active ingredients** (in each tablet)

Arnica montana 30C HPUS (2.5 mg)

The letters HPUS indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses*

- temporarily relieves muscle pain and stiffness due to: minor injuries overexertion falls
- reduces symptoms of bruising such as: pain swelling discoloration

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Adults and children 6 years for age and older - At the onset of symptoms, dissolve 2 tablets in the mouth and repeat every hour for 2 more hours. Then, dissolve 2 tablets in the mouth every 6 hours until symptoms are relieved.

Children 2 to 5 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Children under 2 years of age: Ask a doctor.

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

Arnicare.com

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

(1-800-264-7661)

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

do not use if glued carton ends flaps are open or if the blister seal is broken

store below 86°F (30°C)

PAIN RELIEF*

Swelling & Bruises from Injuries Muscle Pain*

60 Meltaway Tablets, unflavored

Gentle on the stomach

NSAID-Free

No Known Drug Interactions

Non-Drowsy

Meltaway Tablets Require No Food or Water

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Adults and children 6 years of age and older: At the orset of symptoms, disadive 2 tablets in the mouth and repeat every hour for 2 more hours. Then, dissolve 2 tablets in the mouth every 6 hours until symptoms are releved. Children 2 to years of age: Dissolve 2 bablets in 1 tablespoon of water for easier intake, Fallow directions above. Children under 2 years of age: Ask a doctor.



Danie Canto			NDC 0220-9087-04			
Drug Facts Active ingredient" (in each tablet) Arnica montana 30C HPUS (2.5 mg) Setting from injuries, discolaration from busises The letters "HPUS" indicate that the component in this product is officially monographed in the Homegoutic Pharmacopoela of the Unded States.		Drug Facts (continued) Inactive Ingredients coscarrellose soften, lactose, magnesium stearale Questions or comments?	PAIN RELIEF* Swelling & Bruises from Injuries Muscle Pain [*]			
Uses' temporarily releves muscle pain and stiffness due to: In rinor hjuries III everwartion III fals reduces symptoms of having such as: III make symptoms of having such as:		Amicare.com BeironUSA.com Info@Beiron.com 1-800-801R014-1 (1-800-264-7861)				
Warnings Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition. If pregnant or breash-leading, ask a health professional before use, Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Centern right way.		Disase recycle Made in France	Arnica 30C			
Directions		Distributed by Boiron Inc.	MELTAWAY TABLETS			
Adults and children 6 years of age and older	At the anext of symptome, disadive 2 tablets in the mouth and repeat every hour for 2 more hours. Then, disadive 2 tablets in the mouth every 6 hours until symptoms are relieved.	Newtown Square, PA 19073	E Gentle on the Stomach			
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake, Follow directions above,	2	= NSAID-Free			
Children under 2 years of age	Ask a doctor,	087(
CLAIMS BASED ON NOT ACCEPTED ME	d flaps are open or if the blister seal is broken TRADITIONAL HOMEOPATHIC PRACTICE, EDICAL EVIDENCE, NOT FDA EVALUATED, estitic dilutions: see BeironUSA.com/info for details.	3 06969	BOIRON [®] 60 MELTAWAY World Leader in TABLETS Homeopathic Medicines Unflavored			

arn	ica montana i	tablet							
Pı	oduct Info	rmation							
Product Type		HUMAN OT	C DRUG	tem Co	de (Sour	rce)	NDC:0220)-9087	
Route of Administration		ORAL							
٨	tive Ingred	ient/Active	Mojety						
ΗL	tive myreu		redient Na	ame			Basis of S	tronath	Strengt
AR	NICA MONTAN	-		CA MONTANA - UN	III:080T)	(208ZW)	ARNICA MONT	-	30 [hp_C]
In	active Ingre	edients							
Ingredient Name						Str	Strength		
MAGNESIUM STEARATE (UNII: 70097M6I30)									
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)									
D #	aduct Char	actoristics							
Product Characteristics Color white Score score with uneven pieces									
Color white Shape ROUND (Boiro		ROUND (Boiron	Score Size			9mm			
Flavor			Imprint Code						
Co	ntains								
D -	ckaging								
Гc	ckaging					Markoti	ing Start	Marke	ting End
#	ltem Code	Ра	ackage Description			Marketing Start Date		Marketing End Date	
	NDC:0220- 9087-04	60 in 1 BLISTEI Product	0 in 1 BLISTER PACK; Type 0: Not a Combinat roduct			10/01/2023			
Μ	arketing	Informat	ion						
	Marketing Category	Applica	Application Number or Monog Citation		aph	Marketing Start Date		Marketing End Date	
	approved meopathic					10/01/202	3		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9087)

Revised: 9/2023

Boiron