

# **STIMULANT LAXATIVE ENTERIC COATED- bisacodyl tablet Bryant Ranch Prepack**

-----  
**441**

## **Active ingredient (in each tablet)**

Bisacodyl 5 mg

## **Purpose**

Stimulant Laxative

## **Uses**

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

## **Warnings**

**Do not use** if you cannot swallow without chewing

### **Ask a doctor before use if you have**

- stomach pain, nausea, vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

### **When using this product** • do not chew or crush tablet(s)

- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

**Stop use and ask a doctor if** • you have rectal bleeding or no bowel movement after using this product.

These could be signs of a serious condition.

- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- take with a glass of water
- adults and children 12 years and older: take 1 to 3 tablets in a single daily dose
- children 12 and under: ask a doctor

## **Other information**

- Tamper Evident: Do not use if imprinted seal under cap is missing or broken
- store at room temperature 15°-30°C (59°-86°F)
- avoid excessive humidity • package not child resistant

## **Inactive ingredients**

acacia, ammonium hydroxide, calcium carbonate, corn starch, D&C yellow #10 lake, FD&C yellow #6 lake, hypromellose, iron oxide black, lactose, magnesium stearate, methylparaben, PEG, polydextrose, polyvinyl acetate phthalate, propylparaben, propylene glycol, povidone, shellac, simethicone, silica, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate, wax.

## **Questions or comments?**

**1-800-540-3765**

## **HOW SUPPLIED**

NDC: 71335-1531-0: 25 Tablets in a BOTTLE

NDC: 71335-1531-1: 30 Tablets in a BOTTLE

NDC: 71335-1531-2: 2 Tablets in a BOTTLE

NDC: 71335-1531-3: 3 Tablets in a BOTTLE

NDC: 71335-1531-4: 4 Tablets in a BOTTLE

NDC: 71335-1531-5: 10 Tablets in a BOTTLE

NDC: 71335-1531-6: 90 Tablets in a BOTTLE

NDC: 71335-1531-7: 8 Tablets in a BOTTLE

NDC: 71335-1531-8: 100 Tablets in a BOTTLE

NDC: 71335-1531-9: 20 Tablets in a BOTTLE

Repackaged/Relabeled by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504

## **Bisacodyl 5mg Tablet**



GTIN 00363629304912  
 Lot 208620  
 Exp 1/19/2026  
 SN 0123456789

Drug Facts	
<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Bisacodyl 5 mg	Stimulant Laxative
<b>Uses</b>	
For relief of occasional constipation and irregularity - this product generally produces bowel movement in 6 to 12 hours	
<b>Warnings</b>	
Do not use if you cannot swallow without chewing	
Ask a doctor before use if you have	
•stomach pain, nausea, vomiting	
•noticed a sudden change in bowel habits that lasts more than 2 weeks	
When using this product	
•do not chew or crush tablet(s)	
•do not use within 1 hour after taking an antacid or milk	
•it may cause stomach discomfort, faintness and cramps	
Stop use and ask a doctor if - you have rectal bleeding or no bowel movement after using this product	
These could be signs of a serious condition.	
•you need to use a laxative for more than 1 week	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Other Information</b>	
•Tamper Evident: Do not use if imprinted seal under cap is missing or broken	
•Store at room temperature 15°-30°C (59°-86°F)	
•Avoid excessive humidity - package not child resistant	
<b>Directions</b>	
•Take with a glass of water	
•Adults and children 12 years and older: take 1 to 3 tablets in a single daily dose	
•Children 12 and under: ask a doctor	
<b>Inactive Ingredients</b>	
Acacia, ammonium hydroxide, calcium carbonate, corn starch, D&C yellow #10 lake, FD&C yellow #6 lake, hypromellose, iron oxide black, lactose, magnesium stearate, methylparaben, PEG, polydextrose, polyvinyl acetate phthalate, propylparaben, propylene glycol, povidone, shellac, simethicone, silica, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate, wax	

NDC 63629-3049-1

**Bisacodyl Tablets, USP**

**5 mg**

**30 Tablets**



Repackaged by:  
 Bryant Ranch Prepack, Inc.  
 Burbank, CA 91504 USA

Manufactured by:  
 Rugby Laboratories  
 Inc



**STIMULANT LAXATIVE ENTERIC COATED**

bisacodyl tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71335-1531(NDC:57896-441)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ACETATE PHTHALATE</b> (UNII: 58QVG85GW3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	5
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71335-1531-0	25 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
2	NDC:71335-1531-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/14/2020	
3	NDC:71335-1531-2	2 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
4	NDC:71335-1531-3	3 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
5	NDC:71335-1531-4	4 in 1 BOTTLE; Type 0: Not a Combination Product	03/09/2020	
6	NDC:71335-1531-5	10 in 1 BOTTLE; Type 0: Not a Combination Product	06/16/2020	
7	NDC:71335-1531-6	90 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
8	NDC:71335-1531-7	8 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
9	NDC:71335-1531-8	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	
10	NDC:71335-1531-9	20 in 1 BOTTLE; Type 0: Not a Combination Product	03/10/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2000	

**Labeler** - Bryant Ranch Prepack (171714327)

**Registrant** - Bryant Ranch Prepack (171714327)

**Establishment**

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(71335-1531) , RELABEL(71335-1531)

Revised: 1/2024

Bryant Ranch Prepack