

**MEDIQUE DIAMODE- loperamide hydrochloride tablet**  
**PRIVATE LABEL DISTRIBUTOR- loperamide hcl 2 mg tablet**  
**Unifirst First Aid Corporation**

-----  
**MEDIQUE<sup>®</sup> Diamode**

***Drug Facts***

**Active ingredient (in each caplet)**

Loperamide Hydrochloride 2mg

**Purpose**

Antidiarrheal

**Uses**

Controls the symptoms of diarrhea, including Travelers diarrhea.

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl

**Do not use**

- if you have bloody or black stool

**Ask a doctor before use if you have**

- a fever
- mucus in stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

- taking antibiotics

**When using this product**

- tiredness, drowsiness or dizziness may occur
- be careful when driving or operating machinery

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If you are pregnant or breast feeding,** ask a health professional before use.

**Keep this and all drugs out of the reach of children.** In case of accidental overdose, contact a physician or Poison Control Center right away.

### **Directions**

- do not use more than directed
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Adults and children (12 years and older):** Take 2 caplets after the first loose stool followed by 1 caplet after each subsequent loose stool but no more than 4 caplets in 24 hours.

**Children under 12 years:** Do not give to children under 12 years of age.

### **Other information**

- store between 68° - 77°F (20° - 25°C)
- tamper-evident sealed packets
- do not use any opened or torn packet

### **Inactive ingredients**

anhydrous lactose, croscarmellose sodium, crospovidone, D&C Yellow # 10, FD&C Blue # 1, hydrogenated vegetable oil, magnesium stearate, powdered cellulose, pregelatinized starch

**Questions or comments? 1-800-634-7680**

### **Principal Display Panel - 200R Medique Diamode Label**

Medique®

Diamode

Controls the Symptoms of Diarrhea

Pull to Open

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

✓Anti-diarrheal • Loperamide HCl 2 mg

24 Caplets


(24 x 1)

Tamper Evident Unit Dose Packets

Print Side Up .018 SBS  
 Cavalier  
 Oneup:Cavalier26  
 Size:4+1/4" x 2+1/2" x 3+7/16"

PMS 727

2006480K  
 Rev. 3/0/05  
 Mfg. 2/3/24



10<sup>27/64</sup>

14<sup>3/32</sup>

**Medique**  
**Diamode**  
 Control the Symptoms of Diarrhea  
 ✓ Anti-diarrheal • Loperamide HCl 2 mg

**THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT  
 CHILDREN.**

**Drug Facts**  
 Active ingredient (in each caplet)  
 Loperamide HCl USP 2 mg Purpose  
 Anti-diarrheal

**Uses**  
 Controls the symptoms of diarrhea, including Traveler's Diarrhea.

**Warnings**  
 Allergic alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.  
 Heart alert: Taking more than directed can cause serious heart problems or death.

**Do not use** if you have bloody or black stool

**Ask a doctor before use if you have:**  
 • liver • heart • blood • a history of liver disease • a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are:**  
 • taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product:**  
 • avoid alcohol, sedatives, or drowsiness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if:**  
 • symptoms get worse  
 • diarrhea lasts more than 2 days  
 • you get abnormal swelling or bloating. These may be signs of a serious condition.

Retain carton for complete product information

**Medique**  
**Diamode**  
 Control the Symptoms of Diarrhea  
 ✓ Anti-diarrheal • Loperamide HCl 2 mg

**THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT  
 CHILDREN.**

Pull to Open

**THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT  
 CHILDREN.**

24  
 Caplets  
 (24 x 1)

Tamper Evident Unit Dose Packets

Retain carton for complete product information

**Medique**  
**Diamode**  
 Control the Symptoms of Diarrhea

**Drug Facts (continued)**  
 If you are pregnant or breast feeding, ask a health professional before use.  
 Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away  
 (1-800-222-1222).

**Directions**  
 • Take plenty of clear fluids to help prevent dehydration caused by diarrhea.  
 Adults and children (12 years and over) 2 caplets after the first loose stool, 1 caplet after each subsequent loose stool, but no more than 4 caplets in 24 hours.  
 Children under 12 years Ask a doctor.

**Other information**  
 • Store between 68°-77°F (20°-25°C).  
 • Longer shelf-life sealed packages.  
 • Do not use any opened or torn packet.  
 • See back of packet for full terms and expiration date.

**Inactive ingredients:** simethicone (active), corn starch, croscarmellose sodium, croscopolone, DSC yellow #10, aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #1 (aluminum lake), hydrogenated vegetable oil, magnesium stearate, microcrystalline cellulose, powdered cellulose, polyethylene glycol, polypropylene glycol, silicon dioxide, titanium dioxide.


**Questions or comments?** [askdsc.com](http://askdsc.com)

Retain carton for complete product information

**Medique**  
**Diamode**  
 Control the Symptoms of Diarrhea

3 47682 20064 0

Number #0004  
 Manufactured for  
 Medique Products  
 Fort Myers, FL 33907  
 1-800-64-3463  
 www.mediqueproducts.com



## Private Label Distributor Physicians Care Anti-Diarrheal

Physicians Care®

Anti-Diarrheal

Controls Symptoms of Diarrhea

Loperamide Hydrochloride 2 mg

Pull To Open

Easy to Swallow

COATED CAPLETS

Compare Active ingredient to:

Imodium AD

Registered Trademark of McNeil Consumer & Specialty Pharmaceuticals

Tamper-Evident Unit Dose Packets

Physicians Care®

Registered Trademark of ACME UNITED Corporation

50 PACKETS (1 Caplet 2 Mg Each)

Also Available from PhysiciansCare®  
in individual dose packets:

- PhysiciansCare® Aspirin
- PhysiciansCare® Ibuprofen
- PhysiciansCare® Non-Aspirin (Acetaminophen)
- PhysiciansCare® Antacid
- PhysiciansCare® Non-Drowsy Sinus
- PhysiciansCare® Allergy
- PhysiciansCare® Cold & Cough

PhysiciansCARE®

# Anti-Diarrheal

Controls Symptoms of Diarrhea

Loperamide Hydrochloride 2 mg

Pull To Open

Easy to Swallow  
COATED CAPLETS

Compare active ingredient to:  
**Imodium® AD**  
Registered Trademark of McNeil Consumer & Specialty Pharmaceuticals

**Tamper-Evident** Unit Dose Packets

Physicians Care®  
Registered Trademark of ACME UNITED Corporation

50 PACKETS (1 Caplet 2 Mg Each)

## Drug Facts

**Active ingredient** (in each caplet) ..... **Purpose**  
Loperamide Hydrochloride 2 mg ..... Antidiarrheal

**Uses**  
Controls the symptoms of diarrhea, including Travelers diarrhea.

**Warnings**  
**Allergy Alert:** Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl

**Do not use** • if you have bloody or black stool

**Ask a doctor before use if you have** • a fever • mucus in stool • a history of liver disease

**Ask a doctor or pharmacist before use if you are** • taking antibiotics

**When using this product**  
• tiredness, drowsiness or dizziness may occur  
• be careful when driving or operating machinery

**Stop use and ask a doctor if**  
• symptoms get worse  
• diarrhea lasts more than 2 days  
• you get abdominal swelling or bulging. These may be signs of a serious condition.

**If you are pregnant or breast feeding,** ask a health professional before use.

**Keep this and all drugs out of the reach of children.** In case of accidental overdose, contact a physician or Poison Control Center right away.

## Drug Facts (continued)

**Directions**  
• do not use more than directed  
• drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Adults and children: (12 years and older)**  
Take 2 caplets after the first loose stool followed by 1 caplet after each subsequent loose stool but no more than 4 caplets in 24 hours.

**Children under 12 years:**  
Do not give to children under 12 years of age.

**Other Information**  
• store at room temperature 68° - 77°F (20° - 25°C)  
• tamper-evident sealed packets  
• do not use any opened or torn packet

**Inactive ingredients**  
Anhydrous lactose, croscarmellose sodium, crospovidone, D&C Yellow # 10, FD&C Blue # 1, hydrogenated vegetable oil, magnesium stearate, powdered cellulose, pregelatinized starch

**Questions or Comments?**  
Call 1-800-835-2263

Distributed by Acme United Corporation,  
Fairfield, CT 06824  
1-800-835-2263 www.acmeunited.com

Retain carton for complete product information

PhysiciansCARE®

# Anti-Diarrheal

Controls Symptoms of Diarrhea

Easy to Swallow  
COATED CAPLETS

Compare active ingredient to:  
**Imodium® AD**  
Registered Trademark of McNeil Consumer & Specialty Pharmaceuticals

**Tamper-Evident** Unit Dose Packets

Physicians Care®  
Registered Trademark of ACME UNITED Corporation

50 PACKETS (1 Caplet 2 Mg Each)

Compare to the Active Ingredients in

Imodium® A-D

This box contains a generic product called Diamode

Anti-Diarrheal Relief

20 Packets of 2 Tablets

Remove This Panel

Read Drug Facts and Instructions on Packet

<b>Drug Facts</b>
<b>Active ingredient (in each caplet) Purpose</b> Loperamide Hydrochloride 2mg Antidiarrheal
<b>Uses</b> Controls the symptoms of diarrhea, including Travelers diarrhea
<b>Warnings</b> Allergy alert: Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl. Do not use • if you have bloody or black stool <b>Ask a doctor before use if you have</b> • a fever • mucus in stool • a history of liver disease <b>Ask a doctor or pharmacist before use if you are</b> • taking antibiotics
<b>When using this product</b> • tiredness, drowsiness or dizziness may occur • be careful when driving or operating machinery
<b>Stop use and ask a doctor if</b> • symptoms get worse • diarrhea lasts more than 2 days • you get abdominal swelling or bulging. These may be signs of a serious condition. <b>If you are pregnant or breast feeding,</b> ask a health professional before use. <b>Keep this and all drugs out of the reach of children.</b> In case of accidental overdose, contact a physician or Poison Control Center right away.
<b>Directions</b> • do not take more than directed • drink plenty of clear fluids to help prevent dehydration caused by diarrhea <b>Adults and children: (12 years and older)</b> Take 2 caplets after the first loose stool followed by 1 caplet after each subsequent loose stool but no more than 4 caplets in 24 hours. <b>Children under 12 years:</b> Do not give to children under 12 years of age.
<b>Other information</b> • store between 68° and 77°F (20° and 25°C) • tamper-evident sealed packets • do not use any opened or torn packet
<b>Inactive ingredients</b> anhydrous lactose, croscarmellose sodium, crospovidone, D&C Yellow # 10, FD&C Blue # 1, hydrogenated vegetable oil, magnesium stearate, powdered cellulose, pregelatinized starch
<b>Questions or comments?</b> 1-888-753-6575

Compare to the Active Ingredient in  
**Imodium<sup>®</sup> A-D**

***Anti-Diarrheal***  
***Relief***

**20** Packets  
of 2 Tablets

Compare to the Active Ingredients in  
**Imodium<sup>®</sup> A-D**

This box contains a generic product called Diamode

***Anti-Diarrheal***  
***Relief***

# MEDIQUE DIAMODE

loperamide hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-400
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CROSPROVIDONE (UNII: 68401960MK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

## Product Characteristics

<b>Color</b>	green (green)	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	123
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-400-69	6 in 1 BOX, UNIT-DOSE	12/01/2025	
1	NDC:47682-400-46	1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-400-46	1 in 1 PACKET; Type 0: Not a Combination Product	12/01/2025	
3	NDC:47682-400-64	24 in 1 BOX, UNIT-DOSE	12/01/2025	
3	NDC:47682-400-46	1 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	12/01/2025	

## MEDIQUE DIAMODE

loperamide hydrochloride tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-200
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CROSPVIDONE (UNII: 68401960MK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

### Product Characteristics

Color	green (green)	Score	2 pieces
Shape	OVAL (Caplet)	Size	10mm
Flavor		Imprint Code	123
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-200-69	6 in 1 BOX, UNIT-DOSE	12/30/2008	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

2	NDC:47682-200-50	50 in 1 BOX, UNIT-DOSE	12/30/2008	05/01/2023
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-200-33	100 in 1 BOX, UNIT-DOSE	12/30/2008	05/01/2023
3	NDC:47682-200-46	1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-200-46	1 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	
5	NDC:47682-200-64	24 in 1 BOX, UNIT-DOSE	12/30/2008	
5	NDC:47682-200-46	1 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	12/30/2008	

## PRIVATE LABEL DISTRIBUTOR

loperamide hcl 2 mg tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-021
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSPROVIDONE</b> (UNII: 2S7830E561)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	2 pieces
--------------	-------	--------------	----------

<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	123
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-021-50	50 in 1 BOX, UNIT-DOSE	12/30/2008	12/31/2024
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-021-25	25 in 1 BOX, UNIT-DOSE	10/01/2015	12/31/2024
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-021-30	30 in 1 BOX, UNIT-DOSE	10/01/2015	12/31/2024
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-021-75	75 in 1 BOX, UNIT-DOSE	10/01/2015	12/31/2024
4		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

### Establishment

Name	Address	ID/FEI	Business Operations
Medique Products		086911794	pack(47682-021, 47682-200, 47682-400)

### Establishment

Name	Address	ID/FEI	Business Operations
Prestige Packaging		080667761	pack(47682-021, 47682-200, 47682-400)

Revised: 12/2025

Unifirst First Aid Corporation