

OXYGEN- oxygen gas
Commonwealth Home Health Care, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen, Refrigerated Liquid USP

Oxygen, Refrigerated Liquid USP

UN 1073

Contents: _____ Liters

CAS NO: 7782-44-7

Danger:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

NO SMOKING

NO VAPING

Commonwealth Home Health Care, Inc.

300 Blairs Circle

Blairs. Virginia 24527


434-797-2332

**OXYGEN,
REFRIGERATED**



LIQUID USP

UN 1073



CONTENTS: _____ **LITERS**

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.



**NO SMOKING
NO VAPING**



300 Blairs Circle
Blairs, Virginia 24527
434-797-2332

Oxygen, Compressed USP

Oxygen, Compressed USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so Use a back flow preventative device in the piping. Use with only with compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

NO SMOKING

NO VAPING

CAS NO: 7782-44-7

Contents Size

113 Liters M4

165 Liters M6

255 Liters C

425 Liters D

680 Liters E

7080 Liters H

____ Liters Other

Commonwealth Home Health Care, Inc.

300 Blairs Circle

Blairs, Virginia 24527

434-797-2332

OXYGEN, COMPRESSED USP

UN 1072



DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

CAS NO: 7782-44-7

| Contents | Size |
|-------------|--------------------------------|
| 113 Liters | <input type="checkbox"/> M4 |
| 165 Liters | <input type="checkbox"/> M6 |
| 255 Liters | <input type="checkbox"/> C |
| 425 Liters | <input type="checkbox"/> D |
| 680 Liters | <input type="checkbox"/> E |
| 7080 Liters | <input type="checkbox"/> H |
| ____ Liters | <input type="checkbox"/> Other |



**NO SMOKING
NO VAPING**



300 Blairs Circle
Blairs, Virginia 24527
434-797-2332

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:54528-001 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 995 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:54528-001-01 | 165 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 2 | NDC:54528-001-02 | 395 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 3 | NDC:54528-001-03 | 655 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 4 | NDC:54528-001-04 | 3540 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 5 | NDC:54528-001-05 | 7960 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 6 | NDC:54528-001-06 | 30 L in 1 DEWAR; Type 0: Not a Combination Product | 10/31/2014 | |
| 7 | NDC:54528-001-07 | 40 L in 1 DEWAR; Type 0: Not a Combination Product | 10/31/2014 | |
| 8 | NDC:54528-001-08 | 1699 L in 1 CYLINDER; Type 0: Not a Combination Product | 10/31/2014 | |
| 9 | NDC:54528-001-09 | 36 L in 1 DEWAR; Type 0: Not a Combination Product | 10/31/2014 | |
| 10 | NDC:54528-001-10 | 46 L in 1 DEWAR; Type 0: Not a Combination Product | 10/31/2014 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved medical gas | | 10/31/2014 | |

Labeler - Commonwealth Home Health Care, Inc. (119079945)**Registrant** - Commonwealth Home Health Care, Inc. (119079945)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|-------------------------------------|----------------|---------------|----------------------------|
| Commonwealth Home Health Care, Inc. | | 119154173 | manufacture(54528-001) |