# OXYMETAZOLINE HCL- oxymetazoline hcl spray KINGSTON PHARMA LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### NASAL SPRAY - ORIGINAL 15mL and 30mL

Active Ingredient: Oxymetazoline HCl 0.05%

Purpose: Nasal Decongestant

#### Uses

Temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies
- sinusitis
- shrinks swollen nasal membrances so you can breathe more freely.

### Ask a doctor before use if you have

- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

#### When using this product: do not use more than directed

Do not use for more than 3 days. Use only as directed.

When using this product

- Frequent or prolonged use may cause nasal congestion to rcur or worsen
- temporary discomfort such as buming, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor** If symptoms persist. If **pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostrill not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under six years of age: ask a doctor.

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

Store between 20°C to 25°C (68° to 77° F)

benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate monobasic, sodium phosphate dibasic

(pack: 30ml) Kingston NDC# 71027-013-02 (pack: 15ml) Kingston NDC# 71027-013-17



### **Drug Facts**

Active ingredient Purpose Oxymetazoline HCl 0.05% .... Nasai Decongestant

#### Uses

- temporarily relieves nasal congestion due to:
- common cold hay fever
- upper respiratory allergies sinusitis · shrinks swollen nasal membranes so you can breathe more freely.

Warnings Ask a doctor before use if you have

 high blood pressure thyroid disease
diabetes trouble urinating due to an enlarged prostate gland.

## When using this product; do not use more tha directed

- · do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- · temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- · use of this container by more than one person may spread infection.

Stop use and ask a doctor if symptoms persist.

If pregnant or breast feeding, ask a health essional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- adults and children 6 to under 12 years of age (with adult supervision)? or 3 sprays in each nostril not more often than every 10 to 12 hours Do not exceed 2 doses in any 24-hour period.
- children under six years of age: ask a doctor. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

#### Drug Facts (cont.)

#### Other information

store between 20°C to 25°C (68°F to 77°F)

retain carton for future reference on full labeling.

#### Inactive ingredients

benzalkonium chloride solution edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate monobasic, sodium phosphate dibasic

QUESTIONS AND COMMENTS? +1 888-588-8511

ExcelMed Original acts in Effectively to provide relief from nasal congestion with no drowsiness

Distributed by: Gobela Pharma LLC. West New York, NJ - USA 07093 www.globelapharma.com

#### **COMPARE TO ACTIVE** INGREDIENT IN Afrin®\*



*12 HOUR* NASAL SPRAY

#### COMPARE TO ACTIVE INGREDIENT IN Afrin®\*



Oxymetazoline HCI Nasal Decongestant

## Original

Fast Relief From Congestion

ExcelMed Original acts in Effectively to provide relief from nasal congestion with no drowsiness

0.5 0Z (15 mL)

Oxymetazoline HCI Nasal Decongestant

### Original Fast Relief

From Congestion ExcelMed Original acts in Effectively to provide relief from nasal congestion with

no drowsiness

\*This product is not manufactured or distributed by Schering-Plough lealthcare Products Inc. distributors of Alrin Original 12 hour Wasal Spray

0.5 0Z (15 mL)

Lot: Exp:

#### OXYMETAZOLINE HCL

oxymetazoline hcl spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71027-013
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.5 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SO DIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		

1	Packaging			
#	t Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71027-013-02	1 in 1 CARTON	03/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:71027-013-17	1 in 1 CARTON	03/01/2017	
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	03/01/2017		

# Labeler - KINGSTON PHARMA LLC (080386521)

## **Registrant -** KINGSTON PHARMA LLC (080386521)

Establishment				
Name	Address	ID/FEI	Business Operations	
KINGSTON PHARMA LLC		080386521	manufacture(71027-013)	

Revised: 3/2017 KINGSTON PHARMA LLC