

CAREONE CHILDRENS ALLERGY RELIEF- loratadine tablet, chewable
American Sales Company

American Sales Company Children's Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours

children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.4 mg per tablet
- do not use if blister unit is broken or torn
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

artificial grape flavor, aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in Children's Claritin® Chewables

For Ages 2 and Older

Children's Allergy Relief

Loratadine Chewable Tablets, 5mg

Actual Size

Antihistamine

20 CHEWABLE TABLETS

24hr

Non-Drowsy*

24 HOUR RELIEF OF:

Sneezing - Runny Nose - Itchy, Watery Eyes

Itchy Throat Or Nose

Indoor & Outdoor Allergies

*When taken as directed. See Drug Facts Panel.

OUR PHARMACISTS RECOMMEND

GRAPE FLAVOR

CAREone®

NDC 41520-716-01

Compare to the active ingredient
in Children's Claritin® Chewables†

For Ages 2 and Older

Children's Allergy Relief



Actual Size

Loratadine Chewable
Tablets, 5mg
Antihistamine

20 CHEWABLE TABLETS



Non-Drowsy*

24 HOUR RELIEF OF:

- Sneezing • Runny Nose • Itchy, Watery Eyes
 - Itchy Throat Or Nose
- Indoor & Outdoor Allergies

*When taken as directed. See Drug Facts Panel.

GRAPE FLAVOR

3Y8C9 OF C2

OPEN OTHER END

Drug Facts

Active ingredient (in each tablet)	Purpose
Loratadine 5mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing	
adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.4 mg per tablet
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline



CAREONE CHILDRENS ALLERGY RELIEF

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-716
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	PURPLE (light)	Score	no score
Shape	ROUND	Size	8mm
Flavor	GRAPE	Imprint Code	L3Y8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-716-01	20 in 1 CARTON	07/19/2019	

1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41520-716-39	30 in 1 CARTON	07/16/2019	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA210033		07/16/2019	

Labeler - American Sales Company (809183973)

Revised: 8/2020

American Sales Company