WESTAB PLUS- vitamin a acetate, beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, ferrous fumarate, zinc oxide, and cupric oxide tablet Westminster Pharmaceuticals, LLC

WesTab Plus

Supplement Facts		
Serving Size: 1 Tablet		
	Amount Per Serving	•
Vitamin A (as Acetate and Beta Carotene)	1200 mcg	92%
Vitamin C (Ascorbic Acid)	120 mg	100%
Vitamin D (Vitamin D3 as cholecalciferol)	10 mcg (400IU)	67%
Vitamin E (dl-Alpha Tocopheryl Acetate)	9.9 mg	52%
Thiamin (Vitamin B1 from Thiamine Mononitrate)	1.84 mg	131%
Riboflavin (Vitamin B2)	3 mg	188%
Niacin (Niacinamide)	20 mg	111%
Vitamin B6 (as Pyridoxine HCl)	10 mg	500%
Folate	1700 mcg DFE (1 mg Folic Acid)	283%
Vitamin B12 (Cyanocobalamin)	12 mcg	429%
Calcium (Calcium Carbonate)	200 mg	15%
Iron (Ferrous Fumarate)	27 mg	100%
Zinc (Zinc Oxide)	25 mg	192%
Copper (Cupric Oxide)	2 mg	154%

^{*} Percent Daily Value (DV) based on a 2,000 calorie diet

Other Ingredients: Microcrystalline Cellulose, Croscarmellose Sodium, Stearic Acid, Magnesium Stearate, Silicon Dioxide, Coating (Beet Powder, Caramel, Carnauba Wax, Polyethylene Glycol, Polyvinyl Alcohol, Talc, Titanium Dioxide).

CONTAINS: SOY

DESCRIPTION

WesTab Plus is an orally administered prenatal/postnatal prescription dietary supplement

for both lactating and non-lactating mothers and should be administered under the supervision of a licensed medical practitioner.

DIRECTIONS

Before, during and/or after pregnancy, one tablet daily with a meal, or as directed by a licensed medical practitioner.

WARNING: Accidental overdose of ironcontaining products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

CAUTION

High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.

Store at Controlled Room Temperature 15° – 30°C (59° – 86°F). Protect from light and moisture. Dispense in a tight, light-resistant container with child-resistant closure.

Call your licensed medical practitioner about side effects. To report a serious adverse event or obtain product information, contact Westminster Pharmaceuticals, LLC at 1-844-221-7294.

WesTab Plus are beige colored tablets, debossed with "267" on one side, dispensed in bottles of 100 tablets.

Manufactured for:

Westminster Pharmaceuticals, LLC Nashville, TN 37217

Rev. 07/23

PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

69367-267-01


Rx

WesTab Plus PRENATAL/POSTNATAL

Prescription Dietary Supplement

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

100 Tablets



Supplement Facts

 Serving Size: 1 Tablet

 Per Serving or pregnant and Lactating Women †

 Vitamin A (as Acetate and Beta Carotene)
 1200 mcg
 92%

 Vitamin C (Ascorbic Acid)
 120 mg
 100%

 Vitamin D (Vitamin D3 as cholecalciferol)
 10 mcg (400IU)
 67%

 Vitamin E (dl-Alpha Tocopheryl Acetate)
 9.9 mg
 52%

 Thiamin (Vitamin B1 from Thiamine Mononitrate)
 1.84 mg
 131%

 Riboflavin (Vitamin B2)
 3 mg
 188%

Thiamin (Vitamin B1 from Thiamine Mononitrate) 3 mg Riboflavin (Vitamin B2) Niacin (Niacinamide) 20 mg 10 mg Vitamin B6 (as Pyridoxine HCI) 500% 1700 mcg DFE (1 mg Folic Acid) Folate 283% Vitamin B12 (Cyanocobalamin) 12 mcg 429% Calcium (Calcium Carbonate) 200 mg 15% Iron (Ferrous Furnarate) 27 mg 100% 25 mg Zinc (Zinc Oxide) 192% 2 mg 154% Copper (Cupric Oxide)

Percent Daily Value (DV) based on a 2,000 calorie diet

Other Ingredients: Microcrystalline Cellulose, Croscarmelose Sodium, Stearic Acid, Magnesium Stearate, Silicon Diodide, Coating (Best Powder, Caramel Carnauba Ware, Polyethylene Glycol, Polyethyl Alcohol, Talc, Thanium Diodide).

ONTRAINS SOY

DESCRIPTION: WesTab Plus is an orally administered prenatal/postnatal prescription dietary supplement for both lactating and non-lactating mothers and should be administered under the supervision of a licensed medical practitioner.

DIRECTIONS: Before, during and/or after pregnancy, one tablet daily with a meal, or as directed by a licensed medical practitione

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

CAUTION: High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.

Store at Controlled Room Temperature 15° – 30°C (59° – 86°F). Protect from light and moisture. Dispense in a tight, light-resistant container with child-resistant closure.

Call your licensed medical practitioner about side effects. To report a serious adverse event or obtain product information, contact Westminster Pharmaceuticals, LLC at 1-844-221-7294. WesTab Plus are beige colored tablets, debossed with "267" on one side, dispensed in bottles of 100 tablets.

Manufactured for:

Nashville, TN 37217

Rev. 07/23



WESTAB PLUS

vitamin a acetate, beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, ferrous fumarate, zinc oxide, and cupric oxide tablet

Product Information			
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:69367-267
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
VITAMIN A ACETATE (UNII: 3LE3D9D6OY) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	2000 [iU]		
BETA CAROTENE (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	2000 [iU]		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg		
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU]		
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHATOCOPHEROL, DL UNII:7QWA1RIO01)	.ALPHA TOCOPHEROL, DL-	9.9 mg		
THIAMINE MONONITRATE (UNII: 8K0104919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.84 mg		
RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)	RIBOFLAVIN	3 mg		
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	20 mg		
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE	10 mg		
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg		
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	12 ug		
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	200 mg		
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW895810WR)	FERROUS CATION	27 mg		

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) **ZINC CATION**25 mg **CUPRIC OXIDE** (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)

CUPRIC CATION

2 mg

Inactive Ingredients		
Ingredient Name	Strength	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
BEET (UNII: N487KM8COK)		
CARAMEL (UNII: T9D99G2B1R)		
CARNAUBA WAX (UNII: R12CBM0EIZ)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
TALC (UNII: 7SEV7J4R1U)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:69367-267-01	100 in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		07/27/2020	

Supplement Facts			
Serving Size :		Serving per Container :	
	Amount Per Serving	% Daily Value	
color			
scoring	1		
shape			
size (solid drugs)	19 mm		
imprint			

Labeler - Westminster Pharmaceuticals, LLC (079516651)