

ASPER FLEX- lidocaine cream
Akron Pharma Inc.

Asper Flex (Lidocaine 4% Cream)
TOUGH ON PAIN
Topical Anesthetic Cream

FOR EXTERNAL USE ONLY

Active ingredient

Lidocaine 4% w/w

Purpose

Topical anesthetic

Uses

temporarily relieves pain and itching due to

- minor cuts
- minor scrapes
- minor burns
- sunburn
- minor skin irritation
- insect bites

Warnings

For external use only

Do not use

- if you are allergic to any active or inactive ingredients of this product
- on wounds or damaged, irritated, or sensitive skin
- with any other topical anesthetic
- for more than one week without consulting a doctor
- over large areas of the body

Directions

- Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.
- Children under 2 years of age: Consult a doctor.

For external use only

Do not use

- in or near the eyes
- in large quantities, particularly over raw or blistered areas

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other information

- May be applied under occlusive dressing.
- Store at room temperature, 20–25°C (68–77°F) Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].

Inactive ingredients

Aloe barbadensis leaf juice, Benzyl alcohol, Carbomer, Cetostearyl alcohol, Cholesterol, Glycerin, Isopropyl myristate, Polysorbate 80, Propylene Glycol, Purified Water, Stearic acid, Tocopherol, Trolamine

Questions or comments?

Call toll-free 1-877-255-6999

Manufactured for:

Akron Pharma Inc.

Fairfield, NJ 07004

www.akronpharma.com

10.5cm



25g (5x5 g)

FOR EXTERNAL USE ONLY

Topical Anesthetic Cream

Lidocaine Cream 4%

AsperFlex™
TOUGH ON PAIN

NDC 71399-0049-2

AsperFlex™

NDC 71399-0049-2

AsperFlex™
TOUGH ON PAIN

Lidocaine Cream 4%

Topical Anesthetic Cream

25g (5x5 g)

FOR EXTERNAL USE ONLY

AsperFlex™
TOUGH ON PAIN

Drug Facts

Active Ingredient
Lidocaine 4% w/w

Purpose
Topical anesthetic

Uses temporarily relieves pain and itching due to ■ minor cuts ■ minor scrapes ■ minor burns ■ sunburn ■ minor skin irritation ■ insect bites

Directions
■ Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day
■ Children under 2 years of age: Consult a doctor.

Warnings For external use only.
Do not use ■ in or near the eyes ■ in large quantities, particularly over raw or blistered areas

Stop use and ask a doctor if ■ allergic reaction occurs ■ condition worsens or does not improve within 7 days ■ symptoms clear up and return within a few days ■ redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other Information ■ May be applied under occlusive dressing. ■ Store at room temperature, 20–25°C (68–77°F). Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].

Inactive Ingredients Aloe barbadensis leaf juice, Benzyl alcohol, Carbomer, Cetostearyl alcohol, Cholesterol, Glycerin, Isopropyl myristate, Polysorbate 80, Propylene Glycol, Purified Water, Stearic acid, Tocopherol, Trolamine

Questions or comments? Call toll-free 1-877-225-6999



Rev. 12/2024

AMICOR Pharma
Manufactured for:
AMCOR Pharma, Inc.
Fairfield, NJ 07004
www.amcorpharma.com



ASPER FLEX

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-0049
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER (UNII: 0A5MM307FC)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TROLAMINE (UNII: 9O3K93S3TK)	

Product Characteristics

Color	white (clear gel)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0049-2	1 in 1 CARTON	01/06/2025	
1		25 g in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:71399-0049-3	1 in 1 CARTON	01/06/2025	
2		30 g in 1 PACKAGE; Type 0: Not a Combination Product		
3	NDC:71399-0049-1	1 in 1 CARTON	01/06/2025	
3		15 g in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/06/2025	

Labeler - Akron Pharma Inc. (067878881)

Revised: 9/2025

Akron Pharma Inc.