

**ASPER FLEX- lidocaine cream**  
**Akron Pharma Inc.**

-----  
**Asper Flex (Lidocaine 4% Cream)**

**Topical Anesthetic Cream**

**FOR EXTERNAL USE ONLY**

***Active ingredient***

Lidocaine 4% w/w

***Purpose***

Topical anesthetic

***Uses***

temporarily relieves pain and itching due to

- minor cuts
- minor scrapes
- minor burns
- sunburn
- minor skin irritation
- insect bites

***Warnings***

**For external use only**

**Do not use**

- if you are allergic to any active or inactive ingredients of this product
- on wounds or damaged, irritated, or sensitive skin
- with any other topical anesthetic
- for more than one week without consulting a doctor
- over large areas of the body

**Directions**

- Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.
- Children under 2 years of age: Consult a doctor.

**For external use only**

**Do not use**

- in or near the eyes
- in large quantities, particularly over raw or blistered areas

**Stop use and ask a doctor if**

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

***Other information***

- May be applied under occlusive dressing.
- Store at room temperature, 20–25°C (68–77°F) Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].

***Inactive ingredients***

Benzyl Alcohol, Carbopol 940, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.

***Questions or comments?***

Call toll-free 1-877-255-6999

**Manufactured for:**

Akron Pharma Inc.

Fairfield, Nj 07004

[www.akronpharma.com](http://www.akronpharma.com)





FOR EXTERNAL USE ONLY

25g (5x5 g)  
Made in USA

Topical Anesthetic Cream

**Lidocaine Cream 4%**

**AsperFlex™**  
TOUGH ON PAIN

NDC 71399-0049-2

**AsperFlex™**

NDC 71399-0049-2

**AsperFlex™**  
TOUGH ON PAIN

**Lidocaine Cream 4%**

Topical Anesthetic Cream

FOR EXTERNAL USE ONLY

25g (5x5 g)  
Made in USA

**AsperFlex™**  
TOUGH ON PAIN

**Drug Facts**

Active ingredient	Purpose
Lidocaine 4% w/w	Topical anesthetic

Uses temporarily relieves pain and itching due to ■ minor cuts ■ minor scrapes ■ minor burns  
 ■ sunburn ■ minor skin irritation ■ insect bites

**Directions**  
 ■ Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day  
 ■ Children under 2 years of age: Consult a doctor.

**Warnings** For external use only.  
 Do not use ■ in or near the eyes ■ in large quantities, particularly over raw or blistered areas

Stop use and ask a doctor if ■ allergic reaction occurs ■ condition worsens or does not improve within 7 days ■ symptoms clear up and return within a few days ■ redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


**Other information** ■ May be applied under occlusive dressing. ■ Store at room temperature, 20–25°C (68–77°F). Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].


**Inactive ingredients** Benzyl Alcohol, Carbapol 940, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.

**Questions or comments?** Call toll-free 1-877-225-8999

5  
N 71399-0049-2

Manufactured for:  
Akon Pharma, Inc.  
Fairfield, NJ 07004  
www.akonpharma.com





134.41 mm

137.01 mm

**Asper Flex™**  
TOUGH ON PAIN  
**Lidocaine Cream 4%**

**Akron Pharma**  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com



NDC 71399-0049-3

**Asper Flex™**  
TOUGH ON PAIN  
**Lidocaine Cream 4%**  
Topical Anesthetic Cream

Net wt. 30 g  
Made in USA

FOR EXTERNAL USE ONLY

**Drug Facts**

**Active Ingredient**

Lidocaine 4% w/w

**Purpose**

Topical anesthetic

**Uses** temporarily relieves pain and itching due to ■ minor cuts ■ minor scrapes ■ minor burns ■ sunburn ■ minor skin irritation ■ insect bites

**Directions**

■ Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.  
■ Children under 2 years of age: Consult a doctor.

**Warnings** For external use only.

**Do not use** ■ in or near the eyes ■ in large quantities, particularly over raw or blistered areas

**Stop use and ask a doctor if** ■ allergic reaction occurs ■ condition worsens or does not improve within 7 days ■ symptoms clear up and return within a few days ■ redness, irritation, swelling, pain or other symptoms begin or increase

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Other information** ■ May be applied under occlusive dressing. ■ Store at room temperature, 20–25°C (68–77°F) Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].

**Inactive ingredients** Benzyl Alcohol, Carbopol 940, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.

**Questions or comments?** Call toll-free 1-877-225-6999

218.27 mm



## ASPER FLEX

lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71399-0049
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	



TROLAMINE (UNII: 9O3K93S3TK)

### Product Characteristics

Color	white (clear gel)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0049-5	1 in 1 CARTON	11/03/2023	
1		5 g in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:71399-0049-1	1 in 1 CARTON	11/03/2023	
2		15 g in 1 PACKAGE; Type 0: Not a Combination Product		
3	NDC:71399-0049-3	1 in 1 CARTON	11/03/2023	
3		30 g in 1 PACKAGE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/03/2023	

**Labeler** - Akron Pharma Inc. (067878881)

Revised: 4/2023

Akron Pharma Inc.