

**NUTRASCREEN- replenish and protect day cream lotion**  
**Danne Montague King**

**Nutrascreen SPF 30**



# NUTRASCREEN®

REPLENISH & PROTECT  
DAY CREAM

broad-spectrum  
water resistant (80 minutes)  
high protection - SPF 30

120 ml (4 fl oz)

**Inactive Ingredients:** Water/Aqua/Eau, Cyclohexasiloxane, Dicaprylyl Carbonate, Polyhydroxystearic Acid, Cyclopentasiloxane, Polysilicone-11, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Triethoxysilyethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Caprylic/Capric Triglyceride, Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Isohexadecane, Polysorbate 80, PEG-10 Dimethicone, Butylene Glycol, Sea Salt/Maris Sal/Sel Marin, Glycerin, Propanediol, Ethylhexylglycerin, Pentylene Glycol, Phosphatidylcholine, Hydrolyzed Rice Protein, Stearoyl Inulin, Polygonum Aviculare Extract, Sodium Levulinat, Sodium Anisate, Alteromonas Ferment Extract, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Potassium Sorbate, Sodium Benzoate.

**Directions:**

- apply generously 15 minutes before sun exposure.
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying;
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures, including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
  - children under six months of age: Ask a doctor.

DRUG FACTS	PURPOSE
<b>Active Ingredients:</b> Zinc Oxide (19.8%).....	Sunscreen

DRUG FACTS	PURPOSE
<b>Active Ingredients:</b> Zinc Oxide (19.8%).....	Sunscreen

**Questions or comments?** Call toll free 1-888-DANNE-4-U

**Other Information** Exclusive formula provides increased dermal hydration and improves the skin's overall appearance. Keep product from excessive heat and away from direct sun.

**Warnings:** (For external use only)

Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.

**Uses:** Helps prevent sunburn. If used as directed, it reduces the risk of skin cancer and early skin aging caused by the sun.

**Directions:**

- apply generously 15 minutes before sun exposure.
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying;
  - at least every 2 hours

**Warnings:** (For external use only)

Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.



PANTONE 627C



PANTONE Cool Gray 7

 Danné Montague-King®	<b>DRUG FACTS</b>	<b>PURPOSE</b>
	<b>Active Ingredients:</b> Zinc Oxide (19.6%)	Sunscreen
<b>NUTRASCREEN®</b> REPLENISH & PROTECT DAY CREAM	<b>Uses:</b> Helps prevent sunburn. If used as directed, it reduces the risk of skin cancer and early skin aging caused by the sun.	
	<b>Warnings:</b> (For external use only) Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.	
broad-spectrum water resistant (80 minutes) high protection - SPF 30 120 ml (4 fl oz)	<b>Directions:</b> <ul style="list-style-type: none"><li>• apply generously 15 minutes before sun exposure.</li><li>• reapply:<ul style="list-style-type: none"><li>• after 80 minutes of swimming or sweating</li><li>• immediately after towel drying;</li><li>• at least every 2 hours</li></ul></li><li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures, including:<ul style="list-style-type: none"><li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li><li>• wear long-sleeved shirts, pants, hats, and sunglasses.</li><li>• children under six months of age: Ask a doctor.</li></ul></li></ul>	
	<b>Inactive Ingredients:</b> Water/Aqua/Eau, Cyclohexasiloxane, Dicaprylyl Carbonate, Polyhydroxystearic Acid, Cyclopentasiloxane, Polysilicone-11, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Caprylic/Capric Triglyceride, Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxethanol, Isohexadecane, Polysorbate 80, PEG-10 Dimethicone, Butylene Glycol, Sea Salt/Maris Sal/Sel Marin, Glycerin, Propanediol, Ethylhexylglycerin, Pentylene Glycol, Phosphatidylcholine, Hydrolyzed Rice Protein, Stearoyl Inulin, Polygum Aviculare Extract, Sodium Levulinate, Sodium Anisate, Alteromonas Ferment Extract, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Potassium Sorbate, Sodium Benzoate.	
	<b>Other Information</b> Exclusive formula provides increased dermal hydration and improves the skin's overall appearance. Keep product from excessive heat and away from direct sun.	
	<b>Questions or comments?</b> Call toll free 1-888-DANNE-4-U	
	<b>EU/UK Responsible Persons:</b> MSL, BL9 5NB, UK MSL, STE 5385, 27 UPPER PEMBROKE ST, DUBLIN, IE	<b>Made in USA</b> Danné Montague-King Co. Los Angeles, CA 90070 www.dannemking.com CPNP# 3821630
	  	 7 93573 63435 1

**DMK Sunscreen SPF 30 - 120 ml**  
**Label Size: 5.125 x 3.25"**  
**ENG**  
**APRIL 2023**

**NUTRASCREEN**

replenish and protect day cream lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81537-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	19.8 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	0.001 g in 100 mL
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	3.5 g in 100 mL
<b>ALTEROMONAS MACLEODII POLYSACCHARIDES</b> (UNII: AP6XG2GR8Z)	0.01 g in 100 mL
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	11 g in 100 mL
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	3.56 g in 100 mL
<b>SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S)</b> (UNII: 5F4963KLHS)	1.2 g in 100 mL
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	2 g in 100 mL
<b>TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE</b> (UNII: X75PL53TZJ)	1.7 g in 100 mL
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	1.125 g in 100 mL
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	8 g in 100 mL
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	4 g in 100 mL
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	0.001 g in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	38.6705 g in 100 mL
<b>SEA SALT</b> (UNII: 87GE52P74G)	0.2 g in 100 mL
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	0.125 g in 100 mL
<b>PHOSPHATIDYLCHOLINE, SOYBEAN</b> (UNII: 1T6N4D9YV6)	0.07 g in 100 mL
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	1 g in 100 mL
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	0.8 g in 100 mL
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	0.5 g in 100 mL
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	0.24 g in 100 mL
<b>STEAROYL INULIN</b> (UNII: WKJ43CL46D)	0.05 g in 100 mL
<b>POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S)</b> (UNII: RLA2U05Z4Q)	2.38 g in 100 mL
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	1.5 g in 100 mL
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	0.004 g in 100 mL

<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	0.004 g in 100 mL
<b>SODIUM LEVULINATE</b> (UNII: VK44E1MQU8)	0.01 g in 100 mL
<b>SODIUM ANISATE</b> (UNII: F9WFJ28MV9)	0.01 g in 100 mL
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	0.15 g in 100 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	0.172 g in 100 mL
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	0.075 g in 100 mL
<b>POLYGONUM AVICULARE WHOLE</b> (UNII: M990N03611)	0.02 g in 100 mL

### Product Characteristics

<b>Color</b>	white (Opaque Lotion)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81537-102-01	15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/14/2016	
2	NDC:81537-102-02	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/14/2016	
3	NDC:81537-102-03	120 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/14/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/14/2016	

**Labeler** - Danne Montague King (624242264)

Revised: 10/2023

Danne Montague King