

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60  
BREAKOUT FREE OIL FREE FACE DRY TOUCH BROAD SPECTRUM SPF 60  
SUNSCREEN WATER RESISTANT 80 MINUTES- avobenzene, homosalate,  
octisalate and octocrylene lotion  
L'Oreal USA Products Inc**

-----

## **Drug Facts**

### **Active ingredient**

Avobenzene 3%

Homosalate 15%

Octisalate 5%

Octocrylene 7%

### **Purpose**

Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

**For external use only**

### **Do not use**

on damaged or broken skin

### **When using this product**

keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

rash occurs

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## Other information

protect the product in this container from excessive heat and direct sun

## Inactive ingredients

water, silica, dicaprylyl carbonate, styrene/acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 stearate, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyl taurate, phenoxyethanol, PEG-8 laurate, behenyl alcohol, sodium stearyl glutamate, chlorphenesin, p-anisic acid, xanthan gum, tocopherol, disodium EDTA, arachidyl alcohol, diethylhexyl syringylidenemalonate, propylene glycol, cassia alata leaf extract, maltodextrin, stearyl alcohol, t-butyl alcohol, caprylic/capric triglyceride

## Questions or comments?

**1-888-LRP-LABO 1-888-577-5226**

Monday - Friday (9 a.m. - 5 p.m. EST)

Dermatologists know that **UVA rays are responsible for more than 80% of skin aging** (fine lines, wrinkles, sagging, dark spots) and are the main cause of sun intolerance.

All year-long, even in cloudy weather, in the city or through glass, UVA rays penetrate the skin down to the dermis layer. This is why dermatologists recommend using a daily, broad spectrum UVA/UVB sunscreen in conjunction with other sun protection measures (see **Directions**) to help prevent early skin aging and sun reactions.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Dermatological safety: **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen has been formulated and rigorously tested for optimal skin tolerance.

WATER RESISTANT (80 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN



Made in USA  
2048723

Distributed by  
La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay  
Laboratoire Pharmaceutique  
96270 La Roche-Posay France  
TSA 10007 F921667ASNIERES CEDEX  
www.laroche-posay.us

FACE  
60

SUNSCREEN

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF60

BREAKOUT FREE

ANTHELIOS 60  
with La Roche-Posay Thermal Spring Water

OIL-FREE  
DRY TOUCH SUNSCREEN  
Non-greasy, clean feel finish  
Won't cause breakouts

ADVANCED TECHNOLOGY  
with **CELL-OX SHIELD XL™**  
UVA/UVB protection + antioxidants

WATER RESISTANT (80 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

1.7 FLOZ. - 50 ml

BREAKTHROUGH INNOVATION

Introducing **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen with a fast-absorbing texture that won't cause breakouts and leaves skin appearing matte with a clean feel finish. Skin is protected, without feeling oily or greasy.

Properties:

- 1. Breakthrough texture.**  
A breakout-free formula with a lightweight, blotting effect texture that won't clog pores or cause breakouts and is allergy tested.
- 2. A unique oil-absorbing complex.**  
Powered by Perlite & Silica known for their anti-shine properties to help absorb excess oil.
- 3. UVA/UVB protection + antioxidants**  
- Powerful **CELL-OX SHIELD XL™**  
A combination of photostable UVA/UVB filters chosen for its synergistic effect to deliver broad-spectrum protection.

With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals.

Results:

Helps absorb oil so skin stays matte and shine-free. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

<sup>1</sup> upper layers of skin



FIND ME  
IN THE SUNCARE AISLE

Drug Facts

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply
  - after 60 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene/acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 stearate, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyltaurate, phenoxyethanol, PEG-8 laurate, behenyl alcohol, sodium stearyl glutamate, chlorophenesin, p-anisic acid, xanthan gum, tocopherol, disodium EDTA, arachidyl alcohol, diethylhexyl syringylidenemalonate, propylene glycol, cassa alata leaf extract, maltodextrin, stearyl alcohol, t-butyl alcohol, caprylic/capric triglyceride

Questions or comments?

1-888-LRPLABO 1-888-577-5226  
Monday-Friday (9 a.m. - 5 p.m. EST)

858433 13  
US Pat. Pending

Code F.I.L.: D179109/2

Dermatologists know that **UVA rays are responsible for more than 80% of skin aging** (fine lines, wrinkles, sagging, dark spots) and are the main cause of sun intolerance.

All year-long, even in cloudy weather, in the city or through glass, UVA rays penetrate the skin down to the dermis layer. This is why dermatologists recommend using a daily, broad spectrum UVA/UVB sunscreen in conjunction with other sun protection measures (see **Directions**) to help prevent early skin aging and sun reactions.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Dermatological safety: **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen has been formulated and rigorously tested for optimal skin tolerance.

WATER RESISTANT (80 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN



Made in USA  
2048723

Distributed by  
La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay  
Laboratoire Pharmaceutique  
96270 La Roche-Posay France  
TSA 10007 F921667ASNIERES CEDEX  
www.laroche-posay.us

FACE  
60

SUNSCREEN

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF60

BREAKOUT FREE

ANTHELIOS 60  
with La Roche-Posay Thermal Spring Water

OIL-FREE  
DRY TOUCH SUNSCREEN  
Non-greasy, clean feel finish  
Won't cause breakouts

ADVANCED TECHNOLOGY  
with **CELL-OX SHIELD XL™**  
UVA/UVB protection + antioxidants

WATER RESISTANT (80 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

1.7 FLOZ. - 50 ml

BREAKTHROUGH INNOVATION

Introducing **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen with a fast-absorbing texture that won't cause breakouts and leaves skin appearing matte with a clean feel finish. Skin is protected, without feeling oily or greasy.

Properties:

- 1. Breakthrough texture.**  
A breakout-free formula with a lightweight, blotting effect texture that won't clog pores or cause breakouts and is allergy tested.
- 2. A unique oil-absorbing complex.**  
Powered by Perlite & Silica known for their anti-shine properties to help absorb excess oil.
- 3. UVA/UVB protection + antioxidants**  
- Powerful **CELL-OX SHIELD XL™**  
A combination of photostable UVA/UVB filters chosen for its synergistic effect to deliver broad-spectrum protection.

With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals.

Results:

Helps absorb oil so skin stays matte and shine-free. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

<sup>1</sup> upper layers of skin



FIND ME  
IN THE SUNCARE AISLE

Drug Facts

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Otisolalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply
  - after 60 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene/acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 stearate, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyltaurate, phenoxyethanol, PEG-8 laurate, behenyl alcohol, sodium stearyl glutamate, chlorophenesin, p-anisic acid, xanthan gum, tocopherol, disodium EDTA, arachidyl alcohol, diethylhexyl syringylidenemalonate, propylene glycol, cassa alata leaf extract, maltodextrin, stearyl alcohol, t-butyl alcohol, caprylic/capric triglyceride

Questions or comments?

1-888-LRPLABO 1-888-577-5226  
Monday-Friday (9 a.m. - 5 p.m. EST)

858433 13  
US Pat. Pending

Code F.I.L.: D179109/2

Dermatologists know that **UVA rays are responsible for more than 80% of skin aging** (fine lines, wrinkles, sagging, dark spots) and are the main cause of sun intolerance.

All year-long, even in cloudy weather, in the city or through glass, UVA rays penetrate the skin down to the dermis layer. This is why dermatologists recommend using a daily, broad spectrum UVA/UVB sunscreen in conjunction with other sun protection measures (see **Directions**) to help prevent early skin aging and sun reactions.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Dermatological safety: **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen has been formulated and rigorously tested for optimal skin tolerance.

WATER RESISTANT (80 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN



Made in USA  
2048723

Distributed by  
La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay  
Laboratoire Pharmaceutique  
96270 La Roche-Posay France  
TSA 10007 F921667ASNIERES CEDEX  
www.laroche-posay.us

FACE  
60

SUNSCREEN

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF60

BREAKOUT FREE

ANTHELIOS 60  
with La Roche-Posay Thermal Spring Water

OIL-FREE  
DRY TOUCH SUNSCREEN  
Non-greasy, clean feel finish  
Won't cause breakouts

ADVANCED TECHNOLOGY  
with **CELL-OX SHIELD XL™**  
UVA/UVB protection + antioxidants

WATER RESISTANT (80 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

1.7 FLOZ. - 50 ml

BREAKTHROUGH INNOVATION

Introducing **ANTHELIOS 60** Oil-Free Dry Touch Sunscreen with a fast-absorbing texture that won't cause breakouts and leaves skin appearing matte with a clean feel finish. Skin is protected, without feeling oily or greasy.

Properties:

- 1. Breakthrough texture.**  
A breakout-free formula with a lightweight, blotting effect texture that won't clog pores or cause breakouts and is allergy tested.
- 2. A unique oil-absorbing complex.**  
Powered by Perlite & Silica known for their anti-shine properties to help absorb excess oil.
- 3. UVA/UVB protection + antioxidants**  
- Powerful **CELL-OX SHIELD XL™**  
A combination of photostable UVA/UVB filters chosen for its synergistic effect to deliver broad-spectrum protection.

With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals.

Results:

Helps absorb oil so skin stays matte and shine-free. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).  
<sup>1</sup> upper layers of skin



FIND ME  
IN THE SUNCARE AISLE

Drug Facts

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply
  - after 60 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene/acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 stearate, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyltaurate, phenoxethanol, PEG-8 laurate, behenyl alcohol, sodium stearyl glutamate, chlorophenesin, p-anisic acid, xanthan gum, tocopherol, disodium EDTA, arachidyl alcohol, diethylhexyl syringylidenemalonate, propylene glycol, cassa alata leaf extract, maltodextrin, stearyl alcohol, t-butyl alcohol, caprylic/capric triglyceride

Questions or comments?

1-888-LRPLABO 1-888-577-5226  
Monday-Friday (9 a.m. - 5 p.m. EST)

858433 13  
US Pat. Pending

Code F.I.L.: D179109/2

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

60

Face

BROAD SPECTRUM  
SPF 60

ANTHELIOS  
CLEAR SKIN  
SUNSCREEN

Dry Touch

with CELL-OX SHIELD®  
UVA/UVB Protection  
+ Antioxidants

Tested on sensitive skin  
WATER RESISTANT (80 MINUTES)

0.10 FL.OZ. - 3 ml

**Drug Facts: Active ingredients:** Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 7%. **Purpose:** Sunscreen. **Use:** Helps prevent sunburn. **Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Apply generously 15 minutes before sun exposure. Reapply: after 80 minutes of swimming or sweating; immediately after towel drying; at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor. **Other information:** Protect the product in this container from excessive heat and direct sun. **Comments: 1-888-577-5226**

PROF.SAMPLE - NOT FOR SALE. La Roche-Posay LLC,  
10 Hudson Yards, New York, NY 10001 2568577

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

60

Face

BROAD SPECTRUM  
SPF 60

ANTHELIOS  
CLEAR SKIN  
SUNSCREEN

Dry Touch

with CELL-OX SHIELD®  
UVA/UVB Protection  
+ Antioxidants

Tested on sensitive skin  
WATER RESISTANT (80 MINUTES)

0.10 FL.OZ. - 3 ml

**Drug Facts: Active ingredients:** Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 7%. **Purpose:** Sunscreen. **Use:** Helps prevent sunburn. **Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Apply generously 15 minutes before sun exposure. Reapply: after 80 minutes of swimming or sweating; immediately after towel drying; at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor. **Other information:** Protect the product in this container from excessive heat and direct sun. **Comments: 1-888-577-5226**

PROF.SAMPLE - NOT FOR SALE. La Roche-Posay LLC,  
10 Hudson Yards, New York, NY 10001 2568577

Quiet zone. All copy must be 1/16" below the eye-mark.

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE  
Center  
Front Panel

60

Face

BROAD SPECTRUM  
SPF 60

ANTHELIOS  
CLEAR SKIN SUNSCREEN  
Oil-Free  
Won't cause breakouts

Dry Touch

with CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free  
WATER RESISTANT (80 MINUTES)

3.0 FL.OZ. - 90 ml

Center  
Art Work

**Drug Facts**

Active ingredients	Eye-mark	Purpose
Avobenzone 3%	.....	Sunscreen
Homosalate 15%	.....	Sunscreen
Octisalate 5%	.....	Sunscreen
Octocrylene 7%	.....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 18 months of age - see a doctor

\* \* \* wear long-sleeved shirts, pants, hats and sunglasses  
children under 18 months of age - see a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

Made in USA with US and/or imported ingredients.

Distribution reserved to La Roche-Posay agreed distributors.  
La Roche-Posay LLC, 10 Hudson Yards, New York, NY 10001.  
www.laroche-posay.us

3812623575824



Quiet zone. All copy must be 1/16" below the eye-mark.

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE  
Center  
Front Panel

60

Face

BROAD SPECTRUM  
SPF 60

ANTHELIOS  
CLEAR SKIN SUNSCREEN  
Oil-Free  
Won't cause breakouts

Dry Touch

with CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free  
WATER RESISTANT (80 MINUTES)

3.0 FL.OZ. - 90 ml

Center  
Art Work

**Drug Facts**

Active ingredients	Eye-mark	Purpose
Avobenzone 3%	.....	Sunscreen
Homosalate 15%	.....	Sunscreen
Octisalate 5%	.....	Sunscreen
Octocrylene 7%	.....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 18 months of age - see a doctor

\* \* \* wear long-sleeved shirts, pants, hats and sunglasses  
children under 18 months of age - see a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

Made in USA with US and/or imported ingredients.

Distribution reserved to La Roche-Posay agreed distributors.  
La Roche-Posay LLC, 10 Hudson Yards, New York, NY 10001.  
www.laroche-posay.us

3812623575824



**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60  
BREAKOUT FREE OIL FREE FACE DRY TOUCH BROAD SPECTRUM  
SPF 60 SUNSCREEN WATER RESISTANT 80 MINUTES**

avobenzone, homosalate, octisalate and octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-994
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PERLITE</b> (UNII: 0SG101ZGK9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:49967-994-01	1 in 1 CARTON	01/01/2016	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-994-02	3 mL in 1 PACKET; Type 0: Not a Combination Product	01/01/2016	
3	NDC:49967-994-03	1 in 1 CARTON	01/01/2016	
3		50 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:49967-994-04	3 mL in 1 TUBE; Type 0: Not a Combination Product	01/14/2022	

5	NDC:49967-994-05	90 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package	05/15/2023	
---	------------------	--	------------	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2015	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(49967-994)

Revised: 7/2025

L'Oreal USA Products Inc