

**EQUALINE ANTI ITCH MAXIMUM STRENGTH- hydrocortisone cream**  
**United Natural Foods, Inc. dba UNFI**

-----  
**SuperValu Inc. Anti-Itch Cream Drug Facts**

**Active ingredient**

Hydrocortisone 1%

**Purpose**

Anti-itch

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use**

- for the treatment of diaper rash. Ask a doctor.
- in the genital area if you have a vaginal discharge. Ask a doctor.

**When using this product**

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- **for itching of skin irritation, inflammation, and rashes:**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- **for external anal and genital itching, adults:**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, benzyl alcohol, butylated hydroxytoluene, cetostearyl alcohol, cetyl alcohol, chamomilla recutita (matricaria) flower extract, diazolidinyl urea, dimethicone, distearyldimonium chloride, edetate disodium, glycerin, glyceryl monostearate, hydrolyzed collagen, hydrolyzed elastin, hydrolyzed jojoba esters, jojoba esters, magnesium ascorbyl phosphate, menthyl lactate, methyl gluceth-20, methylparaben, petrolatum, polysorbate 60, potassium hydroxide, PPG-12/SMDI copolymer, propylparaben, purified water, retinyl palmitate, stearamidopropyl PG-dimonium chloride phosphate, steareth-2, steareth-21, stearyl alcohol, tocopheryl acetate

### **Questions or comments?**

**1-855-423-2630**

### **Principal Display Panel**

EQUALINE®

compare to Cortizone•10® active ingredient

helps heal itch fast

- clinically proven to moisturize 24 hours
- with chamomile & antioxidants vitamins A, C & E
- temporarily relieves dry, itchy skin, rashes, insect bites, eczema & psoriasis, inflammation, irritation & redness
- calms, nourishes, hydrates
- safe for sensitive skin

#1 doctor recommended itch relief active ingredient

EQUALINE®

compare to Cortizone•10® active ingredient

maximum strength

anti-itch cream

1% hydrocortisone anti-itch creme

intensive healing formula

NET WT 1 OZ (28g)

EQUALINE®

compare to  
Cortizone-10®  
active ingredient\*

### helps heal itch fast

- clinically proven to moisturize 24 hours
- with chamomile & antioxidants vitamins A, C & E
- temporarily relieves dry, itchy skin, rashes, insect bites, eczema & psoriasis, inflammation, irritation & redness
- calms, nourishes, hydrates
- safe for sensitive skin

#1 doctor recommended  
itch relief  
active ingredient\*

ultra creamy formula  
helps heal problem skin

EQUALINE®

NDC 41163-269-14

compare to  
Cortizone-10®  
active ingredient\*

maximum strength

## anti-itch cream

1% hydrocortisone anti-itch creme

intensive healing formula

NET WT 1 OZ (28g)

Code Area



30904 EL C3

EQUALINE®

maximum strength

## anti-itch cream

### Drug Facts

| Active ingredient | Purpose   |
|-------------------|-----------|
| Hydrocortisone 1% | Anti-itch |

### Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

### Warnings

- For external use only
- Do not use
  - for the treatment of diaper rash. Ask a doctor.
  - in the genital area if you have a vaginal discharge. Ask a doctor.
- When using this product
  - avoid contact with the eyes
  - do not use more than directed unless told to do so by a doctor
  - do not put directly into the rectum by using finger or any mechanical device or applicator
- Stop use and ask a doctor if
  - condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
  - rectal bleeding occurs
- Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

### Drug Facts (continued)

### Directions

- For itching of skin irritation, inflammation, and rashes:
  - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
  - children under 2 years of age: do not use, ask a doctor
- For external anal and genital itching, adults:
  - when possible, clean the affected area with mild soap and warm water and rinse thoroughly
  - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
  - apply to affected area not more than 3 to 4 times daily
  - children under 12 years of age: ask a doctor

### Other information

- store at 20°-25°C (68°-77°F)
- Inactive ingredients** also: babadensis leaf juice, a ven a sativa (peppermint) extract, benzyl alcohol, butylated hydroxytoluene, carbonyl alcohol, cetyl alcohol, chamomilla recutita (matricaria) flower extract, diazolidinyl urea, dimethicone, distearylimonium chloride, edetate calcium, glycerin, glyceryl monostearate, hydroxyethyl cellulose, hydroxyethyl acrylate, hydroxyethyl acrylate copolymer, magnesium ascorbyl phosphate, methyl lactate, methyl glucosyl-20, methylparaben, petrolatum, polyborate 60, potassium hydroxide, PEG-12 dimethyl copolymer, propylparaben, purified water, steryl palmitate, stearamidopropyl dimethylonium chloride phosphate, stearic acid, stearyl-2, stearyl-21, stearyl alcohol, tocopheryl acetate

### Questions or comments? 1-855-423-2630

\*This product is not manufactured or distributed by Chatter, Inc., owner of the registered trademark Cortizone-10®.

U.S. Source: Symphony Health Solutions  
Distributed by UNFI, Providence, RI 02908 USA



Like it or let us make it right.  
That's our quality promise.  
855-423-2630

Code Area

EQUALINE ANTI ITCH MAXIMUM STRENGTH

hydrocortisone cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:41163-369 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ) | HYDROCORTISONE           | 1 g in 100 g    |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)  |                 |
| <b>OAT</b> (UNII: Z6J799EAJK)   |                 |
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)  |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                                      |                 |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)   |                 |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)   |                 |
| <b>CHAMOMILE</b> (UNII: FGL3685T2X)   |                 |
| <b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |                 |
| <b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)                                    |                 |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)   |                 |
| <b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)                          |                 |
| <b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)                                  |                 |
| <b>MENTHYL LACTATE, (-)-</b> (UNII: 2BF9E65L7I)   |                 |
| <b>METHYL GLUCETH-20</b> (UNII: J3QD0LD11P)   |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)   |                 |
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)  |                 |
| <b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)  |                 |
| <b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)   |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)   |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)   |                 |
| <b>STEARETH-2</b> (UNII: V56DFE46J5)  |                 |
| <b>STEARETH-21</b> (UNII: 53J3F32P58)   |                 |
| <b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)   |                 |
| <b>STEARAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: W6000VEI5Y) |                 |
| <b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)   |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                    |                 |
| <b>HYDROLYZED BOVINE ELASTIN (BASE; 1000 MW)</b> (UNII: ZR28QKN0WT)                     |                 |

## Product Characteristics

|                 |                   |                     |  |
|-----------------|-------------------|---------------------|--|
| <b>Color</b>    | WHITE (Off white) | <b>Score</b>        |  |
| <b>Shape</b>    |                   | <b>Size</b>         |  |
| <b>Flavor</b>   |                   | <b>Imprint Code</b> |  |
| <b>Contains</b> |                   |                     |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:41163-369-64 | 1 in 1 CARTON                                     | 02/25/2011           |                    |
| 1 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017                                     | 02/25/2011           |                    |

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 10/2024

United Natural Foods, Inc. dba UNFI