

WART REMOVAL- wart removal liquid liquid
Wenchang Panzhijie Trading Co., Ltd.

83717-002

salicylic acid 0.3%

Chlorhexidine acetate 0.3%

Purpose

wart remover

Use

To remove warts such as plantar wart , flat wart commonwart and coms calluses

Warnings

For external use only , do not get in eyes or swallow. Children should use it under the supervision of adults.

Keep out of reach of children

The liquid can easily volatilize & crystallize tighten thecap after use

Avoid prolonged contact with air during use

Do not use

On damaged skin (cuts , abrasionseczema , sunburn)

If you are allergic to any of the ingredients in this product .

If you are pregnant or breastfeeding

STOP USE AND SEE A DOCTOR

STOP USE AND SEE A DOCTOR IF

if discomfort persists

if you have diabetes or poor blood circulation

Keep out of reach of children . If swallowed , get medical help or contact a Poison Control Center(1-800-222-1222) nght away .

Keep out of reach of children . If swallowed , get medical help or contact a Poison Control Center(1-800-222-1222) nght away .

Directions

- 1 . Wash the corns or warts with warm water
- 2 . Take out the inner plug from the bottle , install the brush into the bottle cap . press the brush tightly , and tighten the cap on the bottle
- 3 . Dry the skin , then open the cap , dip the brush into the liquid with the brush and apply it to the wart or corn .after the liquid dries and forms a mask , apply the liquid again Apply it in the day and night , and twice in each time
- 4 . Use it for 2 weeks until the skin to a healthy situation

Inactive ingredients

water, purslane , the rhizome of large-headed atracylodes, radix angelicae , pericarpium citri reticulata, Bamboo leaf , Platycodon grandiflorum

Naypiny®

WART REMOVER MAXIMUM STRENGTH

Maximum Strength Without A Prescription

Penetrates & Removes Warts

Safely & Efficiently

Waterproof To Prevent Festering

+ NATURAL
 + SAFE
 + EFFECTIVE

NET WT 0.5 FLOZ (15 mL)

Natural Safe
Convenient Effective

DRUG FACTS

ACTIVE INGREDIENT:
 Salicylic Acid.....0.3%
 Chlorhexidine Acetate.....0.3%

PURPOSE: Wart Remover

USES:
 To remove warts such as plantar wart, flat wart common wart and corns, calluses.

WARNINGS:
 • For external use only, do not get in eyes or swallow.
 Children should use it under the supervision of adults.
 • Keep out of reach of children.
 • The liquid can easily volatilize & crystallize tighten the cap after use.
 • Avoid prolonged contact with air during use.

DO NOT USE:
 On damaged skin(cuts, abrasion,eczema,sunburn).
 If you are allergic to any of the ingredients in this product.
 If you are pregnant or breastfeeding.

DIRECTION:
 1. Wash the corns or warts with warm water.
 2. Take out the inner plug from the bottle, install the brush into the bottle cap, press the brush tightly, and tighten the cap on the bottle.
 3. Dry the skin, then open the cap, dip the brush into the liquid with the brush and apply it to the wart or corn, after the liquid dries and forms a mask, apply the liquid again. Apply it in the day and night, and twice in each time.
 4. Use it for 2 weeks until the skin to a healthy situation.

OTHER INGREDIENTS:
 Water, purslane, the rhizome of large-headed atracylodes, radix angelicae, pericarpium citri reticulatae, Bamboo leaf, Platycodon grandiflorum.

DRUG FACTS (continued)

STOP USE AND SEE A DOCTOR IF:
 • if discomfort persists.
 • if you have diabetes or poor blood circulation.
 • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

QUESTIONS?
 GYCustomerTeam@hotmail.com

USE FOR:
 • Common Warts • Flat Wart • Plantar Warts
 • Corns • Calluses

MANUFACTURER:
 Wenchang Panzhijie Trading Co., Ltd.

LOT:LBQ2023091204
MFG:09/12/2023
EXP:09/11/2026

WART REMOVAL

wart removal liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83717-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.3 mg in 100 mL
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE ACETATE	0.3 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ANGELICA BISERRATA WHOLE (UNII: IAA753UT7B)	
ATRACTYLODES MACROCEPHALA WHOLE (UNII: 61Q25TS7LH)	
PURSLANE (UNII: M6S840WYG5)	
PLATYCODON GRANDIFLORUM ROOT (UNII: 2DF0NS002Z)	
TANGERINE PEEL (UNII: JU3D414057)	
WATER (UNII: 059QF0KO0R)	
BAMBUSA VULGARIS LEAF (UNII: EMY54R518C)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83717-002-01	15 mL in 1 BOX; Type 0: Not a Combination Product	10/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/07/2023	

Labeler - Wenchang Panzhijie Trading Co., Ltd. (699321271)

Establishment

Name	Address	ID/FEI	Business Operations
Wenchang Panzhijie Trading Co., Ltd.		699321271	manufacture(83717-002)

Revised: 11/2023

Wenchang Panzhijie Trading Co., Ltd.