

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE SPORT ANTHELIOS
ACTIVEWEAR BROAD SPECTRUM SPF 60 SUNSCREEN- avobenzone,
homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially between 10 a.m. and 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene/acrylates copolymer, butyloctyl salicylate, menthyl methacrylate crosspolymer, nylon-12, PEG-100, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyl taurate, behenyl alcohol, caprylic/capric triglyceride, cassia alata leaf extract, chlorphenesin, diethylhexyl syringlydenemalonate, disodium EDTA, maltodextrin, p-anisic acid, PEG-8 laurate, phenoxethanol, propylene glycol, sodium stearyl glutamate, tocopherol, xanthan gum

Questions or comments?

1-888-577-5226 Monday - Friday (9 a.m. - 5 p.m. EST)

LA ROCHE-POSAY

LABORATOIRE DERMATOLOGIQUE

Center
Front Panel

60

Face & Body

BROAD SPECTRUM
SPF 60

Sport

ANTHELIOS

ACTIVWEAR LOTION SUNSCREEN

WITH LA ROCHE-POSAY
THERMAL SPRING WATER

WITH CELL-OX SHIELD®
UVA/UVB Protection + Antioxidant

WATER RESISTANT (80 MINUTES)
Fragrance-free, Paraben-free
Suitable for sensitive skin

5.0 FL. OZ. / 150 ml

Center
Art Work

INNOVATION

ANTHELIOS 60 Activewear lotion sunscreen is ideal for anyone who spends time outside in the sun, exposed to heat and humidity. It helps absorb moisture even during outdoor activities.

Properties:

1. Unique, dry lotion texture

This oil-free sunscreen with Perlite and Silica goes on dry and stays on skin to help absorb moisture. A heavy-duty lotion you can see as you apply to ensure full application. Blend well into skin until product is no longer visible.

2. UVA/UVB protection + antioxidants

CELL-OX SHIELD® combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. With antioxidants, SensiAlata and Vitamin E, to help neutralize free radicals.

OIL-FREE - WATER RESISTANT (80 MINUTES)
FRAGRANCE-FREE - PARABEN-FREE - NON-COMEDOGENIC
ALLERGY TESTED - DERMATOLOGIST TESTED
SUITABLE FOR SENSITIVE SKIN

Drug Facts

Active ingredients	Purpose
Avoberzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts (continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene / acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 polyglycerol, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyl taurate, behenyl alcohol, caprylic/capric triglyceride, cassia alata leaf extract, chlorophanesin, diethylhexyl syringylidene malonate, disodium EDTA, maltodextrin, p-anisic acid, PEG-8 laurate, phenoxyethanol, propylene glycol, sodium stearyl glutamate, tocopherol, xanthan gum

Questions or comments?

1-888-LRP-LABO 1-888-571-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

† upper layers of skin.

693259
Code F.I.L.: D213161/2



221 8577 - Made in USA
with US and/or Imported Ingredients.

Distribution reserved to
La Roche-Posay agreed distributors
La Roche-Posay LLC,
10 Hudson Yards, New York, NY 10001
La Roche-Posay Laboratoire Pharmaceutique
86270 La Roche-Posay, France
TSA 75000 9584 ST OZEN CEDEX FR
www.laroche-posay.us

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

60

Face & Body

BROAD SPECTRUM
SPF 60

Sport

ANTHELIOS
ACTIVEWEAR LOTION SUNSCREEN

WITH LA ROCHE-POSAY
THERMAL SPRING WATER

WITH CELL-OX SHIELD®
UVA/UVB Protection + Antioxidant

WATER RESISTANT (80 MINUTES)
Fragrance-free. Paraben-free
Suitable for sensitive skin

5.0 FL. OZ. / 150 ml

INNOVATION

ANTHELIOS 60 ActiveWear lotion sunscreen is ideal for anyone who spends time outside in the sun, exposed to heat and humidity. It helps absorb moisture even during outdoor activities.

Properties:

1. Unique, dry lotion texture

This oil-free sunscreen with Perlite and Silica goes on dry and stays on skin to help absorb moisture. A heavy-duty lotion you can see as you apply to ensure full application. Blend well into skin until product is no longer visible.

2. UVA/UVB protection + antioxidants

CELL-OX SHIELD® combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. With antioxidants, Selenium and Vitamin E, to help neutralize free radicals.

OIL-FREE - WATER RESISTANT (80 MINUTES)
FRAGRANCE-FREE - PARABEN-FREE - NON-COMEDOGENIC
ALLERGY TESTED - DERMATOLOGIST TESTED
SUITABLE FOR SENSITIVE SKIN

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts (continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, silica, dicaprylyl carbonate, styrene / acrylates copolymer, butyloctyl salicylate, methyl methacrylate crosspolymer, nylon-12, PEG-100 Stearate, glyceryl stearate, perlite, beeswax, ammonium polyacryloyldimethyl taurate, behenyl alcohol, caprylic/capric triglyceride, cassia alata leaf extract, chlorphenesin, diethylhexyl syringylidenemalonate, disodium EDTA, maltodextrin, p-anisic acid, PEG-8 laurate, phenoxethanol, propylene glycol, sodium stearyl glutamate, tocopherol, xanthan gum

Questions or comments?

1-888-LRP-LABO 1-888-571-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

1 upper layers of skin.

693259
Code F.I.L.: D213161/2



221 8577 - Made in USA
with US and/or Imported Ingredients.

Distribution reserved to
La Roche-Posay agreed distributors
La Roche-Posay LLC,
10 Hudson Yards, New York, NY 10001
La Roche-Posay Laboratoire Pharmaceutique
86270 La Roche-Posay, France
TSA 75000 9584 ST OZEN CEDEX FR
www.laroche-posay.us

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE SPORT
ANTHELIOS ACTIVEWEAR BROAD SPECTRUM SPF 60 SUNSCREEN

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-431
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)	
NYLON-12 (UNII: 446U8J075B)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
PERLITE (UNII: 0SG101ZGK9)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
TOCOPHEROL (UNII: R0ZB2556P8)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-431-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/17/2017	
2	NDC:49967-431-02	5 mL in 1 PACKET; Type 0: Not a Combination Product	10/17/2017	
3	NDC:49967-431-03	150 mL in 1 TUBE; Type 0: Not a Combination Product	10/17/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/17/2017	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(49967-431)

Revised: 12/2023

L'Oreal USA Products Inc