

ANTIBIOTIC- neomycin sulfate ointment

Total Resources International

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each gram)

Neomycin Sulfate (3.5 mg Neomycin)

Purpose

First Aid Antibiotic

Use

first aid to help prevent infection in minor scrapes, cuts, and burns

Warnings

For external use only

Do not use

- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

Stop use and ask a doctor if

- a rash or allergic reaction develops
- condition worsens or persists

Keep out of reach of children

If ingested, contact a Poison Control Center right away.

Directions

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

Inactive ingredients

mineral oil, petrolatum

Principal Display Panel - 0.03 oz Pouch Label

**BE SMART
GET PREPARED®**

ANTIBIOTIC
OINTMENT

0.03 oz [0.90 g]

SINGLE USE

Mfd. for: Total Resources Intl.

Walnut, California 91789

00-OIN-21209 Rev.01 • NDC# 55550-730-21

**BE SMART
GET PREPARED®**

**ANTIBIOTIC
OINTMENT**

0.03 oz [0.90 g] SINGLE USE

Mfd. for: Total Resources Intl.
Walnut, California 91789
00-OIN-21209 Rev.01 • NDC# 55550-730-21

Drug Facts

Active ingredient	Purpose
(in each gram) Neomycin Sulfate	First Aid
(3.5 mg Neomycin).	Antibiotic

Use first aid to help prevent infection in minor scrapes, cuts, and burns

Warnings
For external use only ▶

Drug Facts (continued)

Warnings (continued)
Do not use ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

Stop use and ask a doctor if
■ a rash or allergic reaction develops ■ condition worsens or persists

Keep out of reach of children
If ingested, contact a Poison Control Center right away.

Directions ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

Inactive ingredients
mineral oil, petrolatum

ANTIBIOTIC

neomycin sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55550-730
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
neomycin sulfate (UNII: 057Y626693) (neomycin - UNII:I16QD7X297)	neomycin	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
mineral oil (UNII: T5L8T28FGP)	
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55550-730-21	0.9 g in 1 POUCH; Type 0: Not a Combination Product	10/07/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	10/07/2019	

Labeler - Total Resources International (790160535)

Revised: 12/2022

Total Resources International