

LIDOPATCH PAIN RELIEF- lidocaine, menthol patch
JAR Laboratories

LidoPatch (10882-529-01, 10882-529-03, 10882-529-30)

Active Ingredients

Lidocaine 4%

Menthol 1%

Purpose

Topical Analgesic

Topical Analgesic

For temporary relief of pain.

Warnings

For external use only. Do not use if you are allergic or sensitive to lidocaine or menthol. Do not reuse, apply to intact skin only. Do not use if pouch is damaged or opened.

Handling and Disposal

- hands should be washed after the handling and eye contact should be avoided
- do not store patch outside the sealed pouch
- apply immediately after removal from protective pouch
- fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get them
- kept out of the reach of children both before and after use

Stop use and ask a doctor if

- excessive redness or irritation is present
- condition worsens
- pain persists for more than 7 days
- symptoms clear up and occur again within a few days

If **pregnant or breast-feeding**, ask a health professional before use.

Directions

- adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- children: consult your physician
- remove protective film, gently apply to affected area

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control

Center right away.

Inactive Ingredients

Dihydroxyaluminium Aminoacetate, Disodium EDTA, Glycerine, Spropyl Myristate, Methylparaben, Polysorbate 80, Polyvinyl Alcohol, Propylene Glycol, Propylparaben, Sodium Carboxymethyl Cellulose, Sodium Polyacrylate Tartaric Acid, Titanium Dioxide, Water

Questions? Email support@lidopatch.com or call 866-284-2948

3ct box

GET PAIN RELIEF NOW!

LidoPatch
CONTAINS LIDOCAINE
PAIN RELIEF PATCH

✓ **For temporary relief of pain**

✓ **Proven as Effective as Rx lidocaine patches**

✓ **Optional Patch Covers Ensure Proper Adhesion**

3 TOPICAL PATCHES PER BOX

Drug Facts

Active Ingredients	Purpose
Lidocaine 4%	Topical Analgesic
Menthol 1%	Topical Analgesic

Uses
For temporary relief of pain.

Warnings
For external use only. Do not use if you are allergic or sensitive to lidocaine or menthol. Do not reuse, apply to intact skin only. Do not use if pouch is damaged or opened.

Handling and Disposal

- hands should be washed after handling and eye contact should be avoided.
- do not store patch outside the sealed pouch.
- apply immediately after removal from protective pouch.
- fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get them.
- kept out of the reach of children both before and after use.

Stop use and ask a doctor if

- excessive redness or irritation is present
- condition worsens
- pain persists for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- children: consult your physician
- remove protective film, gently apply to affected area.

Inactive Ingredients
Dihydroxyaluminium Aminoacetate, Disodium EDTA, Glycerine, Spropyl Myristate, Methylparaben, Polysorbate 80, Polyvinyl Alcohol, Propylene Glycol, Propylparaben, Sodium Carboxymethyl Cellulose, Sodium Polyacrylate Tartaric Acid, Titanium Dioxide, Water

Questions? Email support@lidopatch.com or call 866-284-2948

Manufactured by: JAR Laboratories, Elmhurst, IL US Patent Pending 13/722,458; 61/768,550

outer box label



LIDOPATCH PAIN RELIEF

lidocaine, menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10882-529
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	100 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	400 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
WATER (UNII: 059QF0KO0R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

GLYCERIN (UNII: PDC6A3C0OX)

TARTARIC ACID (UNII: W4888I119H)

DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)

POLYSORBATE 80 (UNII: 6OZP39ZG8H)

ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10882-529-01	1 in 1 BOX; Type 0: Not a Combination Product	10/07/2023	
2	NDC:10882-529-03	3 in 1 BOX	10/07/2023	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:10882-529-30	1 in 1 BOX	10/07/2023	
3		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/07/2023	

Labeler - JAR Laboratories (968952239)

Revised: 12/2025

JAR Laboratories