ALKA-SELTZER ORIGINAL FLAVOR- alka-seltzer original flavor tablet, effervescent Bayer HealthCare LLC.

Alka-Seltzer Original Flavor

Active ingredient (in each tablet)

Buffered aspirin 325 mg (NSAID)*

Pain reliever/fever reducer

*nonsteroidal anti-inflammatory drug

Uses

- temporarily relieves minor aches and pains due to:
- headache muscle pain backache
- ◆ toothache ◆ menstrual pain ◆ colds
- minor pain of arthritis
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

· hives · facial swelling · asthma (wheezing) · shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is

higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription

NSAIDs (aspirin, ibuprofen, naproxen, or others)

- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for

◆ diabetes ◆ gout ◆ arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- feel faint vomit blood have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or last more than 10 days
- fever gets worse or last more than 3 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• fully dissolve 2 tablets in 4 ounces of water before taking

adults and children 12	2 tablets every 4 hours, or as	do not exceed 8 tablets
years and over	directed by a doctor	in 24 hours
adults 60 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 4 tablets in 24 hours
children under 12 years	consult a doctor	

Other information

- each tablet contains: sodium 568 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Original Flavor in water contains principally the analgesic sodium acetylsalicylate

Inactive Ingredients anhydrous citric acid, sodium bicarbonate

Questions or comments?1-800-986-0369 (Mon – Fri 9AM – 5PM EST)



Alka-Seltzer

Buffered Aspirin (NSAID) / Pain reliever / fever reducer

Fast Relief of:

Headache

Backache

Body Aches

Muscle Pain

ORIGINAL FLAVOR

24 EFFERVESCENT TABLETS

(12 - 2 count pouches)

ALKA-SELTZER ORIGINAL FLAVOR

alka-seltzer original flavor tablet, effervescent

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-0087	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg		

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	1000 mg		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	1916 mg		
· · · · · · · · · · · · · · · · · · ·			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	25mm		
Flavor		Imprint Code	Alka;Seltzer		
Contains					

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0280-0087- 04	12 in 1 CARTON	03/03/2022		
1		2 in 1 POUCH; Type 0: Not a Combination Product			
2	NDC:0280-0087- 02	18 in 1 CARTON	03/03/2022		
2		2 in 1 POUCH; Type 0: Not a Combination Product			
3	NDC:0280-0087- 03	36 in 1 CARTON	04/04/2022		
3		2 in 1 POUCH; Type 0: Not a Combination Product			
4	NDC:0280-0087- 01	6 in 1 CARTON	04/18/2023		
4		2 in 1 POUCH; Type 0: Not a Combination Product			
5	NDC:0280-0087- 06	58 in 1 CARTON	04/26/2023		
5		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	

Category	Citation	Date	Date
OTC Monograph Drug	M013	03/03/2022	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2024 Bayer HealthCare LLC.