

ALKA-SELTZER ORIGINAL FLAVOR- alka-seltzer original flavor tablet, effervescent
Bayer HealthCare LLC.

Alka-Seltzer Original Flavor

Active ingredient (in each tablet)

Buffered aspirin 325 mg (NSAID)*

Pain reliever/fever reducer

*nonsteroidal anti-inflammatory drug

Uses

- temporarily relieves minor aches and pains due to:
- headache ● muscle pain ● backache
- toothache ● menstrual pain ● colds
- minor pain of arthritis
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

· hives · facial swelling · asthma (wheezing) · shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is

higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- diabetes ● gout ● arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint ● vomit blood ● have bloody or black stools
 - have stomach pain that does not get better
 - pain gets worse or last more than 10 days
 - fever gets worse or last more than 3 days
 - redness or swelling is present
 - new symptoms occur
 - ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- fully dissolve 2 tablets in 4 ounces of water before taking

| | | |
|---------------------------------------|---|-------------------------------------|
| adults and children 12 years and over | 2 tablets every 4 hours, or as directed by a doctor | do not exceed 8 tablets in 24 hours |
| adults 60 years and over | 2 tablets every 4 hours, or as directed by a doctor | do not exceed 4 tablets in 24 hours |
| children under 12 years | consult a doctor | |

Other information

- **each tablet contains:** sodium 568 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Original Flavor in water contains principally the analgesic sodium acetylsalicylate

Inactive Ingredients anhydrous citric acid, sodium bicarbonate

Questions or comments? 1-800-986-0369 (Mon - Fri 9AM - 5PM EST)



Alka-Seltzer

Buffered Aspirin (NSAID) / Pain reliever / fever reducer

Fast Relief of:
 Headache
 Backache
 Body Aches
 Muscle Pain

ORIGINAL FLAVOR

24 EFFERVESCENT TABLETS

(12 - 2 count pouches)

ALKA-SELTZER ORIGINAL FLAVOR

alka-seltzer original flavor tablet, effervescent

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0280-0087 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN | 325 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | 1000 mg |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | 1916 mg |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--------------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 25mm |
| Flavor | | Imprint Code | Alka;Seltzer |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:0280-0087-04 | 12 in 1 CARTON | 03/03/2022 | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 2 | NDC:0280-0087-02 | 18 in 1 CARTON | 03/03/2022 | |
| 2 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 3 | NDC:0280-0087-03 | 36 in 1 CARTON | 04/04/2022 | |
| 3 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 4 | NDC:0280-0087-01 | 6 in 1 CARTON | 04/18/2023 | |
| 4 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 5 | NDC:0280-0087-06 | 58 in 1 CARTON | 04/26/2023 | |
| 5 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|------------------|--|------------------------|----------------------|
|------------------|--|------------------------|----------------------|

| Category | Citation | Date | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M013 | 03/03/2022 | |

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.