ALIVIO MEDICATED PAIN- menthol, capsaicin patch Alivio Medical Products, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Alivio Medicated Pain Patch

Drug Facts

Active ingredient

Menthol 5.00%

Capsacin 0.03%

Purpose

External Analgesic

External Analgesic

Uses:

For temporary relief of minor aches and pains of the muscles and joints associated with simple backache, arthritis, strains, bruises and sprains.

Warnings:

- For external use only.
- Avoid contact with eyes.

Do not

- apply to open wounds or damages skin.
- bandage tightly
- If symptoms persist for more than seven days, discontinue use and consult physician.

Keep out of reach of children

If swallwed, consult physician.

If pregnant or breast feeding,

contact physician prior to use.

Directions:

- Clean and dry affected area.
- Remove patch from backing and apply to affected area. Apply directly to effected area.
- Use only on patch at a time, and a maximum of four patches per day.
- Leave patch on affected area for up eight hours.
- Do not use patches for more than five consecutive days.
- Children under 12 should consult a physician prior to use.

Other Ingredients:

acrylic acid ,aluminum hydroxide .carmellose sodium 2-ethylhexyl acrylate .glycerin . isopropyl myristate .methyl acrylate

nonoxynol-30 .polyacrylate.polyacrylic acid .polysorbate 80 sorbitan sesquioleate starch .talc .tartaric acid. titanium dioxide. water (245-114)

Store

at room temperature. Avoid direct sunlight

Package Label

Alivio Patch


MEDICATED PAIN PATCH

15 PATCHES

Distributed by:

Alivio Medical Products

Hollywood, FL 33020



ALIVIO MEDICATED PAIN menthol, capsaicin patch Product Information Product Type HUMAN OTC DRUG Route of Administration TOPICAL

| Active Ingredient/ | Active Moiety | | | | |
|--|--------------------------------------|-------------------|--------------------|------------------|--|
| Ingredient Name | | | Basis of Streng | th Strength | |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | | | MENTHOL | 5 g in 100 g | |
| CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM) | | | CAPSAICIN | .03 g in 100 g | |
| | | | | | |
| Inactive Ingredien | ts | | | | |
| Ingredient Name | | | | | |
| ACRYLIC ACID (UNII: J | 94PBK7X8S) | | | | |
| ALUMINUM HYDRO XII | DE (UNII: 5QB0T2IUN0) | | | | |
| CROSCARMELLOSE S | ODIUM (UNII: M28OL1HH48) | | | | |
| 2-ETHYLHEXYL ACRY | LATE (UNII: HR49R9S6XG) | | | | |
| GLYCERIN (UNII: PDC6 | A3C0OX) | | | | |
| ISOPROPYL MYRISTA | TE (UNII: 0RE8K4LNJS) | | | | |
| METHYL ACRYLATE (U | UNII: WC487PR91H) | | | | |
| NONOXYNOL-30 (UNII | : JJX07DG188) | | | | |
| POLYACRYLAMIDE (1 | 0000 MW) (UNII: E2KR9C9V2I) | | | | |
| POLYACRYLIC ACID (| 250000 MW) (UNII: 9G2MAD7J6W) | | | | |
| POLYSORBATE 80 (UN | NII: 6 O Z P 39 Z G 8 H) | | | | |
| TALC (UNII: 7SEV7J4R1 | U) | | | | |
| TARTARIC ACID (UNII: | W4888I119H) | | | | |
| TITANIUM DIO XIDE (U | NII: 15FIX9V2JP) | | | | |
| WATER (UNII: 059QF0K | KOOR) | | | | |
| | | | | | |
| Packaging | | | | | |
| # Item Code | Package Description | Marketing Sta | rt Date Ma | rketing End Date | |
| 1 NDC:69512-001-01 | 15 in 1 BOX | | | | |
| 1 | 8.5 g in 1 PATCH | | | | |
| | | | | | |
| Marketing Info | rmation | | | | |
| Marketing Category | Application Number or Mono | graph Citation Ma | rketing Start Date | Marketing End Da | |
| | l part348 | 0 1/2 | | | |

Labeler - Alivio Medical Products, LLC (079670828)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--|---------|-----------|------------------------|
| Zhejiang Bangli Medical Products Co.,Ltd | | 421295875 | manufacture(69512-001) |

Revised: 1/2015

Alivio Medical Products, LLC