# FAMILY WELLNESS PAIN RELIEVER- aspirin tablet, effervescent FAMILY WELLNESS SERVICES, INC.

-----

#### Family Wellness Effervescent Pain Reliever

#### Active ingredient

(in each effervescent tablet)

Buffered aspirin 325 mg (NSAID)\*

\*Nonsteroidal anti-inflammatory drug

#### Purpose

#### (in each effervescent tablet)

Buffered aspirin 325 mg (NSAID)\*.... Pain reliever/fever reducer

\*Nonsteroidal anti-inflammatory drug

#### Uses

- for the temporary relief of minor aches and pains due to:
- 🖬 headache 🔳 muscle pain 🔳 backache
- 🔳 toothache 🔳 menstrual pain 🔳 colds
- minor arthritis pain
- temporarily reduces fever

#### Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:  $\blacksquare$  hives  $\blacksquare$  facial swelling  $\blacksquare$  asthma (wheezing)  $\blacksquare$  shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

#### Do not use

**Do not use**  $\blacksquare$  if you are allergic to aspirin or any other pain reliever/fever reducer  $\blacksquare$  if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if

■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma ■ you have a sodium-restricted diet

# Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are taking a prescription drug for

🔳 diabetes 🔳 gout 🔳 arthritis

# When using this product

When using this product do not exceed recommended dosage

#### Stop use and ask a doctor if

**Stop use and ask a doctor if** ■ you experience any of the following signs of stomach bleeding

- feel faint vomit blood have bloody or black stools
- have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- pain lasts for more than 10 days or gets worse
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- ringing in the ears or a loss of hearing occurs

#### If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

# In case of overdose

In case of overdose, get medical help or contact Poison Control Center right away.

# Directions

■ do not exceed recommended dosage

■ to avoid serious injury, completely dissolve tablets in 4 oz. of water before taking

adults and children 12 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 8 tablets in 24 hours

60 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 4 tablets in 24 hours

children under 12 years: consult a doctor

Take this product any time – morning, noon or night – when you need relief from headaches, backaches, body aches or muscle pain.

Place two (2) tablets in 4 oz. of water. Dissolve tablets completely.

You do not have to drink any of the residue that may be on the bottom of the glass. The medicines are in the water.

# Other information

- each tablet contains: sodium 524 mg
- store at room temperature (59º-86ºF). Avoid excessive heat.

# Inactive ingredients

anhydrous citric acid, sodium bicarbonate

#### **Questions or comments**

Questions or comments? 1-888-228-6937

**Principal Display Panel** 



FAMILY WELLNESS P aspirin tablet, effervescent	PAIN RELIEVER				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:55319-870	
Route of Administration	ORAL				
Active Ingradient/Active	Maiaty				
Active Ingredient/Active	Molety				
Ingredient Name			Basis of Stren	gth	Strength
ASPIRIN (UNII: R16C05Y76E) (ASPI		ASPIRIN		325 mg	
Inactive Ingredients					
Ingredient Name				Strength	

SODIUM BICARBONATE (UNII: 8MDF5V39QO) ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)									
ANHIDROUS CITRI	C ACID (U	INII: XF41/D3PSL)							
Product Characteristics									
Color		white	Score			no score			
Shape		ROUND	Size			25mm			
Flavor		Imprint Code				L421			
Contains									
Packaging									
# Item Code		Package Description		r	Marketing Start Date	Marketing End Date			
1 NDC:55319-870- 36	18 in 1 C	CARTON		11/	15/2023				
1	2 in 1 PO Product	in 1 POUCH; Type 0: Not a Combination roduct							
Marketing Information									
Marketing Category	Арр	Application Number or Monograph Citation		ı	Marketing Start Date	Marketing End Date			
OTC Managers and Drug	a M013				11/15/2023				
OTC Monograph Dru	9 MOIS				11/15/2025				

Labeler - FAMILY WELLNESS SERVICES, INC. (024472631)

Revised: 11/2024

FAMILY WELLNESS SERVICES, INC.