# MEIJER SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene liquid Meijer

-----

### Meijer SPF 50 Sunscreen CS

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Sunscreen

Helps prevent sunburn.

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### For external use only.

**Flammable**. Do not use while smoking or near heat or flame.

**Do not use** on damaged or broken skin.

**When using this product** avoid contact with eyes. Rinse eyes with water to remove, contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120F.

**Stop use and ask a doctor** if rash or irritation develops and lasts.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Apply liberally 15 minutes before sun exposure. Reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses, children under 6 months of age: ask a doctor, hold container 4 to 6 inches from the skin to apply, do not spray directly onto face Spray onto hand then apply to face, do not apply in windy conditions, use in well-ventilated area.

Alcohol denat., acrylates/octylacrylamide copolymer, tocopherol, glycerin, caprylic/capric triglyceride, diethylhexyl syringylidenemalonate, fragrance.

## **VALUE 2 PACK!**

NDC 79481-1389-7

meijer.

kids sunscreen continuous spray



UVA/UVB PROTECTION

WATER RESISTANT (80 MINUTES)

TWO CANS\_NET WT 6 OZ (170 g) Each TOTAL NET WT 12 OZ (340 g)

#### Drug Facts

2.49.400	
Active ingredients	Purpos
Avohenzone 3%	Sunscre
Homosalate 15%	Sunscre
Octisalate 5%	Sunscre
Octocrylene 10%	Sunscre
,	

**Uses** • helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

decreases the nisk of skin cancer and sarry skin aging caused by the sun

Warnings
For external use only.

Rammable. Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product avoid contact with eyes. Rinse eyes with water to remove • contents under pressu
Do not puncture or incinentab. Do not store at temperature above 120°F

Stop use and ask a doctor if reach or irritation develops and lasts.

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Centripid away.

Togra every interestions \* apply liberally 15 minutes before sun exposure. Reapply: \* after 80 minutes of swimming or sweating \* immediately after lowed drying \* at least every 2 hours of skin cancer and early skin aging, 10 Sun Protection Researces. Specificially limited in the sun increases your foot skin cancer and early skin aging, 10 Sun Protection researces routings, \* limit their in the sun, especially from 10 a.m. 2 you. \* ever from; seemed shirts, parts, hets, and sunplessee of buffers under 6 months of age; ask a doctor \* hold container 4 to 6 inches from the skin bapply \* on bary say directly month face. Spray onto hands then apply to face \* do not apply in windy conditions \* use in well-entitlated area.

Other information • protect the product in this container from excessive heat and direct sun • may

Inactive ingredients alcohol denat., acrylates/ octylacrylamide copolymer, tocopherol, glyceric caprylic/capric triglyceride, diethylhexyl syringylidenemalonate, fragrance

DIST BY: MEIJER DISTRIBUTION INC. GRAND RAPIDS, MI 49544 www.meijer.com







NDC 79481-1389-7

# meijer.

# kids sunscreen continuous spray

BROAD SPECTRUM SPF 50 SUNSCREEN



**UVA/UVB PROTECTION** 

MOISTURIZING

PARABEN FREE

WATER RESISTANT (80 MINUTES)

NET WT 6 OZ (170 g)

#### **Drug Facts**

#### Active ingredients Purpose Avobenzone 3%... Homosalate 15% Octisalate 5%..... Sunscreen Sunscreen Sunscreen Octocrylene 10%

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only.

Flammable. Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product avoid contact with eyes. Rinse eyes with water to remove . contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F

Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply liberally 15 minutes before sun exposure.

Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun protection for a many content of the sun protection of the sun protection measures including: • limit time in the sun protection. Inglier and other Sur protection These abuses including. \* Inflit time the sun, especially from 10 a.m.-2 p.m. \* wear long-sleeved shirts, pants, hats, and sunglasses \* children under 6 months of age: ask a doctor \* hold container 4 to 6 inches from the skin to apply • do not spray directly onto face. Spray onto hands then apply to face • do not apply in windy conditions • use in well-ventilated area

**Other information** • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients alcohol denat., acrylates/ octylacrylamide copolymer, tocopherol, glycerin, caprylic/capric triglyceride, diethylhexyl syringylidenemalonate, fragrance

Questions? 1-844-987-2727

DIST BY: MEIJER DISTRIBUTION INC GRAND RAPIDS, MI 49544 www.meijer.com








NDC 79481-1389-6 meijer.

## sunscreen continuous spray



#### Drug Facts Active ingredients **Purpose** Avobenzone 3<sup>th</sup> Sunscreen Homosalate 15% Octisalate 5%..... Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Sunscreen

Sunscreen

#### Warnings

Octocrylene 10%

For external use only.

Flammable. Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product avoid contact with eyes. Rinse eyes with water to remove . contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F

Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply liberally 15 minutes before sun exposure.

Reapply: a after 80 minutes of swimming or sweating a immediately after towel drying at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: a limit time in the sun acceptable from 11 and 2 nm. a verse long elegated brittle nigher and other sun protection measures including. • Illinit unter in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor • hold container 4 to 6 inches from the skin to apply • do not spray directly not face. Surgy onto hands then apply to face • do not apply in windy conditions • use in well-ventilated area

**Other information** • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients alcohol denat., acrylates/ octylacrylamide copolymer, tocopherol, glycerin, caprylic/capric triglyceride, diethylhexyl syringylidenemalonate, fragrance

Questions? 1-844-987-2727

GRAND RAPIDS, MI 49544 www.meijer.com







## **MEIJER SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene liquid

#### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:79481-1389

**Route of Administration TOPICAL** 

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALCOHOL (UNII: 3K9958V90M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
GLYCERIN (UNII: PDC6A3C0OX)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481- 1389-6	170 g in 1 CAN; Type 0: Not a Combination Product	04/01/2024	
2	NDC:79481- 1389-7	170 g in 1 CAN; Type 0: Not a Combination Product	04/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/28/2024	

## **Labeler -** Meijer (006959555)

## Registrant - Derma Care Research Labs, LLC (116817470)

Establishment					
Name	Address	ID/FEI	Business Operations		
Derma Care Research Labs, LLC		116817470	manufacture(79481-1389)		

Revised: 2/2024 Meijer