

DMK MD SATINSCREEN- broad spectrum spf 40 sunscreen lotion
Danne Montague King

DMK MD Satinscreen SPF 40



SATINSCREEN

Broad Spectrum

SPF 40

SUNSCREEN

water resistant
(80 minutes)

120 ml (4 fl oz)

<i>DRUG FACTS</i>	<i>PURPOSE</i>
<i>Active Ingredients:</i>	
Zinc Oxide (24.99%).....	Sunscreen

<i>DRUG FACTS</i>	<i>PURPOSE</i>
<i>Active Ingredients:</i>	
Zinc Oxide (24.99%).....	Sunscreen

Warnings: (For external use only)
 Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.

Directions:

- apply generously 15 minutes before sun exposure.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures, including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
 - children under six months of age: Ask a doctor.

Inactive Ingredients: Water/Aqua/Eau, Dicaprylyl Carbonate, Cyclohexasiloxane, Polyhydroxystearic Acid, Caprylic/Capric Triglyceride, Polysilicone-11, Polyglyceryl-3 Polyricinoleate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Lecithin, Isostearic Acid, Isopropyl Palmitate, Isohexadecane, Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer, Glycerin, PEG-10 Dimethicone, Picea Mariana Bark Extract, Polysorbate 80, Acetyl Hexapeptide-1, Polygonum Aviculare Extract, Physalis Angulata Extract, Tocopherol, Camellia Sinensis Leaf Extract, Allium Sativum (Garlic) Bulb Extract, Cocos Nucifera (Coconut) Oil, Lactobacillus Ferment, Yeast Ferment Extract.

Other Information Exclusive formula provides increased dermal hydration and improves the skin's overall appearance. Keep product from excessive heat and away from direct sun.

Questions or comments? Call toll free 1-888-DANNE-4-U

Warnings: (For external use only)
 Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.

Directions:

- apply generously 15 minutes before sun exposure.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Directions:

- apply generously 15 minutes before sun exposure.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours



SATINSCREEN

Broad Spectrum
SPF 40
SUNSCREEN

water resistant
(80 minutes)

120 ml (4 fl oz)

DRUG FACTS	PURPOSE
Active Ingredients: Zinc Oxide (24.99%)	Sunscreen
Uses: Helps prevent sunburn. If used as directed, it reduces the risk of skin cancer and early skin aging caused by the sun.	
Warnings: (For external use only) Do not use it on damaged or broken skin. Keep out of your eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops. Keep out of reach of children. Get medical help or contact a Poison Control Center right away if swallowed.	
Directions: <ul style="list-style-type: none"> • apply generously 15 minutes before sun exposure. • reapply: <ul style="list-style-type: none"> • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures, including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under six months of age: Ask a doctor. 	
Inactive Ingredients: Water/Aqua/Eau, Dicaprylyl Carbonate, Cyclohexasiloxane, Polyhydroxystearic Acid, Caprylic/Capric Triglyceride, Polysilicone-11, Polyglyceryl-3 Polyricinoleate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Lecithin, Isostearic Acid, Isopropyl Palmitate, Isohexadecane, Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer, Glycerin, PEG-10 Dimethicone, Picea Mariana Bark Extract, Polysorbate 80, Acetyl Hexapeptide-1, Polygonum Aviculare Extract, Physalis Angulata Extract, Tocopherol, Camellia Sinensis Leaf Extract, Allium Sativum (Garlic) Bulb Extract, Cocos Nucifera (Coconut) Oil, Lactobacillus Ferment, Yeast Ferment Extract.	
Other Information Exclusive formula provides increased dermal hydration and improves the skin's overall appearance. Keep product from excessive heat and away from direct sun.	
Questions or comments? Call toll free 1-888-DANNE-4-U	

EU/UK Responsible Persons:
MSL, BL9 5NB. UK
MSL, STE 5385, 27 UPPER
PEMBROKE ST, DUBLIN. IE

Made in USA
Danne Montague-King Co.
Los Angeles, CA 90760
www.dannemking.com
CPNP#3820582



DMK MD SATINSCREEN

broad spectrum spf 40 sunscreen lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81537-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.99 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	0.7 g in 100 mL
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	10 g in 100 mL
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	2.142 g in 100 mL
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	0.2 g in 100 mL
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	1.121 g in 100 mL
COCONUT OIL (UNII: Q9L0073W7L)	0.3 g in 100 mL
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	3.5 g in 100 mL
SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S) (UNII: 5F4963KLHS)	0.569 g in 100 mL
GARLIC (UNII: V1V998DC17)	0.3 g in 100 mL
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	0.142 g in 100 mL
ISOHEXADECANE (UNII: 918X1OUF1E)	0.712 g in 100 mL
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	0.355 g in 100 mL
WATER (UNII: 059QF0KO0R)	30.26 g in 100 mL
ISOSTEARIC ACID (UNII: X33R8U0062)	1.071 g in 100 mL
GLYCERIN (UNII: PDC6A3C0OX)	0.525 g in 100 mL
ACETYL HEXAPEPTIDE-1 (UNII: 49ZWR266MZ)	0.025 g in 100 mL
POLYGONUM AVICULARE WHOLE (UNII: M990N03611)	0.02 g in 100 mL
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	0.5 g in 100 mL
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	0.85 g in 100 mL
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	3.927 g in 100 mL
PHYSALIS ANGULATA (UNII: W4TKW9D5GG)	0.28 g in 100 mL
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	10.098 g in 100 mL
TOCOPHEROL (UNII: R0ZB2556P8)	0.2 g in 100 mL
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	6.663 g in 100 mL

Product Characteristics

Color	white (Opaque White Lotion)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81537-106-03	120 mL in 1 TUBE; Type 0: Not a Combination Product	08/25/2022	
2	NDC:81537-106-05	2 mL in 1 POUCH; Type 0: Not a Combination Product	08/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/25/2022	

Labeler - Danne Montague King (624242264)

Registrant - Danne Montague King (624242264)

Establishment

Name	Address	ID/FEI	Business Operations
Danne Montague King		624242264	label(81537-106) , pack(81537-106)

Establishment

Name	Address	ID/FEI	Business Operations
Creative Essences, Inc.		079120182	manufacture(81537-106)

Revised: 10/2023

Danne Montague King