

**5283 SUNSCREEN- octocrylene, titanium dioxide, octisalate lotion**  
**Innovation Specialties**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**5283 sunscreen**

***Drug Facts***

***Active Ingredient***

Octocrylene 9%

Titanium dioxide 7%

Octisalate 5%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measure.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

***Inactive ingredients***

Water, C12-15 Alkyl Benzoate, Isopropyl Myristate, Caprylic/Capric Triglyceride, Cetearyl Alcohol, CETETH-25, Glyceryl Stearate, Glycerin, Dmdm Hydantoin, Methyl Paraben, Propylparaben, Fragrance

***Other information***

- protect this product from excessive heat and direct sun

NDC (76138-216-01) DIN 02448890

Made in China for Innovation line.

Los Angeles CA 90066

Questions or Comments?

Call:1-855-755-5346

Broad Spectrum SPF30 Sunscreen Lotion

**Packaging**

**Broad Spectrum SPF30 Sunscreen Lotion**  
NetWt 30ml/1.0oz

**Drug Facts**

<b>Active Ingredient</b>		<b>Purpose</b>
Octocrylene	9%	Sunscreen
Titanium dioxide	7%	
Octisalate	5%	

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures(see Directions),decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If products is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measure.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,regularly use a sunscreen with a broad spectrun SPF of 15 higher and other sun protection measures including:
  - limit time in the sun,especially from 10 a.m.-2 p.m.
  - wear long-sleeve shirts,pants,hats,and sunglasses
  - children under 6 months:Ask a doctor

**Inactive ingredients**

Water,C12-15 Alkyl Benzoate,Isopropyl Myristate,Caprylic/Capric Triglyceride,Cetearyl Alcohol,CETETH-25,Glyceryl Stearate,Glycerin,Dmdm Hydantoin, Methyl Paraben,Propylparaben,Fragrance

**Other information**

- protect this product from excessive heat and direct sun

NDC (76138-216-01) DIN 02448890

Made in China for Innovation line.

Los Angeles CA 90066

Questions or Comments?

Call:1-855-755-5346

**5283 SUNSCREEN**

octocrylene, titanium dioxide, octisalate lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76138-216
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	7 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128MIS)	
<b>CETETH-25</b> (UNII: 5KLY4IOG20)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76138-216-01	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2018	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	06/01/2018	

**Labeler** - Innovation Specialties (030837314)