

**STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet**  
**WinCo Foods, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

### Questions or comments?

Call **1-800-824-1706** Monday-Friday 9AM-4PM MST

### Principal Display Panel

\*\*Compare to the active ingredients in Colace®2-IN-1

Stool Softener

& Stimulant Laxative

DOCUSATE SODIUM 50 mg/

STOOL SOFTENER

SENNOSIDES 8.6 mg/

STIMULANT LAXATIVE

Dependable relief in 6-12 hours

Tablets

\*\*This product is not manufactured or distributed by AVRIO HEALTH L.P., distributor of Colace® 2-IN-1.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

**Product Label**

\*\*\*Compare to the active ingredients in COLACE® 2-IN-1

**WinCo FOODS**

**Stool Softener & Stimulant Laxative**

DOCUSATE SODIUM 50 mg/  
STOOL SOFTENER  
SENNOSIDES 8.6 mg/  
STIMULANT LAXATIVE

Dependable relief in 6-12 hours

**60**  
Tablets

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each tablet)</b></p> <p>Docusate sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Stimulant laxative</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ relieves occasional constipation (irregularity)</li> <li>■ generally produces bowel movement in 6 to 12 hours</li> </ul> <p><b>Warnings</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ laxative products for longer than 1 week unless directed by a doctor</li> <li>■ if you are presently taking mineral oil, unless told to do so by a doctor</li> </ul>	<p><b>Drug Facts (continued under label)</b></p> <p><b>DISTRIBUTED BY:</b> WINCO FOODS, LLC, BOISE, ID 83704</p> <p><small>***This product is not manufactured or distributed by AVRIO HEALTH L.P., distributor of COLACE® 2-IN-1.</small></p> <p><b>100% SATISFACTION GUARANTEE</b></p> <p>Comments &amp; Questions? 800-824-1706</p> <p>WP2110 PLD-C677A LB008589</p> <p>Lot No.: _____ Exp. Date: _____</p> <p style="text-align: right;"><b>0 70552 23061 3</b></p> <p style="text-align: right; color: yellow; font-weight: bold;">PEEL HERE →</p>								
<p><b>Other Information</b></p> <ul style="list-style-type: none"> <li>■ each tablet contains: calcium 21 mg</li> <li>■ each tablet contains: sodium 5 mg VERY LOW SODIUM</li> <li>■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)</li> </ul> <p><b>Inactive ingredients:</b> carnaluba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&amp;C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide</p> <p><b>Questions or comments?</b> Call 800-824-1706 Monday - Friday 9am - 4pm MST</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ stomach pain</li> <li>■ nausea</li> <li>■ vomiting</li> <li>■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks</li> </ul> <p><b>Stop use and ask a doctor if you have</b> rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.</p> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p>■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td style="width: 50%;">take 2-4 tablets daily</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>take 1-2 tablets daily</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>take up to 1 tablet daily</td> </tr> <tr> <td>children under 2</td> <td>ask a doctor</td> </tr> </table>	adults and children 12 years and over	take 2-4 tablets daily	children 6 to under 12 years of age	take 1-2 tablets daily	children 2 to under 6 years of age	take up to 1 tablet daily	children under 2	ask a doctor
adults and children 12 years and over	take 2-4 tablets daily								
children 6 to under 12 years of age	take 1-2 tablets daily								
children 2 to under 6 years of age	take up to 1 tablet daily								
children under 2	ask a doctor								

**WINCO FOODS Stool Softener Laxative**

**STOOL SOFTENER LAXATIVE**

docusate sodium and sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-374
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-374-60	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	10/30/2020	

**Labeler** - WinCo Foods, LLC (056098817)