

LIL DRUG STORE PRODUCTS ALLERGY ANTIHISTAMINE- diphenhydramine hydrochloride tablet

Lil Drug Store Products, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lil' Drug Store® Products Allergy Antihistamine

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 25 mg
- store at 68°-77°F (20°-25°C)
- protect from light and moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin¹, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol¹, purified water¹, talc¹, titanium dioxide

¹ contains one or more of these ingredients

Questions or comments ?

Call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton - NDC 66715-6854

QUALITY

☐ GUARANTEED ☐

Compare to the Active Ingredient
in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

ACTUAL SIZE

24
Tablets

Lil'
Drug Store®

Allergy

Diphenhydramine HCl 25 mg
Antihistamine



Compare to the Active Ingredient
in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat



ACTUAL SIZE

24
Tablets



Diphenhydramine HCl 25 mg
Antihistamine

Allergy

24 Tablets



24 Tablets

Allergy

Diphenhydramine HCl 25 mg
Antihistamine


68540C-US-05-16-A

Product manufactured for:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404

PLD-C56Q FC005343



Lot No:
Exp Date:



**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

<i>Active ingredient (in each tablet)</i>	<i>Purpose</i>
Diphenhydramine HCl 25 mg.....	Antihistamine

- Uses**
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 - runny nose ■ sneezing ■ itchy, watery eyes
 - itching of the nose or throat
 - temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing

- Warnings**
Do not use
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
 - glaucoma
 - trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

- When using this product**
- marked drowsiness may occur
 - avoid alcoholic drinks
 - alcohol, sedatives and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery
 - excitability may occur, especially in children ▶

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

- Other information**
- each tablet contains: calcium 25 mg
 - store at 68°-77°F (20°-25°C)
 - protect from light and moisture

Inactive ingredients
carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol*, purified water*, talc*, titanium dioxide
* contains one or more of these ingredients

Questions or comments ?
Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton - NDC 66715-6754

QUALITY
□ GUARANTEED □

Compare to the Active Ingredient

in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

ACTUAL SIZE

24

Tablets

Lil'

Drug Store®

Allergy

Diphenhydramine HCl 25 mg
Antihistamine



Compare to the Active Ingredient
in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat



ACTUAL SIZE

24
Tablets



Diphenhydramine HCl 25 mg
Antihistamine
Allergy

24 Tablets



24 Tablets

Allergy

Diphenhydramine HCl 25 mg
Antihistamine


68540C-US-05-16-A

Product manufactured for:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404

PLD-C56Q FC005343



Lot No:
Exp Date:



**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25 mg.....	Antihistamine

- Uses**
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - temporarily relieves these symptoms due to the common cold
 - runny nose
 - sneezing

- Warnings**
Do not use
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
 - glaucoma
 - trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

- When using this product**
- marked drowsiness may occur
 - avoid alcoholic drinks
 - alcohol, sedatives and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery
 - excitability may occur, especially in children

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

- Other information**
- each tablet contains: calcium 25 mg
 - store at 68°-77°F (20°-25°C)
 - protect from light and moisture

Inactive ingredients
carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol*, purified water*, talc*, titanium dioxide
* contains one or more of these ingredients

Questions or comments ?
Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton - NDC 66715-6654

QUALITY
□ GUARANTEED □

Compare to the Active Ingredient

in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg

Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

ACTUAL SIZE

24

Tablets

Lil'

Drug Store®

Allergy

Diphenhydramine HCl 25 mg
Antihistamine



Compare to the Active Ingredient
in Benadryl® Allergy**

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

Relieves

- Runny Nose • Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat



ACTUAL SIZE

24
Tablets



Diphenhydramine HCl 25 mg
Antihistamine
Allergy

24 Tablets



24 Tablets

Allergy

Diphenhydramine HCl 25 mg
Antihistamine

68540C-US-05-16-A

Product manufactured for:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404

PLD-C56Q FC005343



Lot No:
Exp Date:

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25 mg.....	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing

Warnings

- Do not use
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
 - glaucoma
 - trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

- When using this product
- marked drowsiness may occur
 - avoid alcoholic drinks
 - alcohol, sedatives and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery
 - excitability may occur, especially in children ▶

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
 - do not take more than 6 doses in 24 hours
- | | |
|--|---------------------|
| adults and children
12 years and over | take 1 to 2 tablets |
| children 6 to under
12 years | take 1 tablet |
| children under
6 years | do not use |

Other information

- each tablet contains: calcium 25 mg
- store at 68°-77°F (20°-25°C)
- protect from light and moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol*, purified water*, talc*, titanium dioxide
* contains one or more of these ingredients

Questions or comments ?

Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

****This product is not manufactured or distributed by
McNeil Consumer Healthcare, distributor of Benadryl® Allergy.**

LIL DRUG STORE PRODUCTS ALLERGY ANTIHISTAMINE

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6854	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Diphenhydramine Hydrochloride (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	Carnauba Wax (UNII: R12CBM0EIZ)			
	Silicon Dioxide (UNII: ETJ7Z6XBU4)			
	Croscarmellose Sodium (UNII: M28OL1HH48)			
	D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)			
	Dibasic Calcium Phosphate Dihydrate (UNII: O7TSZ97GEP)			
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
	Egg Phospholipids (UNII: 1Z74184RGV)			
	Magnesium Stearate (UNII: 70097M6I30)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
	Polyethylene Glycol 400 (UNII: B697894SGQ)			
	Polysorbate 80 (UNII: 6OZP39ZG8H)			
	Titanium Dioxide (UNII: 15FIX9V2JP)			
	Water (UNII: 059QF0K00R)			
Product Characteristics				
Color	PINK	Score	no score	
Shape	OVAL	Size	11mm	
Flavor		Imprint Code	V;25	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6854-0	12 in 1 CARTON	01/10/2015	03/27/2023
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part341	01/10/2015	03/27/2023	

LIL DRUG STORE PRODUCTS ALLERGY ANTIHISTAMINE
diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6754
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Diphenhydramine Hydrochloride (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg

Inactive Ingredients

Ingredient Name	Strength
Carnauba Wax (UNII: R12CBM0EIZ)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Croscarmellose Sodium (UNII: M28OL1HH48)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
Dibasic Calcium Phosphate Dihydrate (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
Egg Phospholipids (UNII: 1Z74184RGV)	
Magnesium Stearate (UNII: 70097M6B30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
Polyethylene Glycol 400 (UNII: B697894SGQ)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Water (UNII: 059QF0KO0R)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	T;061
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6754-0	12 in 1 CARTON	01/10/2015	03/27/2023
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	01/10/2015	03/27/2023

LIL DRUG STORE PRODUCTS ALLERGY ANTIHISTAMINE

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6654
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Diphenhydramine Hydrochloride (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg

Inactive Ingredients

Ingredient Name	Strength
Carnauba Wax (UNII: R12CBM0EIZ)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Croscarmellose Sodium (UNII: M28OL1HH48)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
Dibasic Calcium Phosphate Dihydrate (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
Egg Phospholipids (UNII: 1Z74184RGV)	
Magnesium Stearate (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
Polyethylene Glycol 400 (UNII: B697894SGQ)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Water (UNII: 059QF0K00R)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	S4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6654-0	12 in 1 CARTON	01/10/2015	03/27/2023
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	01/10/2015	03/27/2023

