

**ASTHMA THERAPY- arsenic trioxide - histamine dihydrochloride -  
dermatophagoides pteronyssinus - magnesium phosphate, dibasic trihydrate  
- strychnos nux-vomica seed - aspidosperma quebracho-blanco bark -  
sulphur - tablet, orally disintegrating  
TRP Company**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Asthma Therapy™ Homeopathic Fast Dissolving Tablets**

<b>Active Ingredients</b>		<b>Purpose</b>
Arsenicum album HPUS	6c/12c/18c	Wheezing, Anxiety, Inflammation in the airways
Histaminum hydrochloricum HPUS	6c/12c/18c	Persistent, Dry, Fitful cough
House Dust Mite	6c/12c/18c	Allergies
Magnesia Phosphorica HPUS	6c/12c/18c	Tightness in chest, Spasmodic cough
Nux Vomica HPUS	6c/12c/18c	Shallow breathing, Dry hacking cough, Nervousness
Quebracho HPUS	6c/12c/18c	Difficulty breathing, Shortness of breath
Sulphur HPUS	6c/12c/18c	Difficult, Irregular respiration

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses**

According to homeopathic indications, these ingredients provide temporary relief of Asthma and COPD like symptoms such as: • Difficulty Breathing • Inflammation in the airways • Coughing • Wheezing • Shortness of breath • Sensation of tightness of the chest • Congestion after a diagnosis of Asthma or COPD by a physician.

**Warnings**

**USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN.**

- This product is a not a fast acting (rescue) inhaler.
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

- A physician should always be consulted to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if:**

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

**Keep out of reach of children**

**If pregnant or breast-feeding,** ask a health professional before use.

**Directions**

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

**Other information**

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

**Inactive Ingredients**

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

**Do not use if tamper evident seal is torn, broken or missing.**

For more information and to order related products call toll free: 888-969-6855 or **trpcompany.com**

**Principal Display Panel**

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**Natural Relief**

**Asthma Therapy**

**Gluten Free**

**TRP** THE RELIEF PRODUCTS®  
NDC # 17312-017-14

**Natural Relief**

**Asthma Therapy**

**FAST DISSOLVING TABLETS™**  
**Multi-Symptom Lung Therapy for Asthma / COPD Symptoms:**  
Difficulty breathing and wheezing  
Inflammation in the airways  
Shortness of breath

100% NATURAL ACTIVE INGREDIENTS

HOMEOPATHIC  
70 TABLETS

© 2024. All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502

**VOID AQUEOUS**

**Natural Relief**

**IMPORTANT**  
This product does not replace fast acting inhaler.

**Asthma Therapy**

Also try Natural Relief™ Fast Acting Oral Sprays™ for soothing, cooling and calming your cold related symptoms. Our distinctive formulas work together to enhance your body's ability to **Stay Healthy, Naturally.**

© 2024. All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502

**Drug Facts**

**Active ingredients**  
Arsenicum album HPUS 6C, 12C, 18C.....Wheezing, anxiety, inflammation in the airways  
Histaminum hydrochloricum HPUS 6C, 12C, 18C.....Persistent, dry, fitful cough  
House dust mite 6C, 12C, 18C.....Allergies  
Magnesia phosphorica HPUS 6C, 12C, 18C.....Tightness in chest, spasmodic cough  
Nux vomica HPUS 6C, 12C, 18C.....Shallow breathing, dry hacking cough, nervousness  
Quebracho HPUS 6C, 12C, 18C.....Difficulty breathing, shortness of breath  
Sulphur HPUS 6C, 12C, 18C.....Difficult, irregular respiration

**Purpose**  
"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses\***  
According to homeopathic indications, these ingredients provide temporary relief of Asthma and COPD like symptoms such as: • Difficulty breathing • Inflammation in the airways • Coughing • Wheezing • Shortness of breath • Sensation of tightness in the chest • Congestion. \* These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

**Warnings**  
• A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. • This product is not a fast acting (rescue) inhaler. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur.  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Stop use and ask a doctor if:** • You experience worsening of symptoms. • Symptoms last longer than 7 days.

**Directions**  
• Suitable for adults and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. Children under the age of 2: Consult a physician before use.

**Inactive ingredients**  
Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

**Other information**  
• Homeopathic remedies may not be effective for everyone. • Individual results may vary. • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.

**Questions or comments**  
1-888-969-6855  
8 am to 4 pm EST; Monday - Friday  
[www.thereliefproducts.com](http://www.thereliefproducts.com)

**Do not use if tamper evident seal is torn, broken or missing.** No usar si falta el sello contra falsificaciones o si está desgarrado o roto.  
Encontrara la información en español sobre este medicamento al interior de la caja.

PLEASE RECYCLE  
RECYCLAR ESTE ENVASE

**TRP** THE RELIEF PRODUCTS®  
NDC #17312-017-14

**Natural Relief**

**Asthma Therapy**

**FAST DISSOLVING TABLETS™**

HOMEOPATHIC  
70 Tablets

**Active ingredients**  
Arsenicum album HPUS 6C, 12C, 18C; Histaminum hydrochloricum HPUS 6C, 12C, 18C; House dust mite 6C, 12C, 18C; Magnesia phosphorica HPUS 6C, 12C, 18C; Nux vomica HPUS 6C, 12C, 18C; Quebracho HPUS 6C, 12C, 18C; Sulphur HPUS 6C, 12C, 18C

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Warnings**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
• Suitable for adults and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. Children under the age of 2: Consult a physician before use.

**Inactive ingredients**  
Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

**Other information**  
• Refer to outer carton for complete information. • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.

© 2024. All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502 [www.thereliefproducts.com](http://www.thereliefproducts.com)

**Questions or comments?** 1-888-969-6855 8 am - 4 pm EST; Monday - Friday  
**Do not use if tamper evident seal is torn, broken or missing.**

## ASTHMA THERAPY

arsenic trioxide - histamine dihydrochloride - dermatophagoides pteronyssinus - magnesium phosphate, dibasic trihydrate - strychnos nux-vomica seed - aspidosperma quebracho-blanco bark - sulphur - tablet, orally disintegrating

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-017
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_C]
<b>ASPIDOSPERMA QUEBRACHO-BLANCO BARK</b> (UNII: 52B1340190) (ASPIDOSPERMA QUEBRACHO-BLANCO BARK - UNII:52B1340190)	ASPIDOSPERMA QUEBRACHO-BLANCO BARK	6 [hp_C]
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	6 [hp_C]
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	6 [hp_C]
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	6 [hp_C]
<b>DERMATOPHAGOIDES PTERONYSSINUS</b> (UNII: 57L1Z5378K) (DERMATOPHAGOIDES PTERONYSSINUS - UNII:57L1Z5378K)	DERMATOPHAGOIDES PTERONYSSINUS	6 [hp_C]
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>CROSPVIDONE</b> (UNII: 68401960MK)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>COPOVIDONE</b> (UNII: D9C330MD8B)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

Product Characteristics			
<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	DIAMOND	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	TRP
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-017-14	1 in 1 PACKAGE	10/30/2012	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved		12/31/2011	

homeopathic		12/01/2011	
-------------	--	------------	--

**Labeler -** TRP Company (105185719)

Revised: 4/2024

TRP Company