

ASTHMA THERAPY- arsenic trioxide - histamine dihydrochloride - dermatophagoides pteronyssinus - magnesium phosphate, dibasic trihydrate - strychnos nux-vomica seed - aspidosperma quebracho-blanco bark - sulphur - tablet, orally disintegrating
TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Asthma Therapy™ Homeopathic Fast Dissolving Tablets

Active Ingredients		Purpose
Arsenicum album HPUS	6c/12c/18c	Wheezing, Anxiety, Inflammation in the airways
Histaminum hydrochloricum HPUS	6c/12c/18c	Persistent, Dry, Fitful cough
House Dust Mite	6c/12c/18c	Allergies
Magnesia Phosphorica HPUS	6c/12c/18c	Tightness in chest, Spasmodic cough
Nux Vomica HPUS	6c/12c/18c	Shallow breathing, Dry hacking cough, Nervousness
Quebracho HPUS	6c/12c/18c	Difficulty breathing, Shortness of breath
Sulphur HPUS	6c/12c/18c	Difficult, Irregular respiration

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses

According to homeopathic indications, these ingredients provide temporary relief of Asthma and COPD like symptoms such as: • Difficulty Breathing • Inflammation in the airways • Coughing • Wheezing • Shortness of breath • Sensation of tightness of the chest • Congestion after a diagnosis of Asthma or COPD by a physician.

Warnings

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN.

- This product is a not a fast acting (rescue) inhaler.
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

- A physician should always be consulted to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Other information

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

For more information and to order related products call toll free: 888-969-6855 or **trpcompany.com**

Principal Display Panel

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Relief

Asthma Therapy

Gluten Free

TRP THE RELIEF PRODUCTS[®]
NDC # 17312-017-14

Natural Relief

Asthma Therapy

FAST DISSOLVING TABLETS™

Multi-Symptom Lung Therapy for Asthma / COPD Symptoms:

Difficulty breathing and wheezing
Inflammation in the airways
Shortness of breath

100% NATURAL ACTIVE INGREDIENTS



HOMEOPATHIC
70 TABLETS

Natural Relief



IMPORTANT

This product does not replace fast acting inhaler.



Also try Natural Relief™ Fast Acting Oral Sprays™ for soothing, cooling and calming your cold related symptoms. Our distinctive formulas work together to enhance your body's ability to **Stay Healthy, Naturally!**

© 2024 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502

VOID
AQUEOUS

Drug Facts

Active ingredients

Arsenicum album HPUS 6C, 12C, 18C.....Wheezing, anxiety, inflammation in the airways
Histaminum hydrochloricum HPUS 6C, 12C, 18C..... Persistent, dry, fitful cough
House dust mite 6C, 12C, 18C.....Allergies
Magnesia phosphorica HPUS 6C, 12C, 18C.....Tightness in chest, spasmodic cough
Nux vomica HPUS 6C, 12C, 18C.....Shallow breathing, dry hacking cough, nervousness
Quebracho HPUS 6C, 12C, 18C.....Difficulty breathing, shortness of breath
Sulphur HPUS 6C, 12C, 18C...Difficult, irregular respiration

Purpose

*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications, these ingredients provide temporary relief of Asthma and COPD like symptoms such as: • Difficulty breathing
• Inflammation in the airways • Coughing • Wheezing
• Shortness of breath • Sensation of tightness in the chest • Congestion. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

• **A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.** • This product is not a fast acting (rescue) inhaler. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Stop use and ask a doctor if: • You experience worsening of symptoms. • Symptoms last longer than 7 days.

Directions

• Suitable for adults and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. Children under the age of 2: Consult a physician before use.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

Other information

• Homeopathic remedies may not be effective for everyone. • Individual results may vary. • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.

Questions or comments

1-888-969-6855
8 am to 4 pm EST; Monday - Friday
www.thereliefproducts.com

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

Encuentra la información en español sobre este medicamento al interior de la caja.

PLEASE RECYCLE
RECLAMAR ESTE ENVASE

TRP
Natural Relief

Asthma Therapy

FAST DISSOLVING TABLETS™

HOMEOPATHIC

THE RELIEF PRODUCTS[®]
NDC #17312-017-14

70 Tablets

Active ingredients
Arsenicum album HPUS 6C, 12C, 18C; Histaminum hydrochloricum HPUS 6C, 12C, 18C; House dust mite 6C, 12C, 18C; Magnesia phosphorica HPUS 6C, 12C, 18C; Nux vomica HPUS 6C, 12C, 18C; Quebracho HPUS 6C, 12C, 18C; Sulphur HPUS 6C, 12C, 18C

*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Warnings

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• Suitable for adults and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. Children under the age of 2:

Consult a physician before use.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

Other information

• Refer to outer carton for complete information. • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.

© 2024 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502 www.thereliefproducts.com

Questions or comments? 1-888-969-6855 8 am - 4 pm EST; Monday - Friday

Do not use if tamper evident seal is torn, broken or missing.

NO VARNISH

11/15/2024

ASTHMA THERAPY

arsenic trioxide - histamine dihydrochloride - dermatophagoides pteronyssinus - magnesium phosphate, dibasic trihydrate - strychnos nux-vomica seed - aspidosperma quebracho-blanco bark - sulphur - tablet, orally disintegrating

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:17312-017

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_C]
ASPIDOSPERMA QUEBRACHO-BLANCO BARK (UNII: 52B1340190) (ASPIDOSPERMA QUEBRACHO-BLANCO BARK - UNII:52B1340190)	ASPIDOSPERMA QUEBRACHO-BLANCO BARK	6 [hp_C]
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	6 [hp_C]
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	6 [hp_C]
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	6 [hp_C]
DERMATOPHAGOIDES PTERONYSSINUS (UNII: 57L1Z5378K) (DERMATOPHAGOIDES PTERONYSSINUS - UNII:57L1Z5378K)	DERMATOPHAGOIDES PTERONYSSINUS	6 [hp_C]
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-017-14	1 in 1 PACKAGE	10/30/2012	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved		10/30/2012	

homeopathic

12/01/2011

Labeler - TRP Company (105185719)

Revised: 12/2025

TRP Company