

**PAIN RELIEVER- acetaminophen tablet
WALGREENS**

ACETAMINOPHEN CAPLETS 500 mg (Free and Pure)

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug

warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed.

See overdose warning

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not take for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients

hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate***, stearic acid

***may contain this ingredient

Questions or comments?Call 1-877-290-4008

Walgreens
free+pure

EASY OPEN

Pain Reliever

Acetaminophen 500 mg,
pain reliever & fever reducer

Compare to the active ingredient
in Extra Strength Tylenol[®] caplets*

For adults | Extra strength

Free + Pure is:
• No artificial flavors • Gluten free*
• No synthetic colors • Non-GMO

Actual size
150
caplets†
(capsule-shaped
tablets)

THIS PACKAGE IS FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL
OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - backache
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)

Walgreens Pharmacist Recommended.
*Contains less than 20 ppm of gluten.
†We invite you to compare to national brands. This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of the registered trademark Extra Strength Tylenol[®] caplets.
DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com
©2023 Walgreen Co. 479R 0224 NOC 0363-7008-74
ITEM 402296 W00000-0000-0

Directions Do not take more than directed.

See overdose warning

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate***, stearic acid
***may contain this ingredient

Questions or comments? Call 1-877-290-4-008

Walgreens
free+pure

EASY OPEN

Pain Reliever

Acetaminophen 500 mg,
pain reliever & fever reducer

Compare to the active ingredient
in Extra Strength Tylenol[®] caplets*

For adults | Extra strength

Free + Pure is:
• No artificial flavors • Gluten free*
• No synthetic colors • Non-GMO

Actual size
150
caplets†
(capsule-shaped
tablets)

THIS PACKAGE IS FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL
OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - backache
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)

Walgreens Pharmacist Recommended.
*Contains less than 20 ppm of gluten.
†We invite you to compare to national brands. This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of the registered trademark Extra Strength Tylenol[®] caplets.
DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com
©2023 Walgreen Co. 479R 0224 NOC 0363-7008-74
ITEM 402296 W00000-0000-0

Directions Do not take more than directed.

See overdose warning

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate***, stearic acid, ***may contain this ingredient

Questions or comments? Call 1-800-910-6874

Walgreens
free+pure

EASY OPEN

Pain Reliever

Acetaminophen 500 mg, pain reliever & fever reducer

Compare to the active ingredient
in Extra Strength Tylenol[®] Caplets*

For adults | Extra strength

Free + Pure is:
• No artificial flavors • Gluten free*
• No synthetic colors • Non-GMO

Actual size
500
caplets†
(capsule-shaped
tablets)

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL
OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - backache
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued)

acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions Do not take more than directed. See overdose warning

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate***, stearic acid, ***may contain this ingredient

Questions or comments? Call 1-800-910-6874

PAIN RELIEVER
acetaminophen tablet

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Discard Seal
Empty Recycle Bin

PLASTIC BOTTLE

WPPOR04024-F

Lot No.: 1191705444

Exp. Date:

Discard Seal
Empty Recycle Bin

PLASTIC BOTTLE

W30R0124-F

Lot No.: 1191704714

Exp. Date:

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7008
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (Capsule shaped tablet)	Size	18mm
Flavor		Imprint Code	TCL341
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7008-53	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2024	
2	NDC:0363-7008-74	150 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/01/2024	

Labeler - WALGREENS (008965063)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(0363-7008)

Revised: 5/2024

WALGREENS