LORATADINE- loratadine tablet, orally disintegrating Walgreen Company

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

• place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor

OTHER INFORMATION

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- use tablet immediately after opening individual blister.

INACTIVE INGREDIENTS

Aspartame, croscarmellose sodium, magnesium stearate, mannitol, mint flavor, sodium stearyl fumarate, strawberry cream flavor, tutti-frutti flavor

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

NON-DROWSY*

Well at Walgreens

NDC 0363-0527-71

Wal-itin[®]

WALGREENS PHARMACIST RECOMMENDED[‡]

24 Hour Allergy Relief

Fast Dissolving Tablets

Loratadine Orally Disintegrating Tablets USP, 10 mg

Antihis tamine

- Relief of runny nose, sneezing, Itchy throat or nose & Itchy, watery eyes
- Ages 6 years & older

70 TABLETS

INDOOR/OUTDOOR ALLERGIES

24 HOUR

Compare to Claritin® RediTabs® active ingredient‡‡

ORALLY DISINTEGRATING TABLETS

See Drug Facts Panel.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

5115100/ORG0315-F

^{*}When taken as directed.



LORATADINE

loratadine tablet, orally disintegrating

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0527

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
ASPARTAME (UNII: Z0H242BBR1)			
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MANNITOL (UNII: 3OWL53L36A)			
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)			

Product Characteristics			
Color	white (White to Off-White)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10 mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0527-31	30 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0527-69	10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-0527-71 70 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

Labeler - Walgreen Company (008965063)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		051565745	MANUFACTURE(0363-0527)	

Revised: 3/2015 Walgreen Company