

LIDENZA PATCH- lidocaine hydrochloride patch

Patchwerx Labs, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

LidENZA Patch

Warnings

For external use only

Avoid contact with eyes

Do not apply to open wounds or damaged skin

If symptoms persist for more than seven days, discontinue use and consult physician

If swallowed, consult physician

Do not bandage tightly

If pregnant or breast feeding, contact physician prior to use

Do not use in large quantities, particularly over raw surfaces or blistered areas

Keep out of reach of children

Lidocaine HCL 4.00%

Menthol 1.00%

aloe barbadensis leaf, water, arnica montan extract, boswella serrata extract, camelia sinensis leaf extract, carbomer, ethylhexylglycerine, glycerine, isopropyl myristate, PEG 8, phenoxyethanol, polysorbate 80, sodium lauryl sulfate, triethanolamine, fd&c blue #1, fd&c yellow #5

clean and dry affected area

remove patch from backing and apply to affected area

use only one patch at a time, and maximum of four patches/day

leave patch on affected area for up to 8 hours

do not use patches for longer than five consecutive days

children under 12 should consult physician prior to use

Temporary relief of pain associated with minor cuts, scrapes and minor skin irritations

Topical anesthetic

External analgesic

LidENZA Patch

LidENZA Patch

Rx Only



LidENZA Patch

(Lidocaine 4% / Menthol 1%)

QTY : 15 patches

NDC 69329-017-15

RX Only

LidENZA Patch

RX Only



Manufactured for: Patchwerx Labs, Inc
Las Vegas, NV 89118
For Questions or Comments call +1 (800) 590-8070
Made in USA / Patent Pending

Store below 25 degrees. Avoid direct sunlight.	
FD&C Blue #1, FD&C Yellow #5, Isopropyl Myristate, PEG-8, Phenoxethanol, Polysorbate-80, Sodium Lauryl Sulfate, Triethanolamine, Serenoa Extract, Camellia Sinensis Leaf (Green Tea) Extract, Carbomer, Ethylhexylglycerin, Glycerin, Aloe Barbadensis Leaf (Aloe Vera Juice) Gel, Aqua (Deionized Water), Ammonium Methacrylate, Boswellia	
OTHER INGREDIENTS:	
<ul style="list-style-type: none"> • Children under 12 should consult physician prior to use. • Do not use patches for longer than five consecutive days. • Leave patch on affected area for up to 8-hours. • Use only one patch at a time, and maximum of four patches/day. • Remove patch from backing and apply to affected area. • Clean and dry affected area. 	
DIRECTIONS:	
<ul style="list-style-type: none"> • Do not use in large quantities, particularly over raw surfaces or blistered areas. • If pregnant or breast feeding, contact physician prior to use. • Do not bandage tightly. • Keep out of reach of children. If swallowed, consult physician. • If symptoms persist for more than seven days, discontinue use and consult physician. • Do not apply to open wounds or damaged skin. • Avoid contact with eyes. • For external use only. 	
WARNINGS:	
For Temporary relief of pain associated with minor cuts, scrapes and minor skin irritations.	
USES:	
Lidocaine HCL	4.00%
Menthol	1.00%
ACTIVE INGREDIENTS:	
Topical Anesthetic	

LidENZA Patch



LIDENZA PATCH

lidocaine hydrochloride patch

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:69329-017(NDC:49430-017)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ARNICA MONTANA (UNII: O80TY208ZW)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BOSWELLIA SACRA WHOLE (UNII: 8O600AZL0W)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CARBOMER 1342 (UNII: 809Y72KV36)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PEG-8 GLYCERYL ISOSTEARATE (UNII: 74QQ5X3KL1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TRIETHANOLAMINE BENZOATE (UNII: M3EN4GC19W)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69329-017-15	100 g in 1 PACKAGE		
2	NDC:69329-017-25	100 g in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/01/2013	

