COPPERTONE UV PROTECT SUNSCREEN SPF 50- avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray Beiersdorf Inc

Coppertone UV Protect Lotion Spray Sunscreen SPF 50

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of early skin aging caused by the sun

Warnings

- For external use only
- Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- · Keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Conents under pressure. Do not store at termperature above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure

- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-hexanediol, hydroxyacetophenone, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA

Questions?

1-866-288-3330

Coppertone Sunscreen Lotion

UV Protect

Gentle Lotion Spray

SPF 50+ PA+++

Proven UVA/UVB Protection

Moisturizing

Gentle & Hypoallergenic

Non-Comedogenic

Water Resistan (80 Minutes)

Broad Specturm SPF 50+



GENTLE LOTION SPRAY

SPF 50⁺PA+++

PROVEN UVA/UVB PROTECTION
Moisturizing
Gentle & Hypoallergenic
Non-Comedogenic

Water Resistant (80 Minutes)
Broad Spectrum SPF 50+

NET WT 6 0Z (170g)

Coppertone Gentle UV Protect Lotion Spray provides UVA/UVB protection while moisturizing your skin

Drug Facts

Active ingredient

Purpose

(To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%.

Sunscree

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

shake well before each use spray liberally and spread evenly by hand 15 minutes before sun exposure hold container 4 to 6 inches from the skin to apply do not spray directly into face. Spray on hands then apply to face. Industry on the skin to apply in windy conditions we use in a well-ventilated area reapply: Industry after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeve shirts, pants, hats, and sunglasses

npty Before Recycling


Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-braanediol, hydroxyacetophenone, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA

Questions? 1-866-288-3330

www.coppertone.com



DOT-2P M5655



10013011

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901 ®=reg. TM. of Beiersdorf AG, Germany

COPPERTONE UV PROTECT SUNSCREEN SPF 50

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:66800-0132

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
DIMETHYL ETHER (UNII: AM13FS69BX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0KO0R)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	

Product Characteristics			
Color	white (Clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800- 0132-6	170 g in 1 CAN; Type 0: Not a Combination Product	11/06/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		11/06/2023	

Labeler - Beiersdorf Inc (001177906)

Revised: 1/2024 Beiersdorf Inc