

COPPERTONE UV PROTECT SUNSCREEN SPF 50- avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray
Beiersdorf Inc

Coppertone UV Protect Lotion Spray Sunscreen SPF 50

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of early skin aging caused by the sun

Warnings

- **For external use only**
- **Flammable:** Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- Keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure

- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-hexanediol, hydroxyacetophenone, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA

Questions?

1-866-288-3330

Coppertone Sunscreen Lotion

UV Protect

Gentle Lotion Spray

SPF 50+ PA+++

Proven UVA/UVB Protection

Moisturizing

Gentle & Hypoallergenic

Non-Comedogenic

Water Resistant (80 Minutes)

Broad Spectrum SPF 50+



Coppertone
SUNSCREEN LOTION

DERMATOLOGICALLY TESTED

UV PROTECT

GENTLE LOTION SPRAY

SPF 50+ PA+++

PROVEN UVA/UVB PROTECTION
Moisturizing
Gentle & Hypoallergenic
Non-Comedogenic

Water Resistant (80 Minutes)
Broad Spectrum SPF 50+

NET WT 6 OZ (170g)

Coppertone Gentle UV Protect Lotion Spray provides UVA/UVB protection while moisturizing your skin

Drug Facts	
Active ingredient (To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%.....	Purpose Sunscreen
Use ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of early skin aging caused by the sun	
Warnings For external use only Flammable: Do not use near heat, flame, or while smoking Do not use on damaged or broken skin When using this product ■ keep away from face to avoid breathing it ■ keep out of eyes. Rinse with water to remove. ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses	
Other information ■ protect this product from excessive heat and direct sun ■ store between 20° to 25°C (68° to 77°F) ■ may stain or damage some fabrics or surfaces	
Inactive ingredients water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-hexanediol, hydroxyacetophenone, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA	
Questions? 1-866-288-3330	

www.coppertone.com

Empty Before Recycling
how2recycle.info
METAL CAN

4 005800 339493

DOT-2P M5655

10013011

COPPERTONE UV PROTECT SUNSCREEN SPF 50

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-0132
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHYL ETHER (UNII: AM13FS69BX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0KO0R)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	

Product Characteristics

Color	white (Clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-0132-6	170 g in 1 CAN; Type 0: Not a Combination Product	11/06/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		11/06/2023	

Labeler - Beiersdorf Inc (001177906)