

**AIR 90% CARBON DIOXIDE 10%- air 90% carbon dioxide 10% gas  
A-OX WELDING SUPPLY CO., INC.**

-----  
**Air 90% Carbon Dioxide 10% -400**

Purity Plus Specialty Gases by A-OX Welding Supply NON-FLAMMABLE GAS 2  
Compressed gas, n.o.s. (Carbon Dioxide, Air) UN1956 PPG AIRCD10USPK  
Medical Gas Mixture 10% Carbon Dioxide, USP CAS: 124-38-9 Balance Air, USP CAS: N/A  
Rx only WARNING: Administration of this gas mixture may be hazardous or  
contraindicated. For use only by or under the supervision of a licensed practitioner who  
is experienced in the use and administration of gas mixtures and is familiar with the  
indications, effects, dosages, methods, and frequency and duration of administration,  
and with the hazards, contraindications, and side effects and the precautions to be  
taken.

**DANGER: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE  
OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART  
RATE.**

Do not handle until all safety precautions have been read and understood. Avoid  
breathing gas. Use and store only outdoors or in a well-ventilated place. Use a back flow  
preventive device in the piping. Use only with equipment of compatible materials of  
construction and rated for cylinder pressure. Close valve after each use and when  
empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS)  
before use. FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep  
comfortable for breathing. Get medical advice/attention.

Lot No: XXX Tag No: XXX DO NOT REMOVE THIS PRODUCT LABEL For Medical Use Only.  
Ver. 3.76 Volume: 218.6 SCF A-OX Welding Co. 101 N Harlem Ave. Sioux Falls, SD  
57104 605.336.1125



Compressed gas, n.o.s.  
 (Carbon Dioxide, Air)

**UN1956**

PPG AIRCD10USPK  
 Part Number

Medical Gas Mixture

10% Carbon Dioxide, USP	CAS:	124-38-9
Balance Air, USP	CAS:	N/A

Rx only

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**DANGER** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART RATE.

Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

Lot No: XXX  
 Tag No: XXX

DO NOT REMOVE THIS PRODUCT LABEL

For Medical Use Only.

Ver. 3.76

Volume: 218.6 SCF

A-OX Welding Supply Co.  
 101 N. Harlem Ave.  
 Sioux Falls, SD, 57104  
 605.336.1125

**AIR 90% CARBON DIOXIDE 10%**

air 90% carbon dioxide 10% gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10297-400
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CARBON DIOXIDE</b> (UNII: 142M471B3J) (CARBON DIOXIDE - UNII:142M471B3J)	CARBON DIOXIDE	100 mL in 1 L

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065)	189 mL in 1 L
<b>NITROGEN</b> (UNII: N762921K75)	711 mL in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10297-400-01	680 L in 1 CYLINDER; Type 0: Not a Combination Product	03/11/2015	
2	NDC:10297-400-02	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	03/11/2015	
3	NDC:10297-400-03	5663 L in 1 CYLINDER; Type 0: Not a Combination Product	03/11/2015	
4	NDC:10297-400-04	8495 L in 1 CYLINDER; Type 0: Not a Combination Product	03/11/2015	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA213507	03/11/2015	

**Labeler** - A-OX WELDING SUPPLY CO., INC. (024372385)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
A-OX WELDING SUPPLY CO., INC.		024372385	manufacture(10297-400)

Revised: 10/2023

A-OX WELDING SUPPLY CO., INC.