

SUN SCREEN LOTION SPF30 01- octinoxate, avobenzone, oxybenzone, titanium dioxide lotion

Shenzhen Lantern Science Co., Ltd.

SUN SCREEN LOTION SPF30

Active Ingredient

ETHYLHEXYL METHOXYCINNAMATE □ 8.5%

Avobenzone □ 3.0%

Titanium dioxide □ 3.0%

Sunscreen

Inactive ingredients

AQUA, METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL, AQUA, DECYL GLUCOSIDE, PROPYLENE GLYCOL, XANTHAN GUM, GLYCERIN, DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE, BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE, ETHYLHEXYL TRIAZONE, DIMETHICONE, PEG-20 METHYL GLUCOSE SESQUISTEARATE, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, METHYL GLUCOSE SESQUISTEARATE, PHENOXYETHANOL, TOCOPHERYL ACETATE, PARFUM, MENTHOL, METHYL PARABEN, BISABOOL, ALLANTOIN, PROPYL PARABEN, DISODIUM EDTA, SPIRULINA PLATENSIS EXTRACT, SODIUM HYALURONATE.

Directions

Apply liberally 15 minutes before sun exposure.

Children under 6 months; Ask a doctor.

When using this product

keep out of eyes. In case of contact with eyes, flush thoroughly with water.

Do not inhale or ingest.

Avoid contact with broken skin.

Other information

Do not store above 105F.

May discolor some fabrics.

Harmful to wood finishes and plastics.

When using this product

Keep out of eyes, Rinse with water to remove.

Purpose

Sunscreen

Stop use and ask a doctor

if rash occurs.

Do not use

on damaged or broken skin.

Other information

Protect the product in this container from excessive heat and direct sun.

For sunscreen use

Apply to all skin exposed to the sun

Limit time in the sun, especially from 10 a.m.-2 p.m.

Wear long-sleeved shirts, pants, hats, and sunglasses.

Warnings

Warnings

For external use only

DOSAGE & ADMINISTRATION SECTION

Emulsion □ Apply generously 15 minutes before sun exposure

Reapply at least every 2 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Packaging

Packaging

40ML 尺寸 颜色 工艺 见之前的大货样
白卡纸350g 过光胶



SUN SCREEN LOTION SPF30 01

octinoxate, avobenzone, oxybenzone, titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54860-417
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	8.5 g in 100 mL	
	OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	3 g in 100 mL	
	AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	GLYCYRRHIZA URALENSIS (UNII: 42B5YD8F0K)			
	CAPRYLIC/CAPRIC/PALMITIC/STEARIC TRIGLYCERIDE (UNII: ZF29F7IK5I)			
	PEG-100 STEARATE (UNII: YD01N1999R)			
	GLYCERIN (UNII: PDC6A3C0OX)			
	GLYCERYL STEARATE SE (UNII: FCZ5MH785I)			
	DIPROPYLENE GLYCOL (UNII: E107L85C40)			
	ENZACAMENE (UNII: 8I3XWY40L9)			
	VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			
	CETEARETH-25 (UNII: 8FA93U5T67)			
	.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)			
	XANTHAN GUM (UNII: TTV12P4NEE)			
	PHENOXYETHANOL (UNII: HIE492ZZ3T)			
	METHYLPARABEN (UNII: A2I8C7HI9T)			
	PROPYLPARABEN (UNII: Z8IX2SC1OH)			
	WATER (UNII: 059QF0KO0R)			
	DISODIUM EDTA-COPPER (UNII: 6V475AX06U)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54860-417-01	45 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/19/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/19/2023		

Labeler - Shenzhen Lantern Science Co.,Ltd. (421222423)

Registrant - LANTERN HEALTH&BEAUTY LAB INC. (086860340)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Lantern Science Co.,Ltd.		421222423	manufacture(54860-417)

