

MENTICAM- camphor, menthol, methyl salicylate gel
PureTek Corporation

Menticam Gel

Drug Facts

Active Ingredients

Camphor 4%
Menthol 10%
Methyl salicylate 30%

Purpose

Camphor - Topical analgesic
Menthol - Topical analgesic
Methyl Salicylate - Topical analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with

- simple bachache
- arthritis
- strains
- bruises
- sprains

Warnings:

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over affected area

When using this product

- use only as directed
- avoid contact with the eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few

days

- excessive skin irritation occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use otherwise than directed
- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: consult a doctor

Other information

Store at controlled room temperature 20°-25°C (68°-77°C).

Avoid excessive heat. Do not use if package is damaged. Keep out of reach of children.

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aqua (Purified Water), Benzyl Alcohol, Carbomer, Polysorbate 80, Triethanolamine

How Supplied

Menticam™ Gel is an anti-inflammatory anesthetic in a 3.5 oz/ 100 g tube.
NDC 59088-203-07

Menticam™ Gel

NDC 59088-203-07



Drug Facts	
Active ingredients	Purpose
Camphor 4%	Topical Analgesic
Menthol 10%	Topical Analgesic
Methyl Salicylate 30%	Topical Analgesic
Uses	
For the temporary relief of minor aches and pains of muscles and joints associated with * simple backache * arthritis * strains * bruises * sprains	
Warnings	
For external use only	
Do not use * on wounds or damaged skin * with a heating pad	
When using this product * avoid contact with the eyes or mucous membranes * do not bandage tightly	
Stop use and ask a doctor if * condition worsens * symptoms persist for more than 7 days or clear up and occur again within a few days * excessive skin irritation occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
* do not use otherwise than directed	
* adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily	
* children under 12 years of age: consult a doctor	
Other information Store at controlled room temperature 20°-25°C (68°-77°C).	
Inactive Ingredients: Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aqua (Purified Water), Benzyl Alcohol, Carbomer, Polysorbate 80, Triethanolamine	

ADDITIONAL PRODUCT INFORMATION ENCLOSED.
For external use only. Not for ophthalmic use.

Manufactured in the USA by:
PureTek Corporation
Panorama City, CA 91402
For questions or information
call toll-free: **877-921-7873**



NDC 59088-203-07



Menticam™ Gel

**Camphor 4% - Menthol 10% -
Methyl Salicylate 30%
3.5 oz (100 g)**

Anti-Inflammatory Anesthetic

Use under the direction of a medical practitioner.

FOR EXTERNAL USE ONLY, NOT FOR OPHTHALMIC USE.

See enclosed insert for complete product information.

For lot number and expiration date, see crimp of tube and/or carton.

Rev.38616

MENTICAM

camphor, menthol, methyl salicylate gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59088-203
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	10 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 g
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59088-203-07	100 g in 1 TUBE; Type 0: Not a Combination Product	10/26/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/26/2023	

Labeler - PureTek Corporation (785961046)

Revised: 4/2024

PureTek Corporation