PARADIGM CONC- iodine solution DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLaval Della Barrier

Concentrated Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms.

Sellador desinfactante concenrado

Ayuda a reducir la transmision de microorganismos que causan mastitis

ACTIVE INGREDIENTS:

Iodine 1.00%

OTHER INGREDIENTS

Emollient*8%

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NINOS

! CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep Freezing. If product has frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

^{*}From glycerin

Additional Information on Material Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an iodine concentrate exclusively designed for use in conbination with InstaMix G Emollent Concentrate for

on-site blending/production of teat dips. To be blended with a DeLaval recommended on-site bending unit.

General Instuctions.

- Do not use full-strength.
- Consult veterinarian before starting or continuing to use teat dip if cow's teats are score or chapped.
- Do not use teat dip for cleaning and/or sanitixing of dairy equipment.
- Discard any teat sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixd with InstaMix G Emollient Concentrate using a DeLaval recommended onsite blending unit. Can be diluted to create three formula options.

Pre-Dipping

- Remove excess organic debris and forestrip
- Dip or spray cow's teats with properly diluted teat dip prepared with a DeLaval recommended on-site bledning unit.
- Allow a 30 second contact time.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly diluted teat dip prepared with a DeLaval recommended on-site blending unit.
- Before exposing a cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

IMPORTANT!

• Teat dip must be used within one month after mixing. Discard unused mixtures after noted time.

DILUTION CHART

% Emollient	Paradigm Conc (gal/100gal)	InstaMix [™] G Emollient Conc (gal/100gal)	Water (gal/100gal)
2%	25	0	75
5%	25	5	70
10%	25	14	61

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in those conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

© 2025, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:



KEEP OUT OF REACH OF CHILDREN

A CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing, if product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use Additional Information on Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an indine concentrate exclusively designed for use in combination with instablishing G Emplitent Concentrate for on-site blending / production of feet dips. To be blended with a DeLavel recommended on-site blending unit.

- General Instructions

 Donot use thit-strengt:

 Donot use thit-strengt:

 Consult visionsmann before starting or continuing to use seet dip if cow's seets are sole or chapped.

 Donot us lead up for cleaning and/or sanitating of dairy equipment.

 Descard any test sanitating solution test becomes ditty or continemented or any researched solutions of the control of the service solution and assist the described and searched suggests the thorough describing and assist in the control of martitis.
- formula options.

- tormus oppose.

 File-Dupping.

 Remove excess organic debris and brestrip.

 Remove excess organic debris and brestrip.

 Dip or prepry cow's tests with properly district test dip prepared with a Decayar recommended on-alle blending unit.

 Allow a 50 account contact the strength of the control of the common of t

- Post-Obcord

 Immediately after removing the milker unit, dip or spray each test with properly attend test dip prepared within December recommended on-site and properly attend to below theoring stroppersuring, the season should die throughly dip to reduce the potential of frontists. Failure to below these mistractions may result in basen tests and injured animate.
- IMPORTANTI

 Test dig must be used within one month after mixing. Discard unused mixtures after noted time.

DILUTION CHART

% Smothard	Paradigns Conc (gal/100gsl)	Instablicani G Emotivett Conc (gal/100gal)	Water Igal/100gs);	
2%	25	0	75	
.5%	25	.5	70	
10%	25	14	ēt	

Undifuted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be receibtrated in those conditions to maintain accurate dosing. If product freezes, than it completely and mix properly before use. Consult your Detavas representative for questions on specific applications.

Manufactured for: DeLaval Inc. NET CONTENTS: 15 US GAL. (56.8 L) 11100 N. Congress Avenue Kansas City, MO 64153

LOT NO .: Phone: 816-891-7700 Manufactured by: West Agro, Inc. EXP. DATE:

© 2025, Made in USA



KEEP OUT OF REACH OF CHILDREN

A CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If swallowed: Do not induce vorniting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing, if product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use Additional Information on Safety Data Sheet

USE DIRECTIONS

Paradigm Conc is an indine concentrate exclusively designed for use in combination with instablishing G Emplitent Concentrate for on-site blending / production of feet dips. To be blended with a DeLavel recommended on-site blending unit.

- General Instructions

 Donot use but-strength

 Corrust velocities are starting or continuing to use teet dip if coefs teets are sole or chapped.

 Donot use test dip for channing and/or sanitating of distry equipment.

 Described the starting position that becomes ditry or contaminated or any resource content of the starting observed the through the starting of the s
- formula options.

- tormus oppose.

 File-Dupping.

 Remove excess organic debris and brestrip.

 Remove excess organic debris and brestrip.

 Dip or prepry cow's tests with properly district test dip prepared with a Decayar recommended on-alle blending unit.

 Allow a 50 account contact the strength of the control of the common of t

- Post-Obcord

 Immediately after removing the milker unit, dip or spray each test with properly attend test dip prepared within December recommended on-site and properly attend to below theoring stroppersuring, the season should die throughly dip to reduce the potential of frontists. Failure to below these mistractions may result in basen tests and injured animate.
- IMPORTANTI

 Test dig must be used within one month after mixing. Discard unused mixtures after noted time.


DILUTION CHART

% Smothard	Paradigns Conc (gal/100gsl)	Instalform 6 Emotions Conc (gal/100gst)	Water (gat/100gs);	
2%	25	0	75	
.5%	25	.5	70	
10%	25	14	ēt	

Undifuted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be receibtrated in those conditions to maintain accurate dosing. If product freezes, than it completely and mix properly before use. Consult your Detavas representative for questions on specific applications.

Manufactured for: DeLaval Inc. 11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700 Manufactured by: West Agro, Inc. EXP. DATE: © 2025, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)



KEEP OUT OF REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep freezing, if product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use Additional Information on Safety Data Sheet

USE DIRECTIONS

Feredigm Concils an ladine concentrate exclusively designed for use in combination with Instability G Emplitent Concentrate for an site blending / production of test dips. To be trended with a DeLavel recommended on-site blending unit.

- General Instructions

 Donor use full-strength

 Consult visitening to below starting or continuing to use test diplificults test are zero or chapped.

 Donor use next dep for cleaning and/or sanitizing of dairy equipment.

 Description that can't sharp solution has to becomes dirty or continuinated for any resource concess day or continuinated for any resource concess days for the sharp solution has to become dirty or continuinated to any resource concess days for the control of the c
- formula options.

- tormus oppose.

 File-Dupping.

 Remove excess organic debris and brestrip.

 Remove excess organic debris and brestrip.

 Dip or prepry cow's tests with properly district test dip prepared with a Decayar recommended on-alle blending unit.

 Allow a 50 account contact the strength of the control of the common of t

- Post-Obcord

 Immediately after removing the milker unit, dip or spray each test with properly studied test dip prepared with a Delicral recommended or-sets before your.

 On the property of t
- IMPORTANTI

 Test dig must be used within one month after mixing. Discard unused mixtures after noted time.

% Smothard	Paradigni Conc (gal/100gal)	Installion G Emotion Conc (gal/100gs)	Water Ige/100gst: 75	
2%	25	0		
.5%	25	.5	70	
10%	25	14	ět	

Undifiled product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be receibrated in those conditions to maintain accurace dosing. If product freeze, than it completely and mix properly before use, Consult your Debasia representative for questions on specific applications.

Manufactured for: DeLaval Inc. 11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700 Manufactured by: West Agro, Inc. EXP. DATE:

NET CONTENTS: 275 US GAL. (1041 L)

PARADIGM CONC

iodine solution

Product Information Product Type OTC ANIMAL DRUG Item Code (Source) NDC:55756-777

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:55756-777-01	208.2 L in 1 DRUM				
2	NDC:55756-777-27	1041 L in 1 TANK				
3	NDC:55756-777-02	56.8 L in 1 DRUM				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	
other		12,10,2023	

Labeler - DeLaval (173704867)

Registrant - West Agro, Inc. (147528723)

Establishment				
Name	Address	ID/FEI	Business Operations	
West Agro, Inc.		147528723	manufacture, analysis, api manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
West Agro, Inc		095906480	api manufacture, manufacture, analysis	

Revised: 12/2025 DeLaval