GOOD SENSE CLEAR LAX- polyethylene glycol 3350 powder, for solution Proficient Rx LP

Perrigo ClearLax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- · you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

Unflavored Powder Grit Free

ClearLax®

Polyethylene Glycol 3350

Powder for Solution

Osmotic Laxative

Relieves Occasional Constipation / Irregularity

Softens Stool

Compare to active ingredient of MiraLAX®

NET WT 8.3 OZ (238 g)

14 Once-Daily Doses

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320





NDC 71205-447-38

Relabeled By: Proficient Rx LP Thousand Oaks, CA 91320

Polyethylene Glycol 3350 8.3 OZ (238 g) Powder Lot #:00000 SN# MASTER NDC 71205-447-38 Exp.00/00/00

Polyethylene Glycol 3350 8.3 OZ (238 g) Powder Lot #:00000 SN# MASTER NDC 71205-447-38 Exp:00/00/00

Polyethylene Glycol 3350 8.3 OZ (238 g) Powder Lot #:00000 SN# MASTER

NDC 71205-447-38 Exp:00/00/00



GTIN: 00371205447380 SN# MASTER Exp 00/00/00 Lot #:00000

Polyethylene Glycol 3350

8.3 OZ (238 g) Powder

Each dose contains: Polyethylene Glycol 3350, 17 g (cap filled to line) Osmotic Laxative

See bottle

Product ID: SP044738
Dist. By: Perrigo® Allegan, MI 49010
Store at 20°-25°C (68°-77°F)

Keep medication out of the reach of children

GOOD SENSE CLEAR LAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71205-447(NDC:0113-0306)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 FOLYETHYLENE GLYCOL 3350 FOLYETHYL

Product Characteristics						
Color	WHITE	Score				
Shape		Size				
Flavor		Imprint Code				
Contains						

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:71205-447- 38	238 g in 1 BOTTLE; Type 0: Not a Combination Product	04/07/2020				
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
۸۸	IDA	ANDA090685	10/07/2009				

Labeler - Proficient Rx LP (079196022)

Establishment						
Name	Address	ID/FEI	Business Operations			
Proficient Rx LP		079196022	REPACK(71205-447), RELABEL(71205-447)			

Revised: 7/2022 Proficient Rx LP