PAIN RELIEF EXTRA STRENGTH- acetaminophen tablet, coated HEB

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1092 - HEB - 2019-1004

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 tablets every 6 hours while symptoms last swallow whole – do not crush, chew, or dissolve do not take more than 6 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	■ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

acesulfame potassium, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

PRINCIPAL DISPLAY PANEL

Compare to Tylenol(R) Extra Strength Coated Tablets active ingredient

HEB

NDC 37808-792-03

Extra Strength


Pain Relief

Acetaminophen, 500 mg

Pain Reliever/Fever Reducer

For Adults

Sweet Coated



acetaminophen tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-792
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	500 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
PO VIDO NE (UNII: FZ989 GH94E)		
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)		
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
ALUMINUM O XIDE (UNII: LMI26O6933)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		

Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	11mm	
Flavor		Imprint Code	A92	
Contains				

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-792- 03	1 in 1 CARTON	0 2/0 1/20 13	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:37808-792- 01	1 in 1 CARTON	0 2/0 1/20 13	
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	02/01/2013	

Labeler - HEB (007924756)

Revised: 10/2019 HEB