

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray
Old East Main Co.**

**Studio Selection D46.000/D46AA
Sport Sunscreen Spray SPF 70**

Active Ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

Flammable:keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, acrylates/octylacrylamide copolymer, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimers

May stain or damage some fabrics or surfaces

OXTINOXATE FREE, OXYBENZONE FREE

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone Sport[®] Sunscreen Spray Broad Spectrum SPF 70.

Adverse Reaction

DSP-TN-21091 DSP-MO-20087

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETSVILLE, TN 37072

100% Satisfaction Guaranteed!

(888) 309-9030

Principal display panel

STUDIO SELECTION[®]

SUN

SPORT

SUNSCREEN SPRAY

BROAD SPECTRUM SPF 70

Compare to Coppertone Sport[®] Broad Spectrum SPF 70*

- Water-Resistant (80 minutes)
- Continuous spray from any angle

SPF 70

Family Size

Octinoxate & Oxybenzone Free

NET WT 11 OZ (312 g)



Drug Facts

Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 1%	Sunscreen

Uses
 ■ Helps prevent sunburn ■ If used as directed with other sun protection measures like Direction, decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
 For external use only
 Flammable: Keep away from fire or flames. ■ After application, wait until product dries before approaching a source of heat or flame, or before smoking
 Do not use ■ on damaged or irritated skin
 When using this product ■ keep out of eyes. Rinse with water to remove.
 ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.
 Stop use and ask a doctor if ■ rash occurs
 Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ spray liberally and spread evenly for least 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun
 ■ hold container 4 to 6 inches from the skin to apply
 ■ do not spray directly into face. Spray on hands then apply to face.
 ■ do not apply in windy conditions
 ■ use in a well-ventilated area and avoid inhalation
 ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
 ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. – 3 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ Minors under 6 months of age Ask a doctor

Other information
 ■ protect the product in this container from excessive heat and direct sun

Inactive ingredients alcohol/cera, diethylhexyl 2,6-naphthalate, diisopropyl adipate, neopentyl glycol diheptanoate, butylacetyl salicylate, acrylates/cyclohexanone copolymer, fragrance, aryl dimethyl hydrosilyl dimethyl, butadiol, isocetyl alcohol

May stain or damage some fabrics or surfaces. DSP-TN-2-001 ESP-460-29057

100% Satisfaction Guarantee! (800) 309-0030

DISTRIBUTED BY OLD EAST MAIN CO.
 100 MESSINA RIDGE
 GOODLETTSVILLE, TN 37072

SPORT SUNSCREEN SPRAY
 BROAD SPECTRUM SPF 70

Compare to Coppertone Sport® Sunscreen Spray Broad Spectrum SPF 70*

- Water-Resistant (80 minutes)
- Continuous spray from any angle

SPF 70

Family Size

Octinoxate & Oxybenzone Free

NET WT 11 OZ (312 g)

AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75712-946
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKWBC543X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)
(UNII: 7LL6SY9YFV)

.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)

HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)

LINALOOL, (+/-)- (UNII: D81QY6I88E)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75712-946-14	156 g in 1 CAN; Type 0: Not a Combination Product	08/24/2023	
2	NDC:75712-946-39	312 g in 1 CAN; Type 0: Not a Combination Product	08/24/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/24/2023	

Labeler - Old East Main Co. (006946172)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(75712-946)

Revised: 3/2026

Old East Main Co.