

OXYGEN- oxygen gas
Machine & Welding Supply Company dba Arc3 Gases South

Oxygen

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

ARC3 GASES

1636 Hwy 301 South Dunn, NC 28334

1700 Chamberlayne Ave. Richmond, VA 23222

844-534-8021

NO SMOKING

NO VAPING



OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

ARC3 GASES

1636 Hwy 301 South Dunn, NC 28334

1700 Chamberlayne Ave. Richmond, VA 23222

844-534-8021

NO SMOKING

NO VAPING



OXYGEN, Refrigerated Liquid USP

UN 1073

ARC3 GASES

1636 Hwy 301 South Dunn, NC 28334

1700 Chamberlayne Ave. Richmond, VA 23222

844-534-8021

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid Spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7782-44-7

NO SMOKING NO VAPING



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49575-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49575-001-01	103 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
2	NDC:49575-001-02	126 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
3	NDC:49575-001-03	150 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
4	NDC:49575-001-04	198 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	

5	NDC:49575-001-05	226 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
6	NDC:49575-001-06	420 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
7	NDC:49575-001-07	588 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
8	NDC:49575-001-08	690 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
9	NDC:49575-001-09	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
10	NDC:49575-001-10	1567 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
11	NDC:49575-001-11	2549 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
12	NDC:49575-001-12	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
13	NDC:49575-001-13	3172 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
14	NDC:49575-001-14	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
15	NDC:49575-001-15	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
16	NDC:49575-001-16	127100 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
17	NDC:49575-001-17	141500 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
18	NDC:49575-001-18	179803 L in 1 CAN; Type 0: Not a Combination Product	06/15/1999	12/31/2025
19	NDC:49575-001-19	206472 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
20	NDC:49575-001-20	16750 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
21	NDC:49575-001-21	24950 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
22	NDC:49575-001-22	25650 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
23	NDC:49575-001-23	29069 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
24	NDC:49575-001-24	33500 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
25	NDC:49575-001-25	33620 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
26	NDC:49575-001-26	37619 L in 1 DEWAR; Type 0: Not a Combination Product	06/15/1999	
27	NDC:49575-001-27	7760 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
28	NDC:49575-001-28	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
29	NDC:49575-001-29	3137.5 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
30	NDC:49575-001-30	3841 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	
31	NDC:49575-001-31	179803 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1999	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
NDA	NDA205767	06/15/1999	

Labeler - Machine & Welding Supply Company dba Arc3 Gases South (065300535)

Establishment

Name	Address	ID/FEI	Business Operations
Machine & Welding Supply Company dba Arc3 Gases South		043975085	manufacture(49575-001)

Establishment

Name	Address	ID/FEI	Business Operations
Machine & Welding Supply Company dba Arc3 Gases South		065300535	manufacture(49575-001)

Establishment

Name	Address	ID/FEI	Business Operations
Machine & Welding Supply Company dba Arc3 Gases South		962288192	manufacture(49575-001)

Revised: 3/2026

Machine & Welding Supply Company dba Arc3 Gases South